For KCC Use:	9-14-08
Effective Date:	
District #	
SGA? Yes	<b>V</b> No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

September 12, 2008    September 13, 2008   year   y	Must be approved by KCC five (	5) days prior to commencing well
Section   Sect	Expected Spud Date: September 12, 2008	Spot Description: _37.393492 -95.604614
Secretary   Secr	month day year	<u>W2_SW_NE_Sec. 36_Twp. 30_S. R. 16_</u>
Action   Control   Contr	33365	(0/0/0/0) 1,895 feet from N / S Line of Section
SECTION:	OPERATOR: License#	2,153 feet from E / W Line of Section
West   State   Wind   State   KS   Zip   58205   x 2001	Name: Laylie Ellergy Operating, 223	
County_Wilson   County_Wilso	<del></del>	<del>_</del> -
Contact Preson: Timothy I. Wright    Contractors   Contrac	Address 2:	
Sideric   Side	Contact Bereas: Timothy H. Wright	County: 7-36
South   Continue   C	Phone 913-748-3960	Lease Name: Wall #: 7-55
Target Formation (s)		Field Name: Cherokee Basin Coal
Noarrast Lease or unit boundary line (in footage); 646   Septembert.	CONTRACTOR: License# 335005	
Ground Surface Elevation. 902	Name: Thornton Air	Target Formation(s): Cherokee Coals
Ground Surface Elevation: 902	Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Seasonic   # of Holes   Other   Cable   Other   Cable   Other   Othe		
Disposal   Wildcat   Cable   Other		
Depth to bottom of tresh water: 450   Depth to bottom of usable water: 150   Surface Pipe by Alternate: 150   Surface Pipe by Alternate: 150   Surface Pipe Pipe Alternate: 150   Surface Pipe Pipe Alternate: 150   Surface Pipe Alternate: 15		
Depth to bottom of usable water; 150′    Other:		Depth to bottom of fresh water: 450 /00
Surface Pipe by Alternates		Depth to bottom of usable water: 150'
Length of Surface Pipe Planned to be set: 20'   Length of Surface Pipe Planned to be set: 20'   Length of Conductor Pipe (if any); None   No	Other:	
Operator:  Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore?  If Yes	If OWWO: old well information as follows:	Length of Surface Pine Planned to be set: 20'
Well Name: Original Completion Date: Original Control Rept.  Formation at Total Depth: Massissippian  Water Source for Drilling Operations:  Well		Length of Conductor Rise (if any): None
Original Completion Date: Original Total Depth:   Somewhat   Somew	Operator:	Design of Conductor Pipe (if any).
Directional, Deviated or Horizontal wellbore?    Yes   No		Projected Iotal Depth: 1200 Mississippian
West   Farm Pond   Other:   DWR Permit #:	Original Completion Date: Original Total Depth:	
DWR Permit #:		
Note: Apply for Permit with DWR   Yes   No		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. It an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate il cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases.  In the statements made herein are true and correct to the best of my knowledge and belief.  For KCC Use ONLY  API # 15 - 205 - 276 57 200 feet  Minimum surface pipe required  20 feet per ALT 10 10 10 10 10 10 10 10 10 10 10 10 10		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the approved notice of intent to drill shall be posted on each drilling rig; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 5° - Eastern Kanass surface casing order #133.891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knot/ledge/and belief.  Pater 15 - 205 - 27667 cood  For KCC Use ONLY  API # 15 - 205 - 27667 cood  In the authorization required feet feet per ALT is included by the propriate district office 48 hours prior to workover or re-entry; Notify appropriate district office 48 hours prior to workover or re-entry; Notify appropriate district office 48 hours prior to workover or re-entry; Notify appropriate district office 48 hours prior to workover or re-entry; Notify appropriate district office 48 hours prior to workover or re-entry; Notify appropriate district office 48 hours prior to workover or re-entry; Notify appropriate district office 48		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Pate:  For KCC Use ONLY  API # 15 - 205 2 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	KCC DKT #:	Will Cores be taken?
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well:  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: September 5, 2008 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 27667 COOD  Approved by: Full 9-908  This authorization expires: 9-9-99  This authorization expires: 9-9-99  (This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent:  Spud date: Agent: RECEIVED Signature of Operator or Agent: RECEIVED Signature of Operator or Agent: RECEIVED Signature of Operator or Agent:		If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well:  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: September 5, 2008 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 27667 COOD  Approved by: Full 9-908  This authorization expires: 9-9-99  This authorization expires: 9-9-99  (This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent:  Spud date: Agent: RECEIVED Signature of Operator or Agent: RECEIVED Signature of Operator or Agent: RECEIVED Signature of Operator or Agent:	ΔFFI	DAVIT
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prlor to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27667 - 2000  Approved by:  Minimum surface pipe required  Aport feet  Minimum surface pipe required  Aport feet  Minimum surface pipe required  Aport feet  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date or the surface approval date;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting		<del></del>
1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prlor to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases</i> , <i>NOTIFY district office</i> prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 27667 0000  Conductor pipe required		
2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each drilling rig: 3. The minimum amount of surface pipe as specified below <i>shall</i> be <i>set</i> by circulating cement to the top; in all cases surface pipe <i>shall</i> be <i>set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases</i> , <i>NOTIFY district office</i> prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - 205 - 27667  Conductor pipe required  Approved by:  Minimum surface pipe required  Approved b		
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: September 5, 2008 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 27667 000  Conductor pipe required feet  Minimum surface pipe required feet  Minimum surface pipe required feet per ALT. I feet provided by: feet per ALT. I feet provided feet per ALT. I feet provided feet per ALT. I feet per AL	Notity the appropriate district office <i>prior</i> to spudding of well;  A converted the appropriate district office prior to drill <i>shall be</i> posted on each to	drilling rig:
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27667 - 000  Minimum surface pipe required	2. A copy of the approved holice of litterit to drill shan be posted on each of the set by	v circulating cement to the top; in all cases surface pipe <b>shall be set</b>
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: September 5, 2008 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27667 - 0000  Minimum surface pipe required	through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 27667 COOD  Approved by: Limit 9-9-08  This authorization expires: 9-9-09  (This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent:	4. If the well is dry hole, an agreement between the operator and the distri-	ct office on plug length and placement is necessary <i>prior to plugging;</i>
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate il cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 27667 0000  Conductor pipe required	5. The appropriate district office will be notified before well is either plugge	d or production casing is cemented in;
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: September 5, 2008 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27667 0000  Conductor pipe required feet  Minimum surface pipe required feet per ALT. File acreage attribution plat according to field proration orders;  Approved by: MAR 9-908  This authorization expires: 9-9-09  (This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:  Signature of Operator or Agent:  RECEIVED	6 If an ALTERNATE II COMPLETION, production pipe shall be cemented	from below any usable water to surface within 120 DAYS of spud date.
hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.   Date: September 5, 2008   Signature of Operator or Agent:   Title: Agent	Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	13,891-C, which applies to the KCC District 3 area, alternate is cementing
September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27667-0000  Conductor pipe required		
For KCC Use ONLY  API # 15 - 205 - 27667-0000  Conductor pipe required	I hereby certify that the statements made herein are true and correct to the be	st of my knowledge and belief.
For KCC Use ONLY  API # 15 - 205 - 27667-0000  Conductor pipe required	September 5, 2008	Agent Agent
File Drill Pit Application (form CDP-1) with Intent to Drill;  API # 15 - 205 - 27667-0000  Conductor pipe required	Date: Signature of Operator or Agent:	Title.
File Drill Pit Application (form CDP-1) with Intent to Drill;  API # 15 - 205 - 27667-0000  Conductor pipe required		Remember to:
Conductor pipe required		File Drill Pit Application (form CDP-1) with Intent to Drill;
Conductor pipe required	ADI#15 205-27667-0000	- File Completion Form ACO-1 within 120 days of spud date;
Minimum surface pipe required	Alone	- File acreage attribution plat according to field proration orders;
Approved by:	20	
Approved by:	iver per i con p	
This authorization expires: 9-9-09  (This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent: If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:  Signature of Operator or Agent:  RECEIVED	Approved by: <b>Lux</b> 9-9-08	
(This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent: Agent: RECEIVED	$Q_{-}Q_{-}Q_{0}$	
Spud date: Agent: Agent: RECEIVED Signature of Operator or Agent: RECEIVED Signature Operator or Agent: RECEIVED Signature Operator Opera	IIIIS AUGIOTIZACION GAPROS.	
Spud date: Agent: RECEIVED \	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
114021145	Soud date:Agent:	
DINALA CARDADITION CALLING	open date:	KANSAS CORPORATION COMMISSIO

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27667-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Wilson
Lease: Mahaffey	1,895 feet from N / S Line of Section
Well Number: 7-36	2,153 feet from X E / W Line of Section
Field: Cherokee Basin Coal	Sec. <u>36</u> Twp. <u>30</u> S. R. <u>16</u> X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	 		1895		
••••	 				
				3153'	
••••	 	,			
••••	 		,		
	 				i

RECEIVED KANSAS CORPORATION COMMISSION

SEP 0 8 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Ope	erating, LLC		License Number: 33365	
Operator Address: 1900 Shawnee Mission Parkway		Mission Woods KS 66205		
Contact Person: Timothy H. Wright		Phone Number: 913-748-3960		
Lease Name & Well No.: Mahaffey 7-36		Pit Location (QQQQ):	ļ	
Type of Pit:	Pit is:		<u>W2 SW NE</u>	
Emergency Pit Burn Pit	Proposed [	Existing	Sec. 36 Twp. 30 R. 16 East West	
Settling Pit Drilling Pit	If Existing, date co	nstructed:	1,895 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2,153 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Yes No	Yes X	No	self-sealing	i
Pit dimensions (all but working pits):	BO Length (fe	et) 20	Width (feet) N/A: Steel Pits	1
,	om ground level to de		3 (feet) No Pit	
If the pit is lined give a brief description of the			edures for periodic maintenance and determining	]
material, thickness and installation procedure	<b>∍.</b>	ilner integrity, i	ncluding arry special monitoring. KANSAS CORPORATION CO	MAISSION
			SEP 0 8 200	8
			CONSERVATION DIVI	
Distance to nearest water well within one-mile	e of pit	Depth to shallo		
Yana		Source of info	CONSERVATION DIVE	
	feet	Source of info	CONSERVATION DIVI- WICHITA, KS  owest fresh waterfeet. rmation: uredwell ownerelectric logKDWR	
	feet	Source of info	CONSERVATION DIVISION WICHITA, KS OWNEST fresh waterfeet.  Transition:  Lired well owner electric log KDWR	
Froducing Formation:	feet	Source of info meast Drilling, Work	CONSERVATION DIVI- WICHITA, KS  owest fresh waterfeet. rmation: uredwell ownerelectric logKDWR	
	feet	Source of info measu Drilling, Work Type of materi Number of wo	CONSERVATION DIVE WICHITA, KS  owest fresh water	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	feet	Drilling, Work Type of materi Number of wo	CONSERVATION DIVE WICHITA, KS  owest fresh water	₹ /520527
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:	feet	Drilling, Work Type of materi Number of wo	CONSERVATION DIVE WICHITA, KS  owest fresh water	₹ /520527
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet	Drilling, Work Type of materi Number of woo Abandonment Drill pits must	CONSERVATION DIVE WICHITA, KS  owest fresh water	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow at flow into the pit?  I hereby certify that the above state	feet	Drilling, Work Type of materi Number of woo Abandonment Drill pits must	CONSERVATION DIVE WICHITA, KS  owest fresh water	₹ /520527
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  Yes No	feet	Source of informease Drilling, Work Type of materi Number of wo Abandonment Drill pits must	CONSERVATION DIVE WICHITA, KS  owest fresh water	₹ /520527
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  I hereby certify that the above state  September 5, 2008	feet  I spilled fluids to  ements are true and c	Source of informease  Drilling, Work  Type of materi  Number of work  Abandonment  Drill pits must  correct to the bes	CONSERVATION DIVE WICHITA, KS  owest fresh water	₹ /520527
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  I hereby certify that the above state  September 5, 2008	I spilled fluids to	Drilling, Work Type of materi Number of woo Abandonment Drill pits must	CONSERVATION DIVE WICHITA, KS  owest fresh water	₹ /520527