# For KCC Use: 9-/4-08 Effective Date: 3 District #

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

	tive (5) days prior to commencing well	
Expected Spud Date: September 12, 2008	Spot Description: 37.378967 -95.599992	
month day year	<u>SW</u> - <u>NW</u> Sec. 6 Twp. 31 S. R. 17 🔀 E	
33365	(Q/Q/Q/Q) 1,895 feet from N / S Line of Sect	
DPERATOR: License#	644 feet from E / X W Line of Sect	ion
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: Regular Irregular?	
Address 9-	(Note: Locate well on the Section Plat on reverse side)	
City: Mission Woods State: KS Zip: 66205 + 2001	— County: Montgomery	
Contact Person: Timothy H. Wright	Lease Name. Tucker Well #: 5-6	
Phone: 913-748-3960	Field Name: Cherokee Basin Coal	
CONTRACTOR: License#_33606	Is this a Prorated / Spaced Field? Yes XI	No.
Name: _Thornton Air	Target Formation(s): Cherokee Coals	
	Nearest Lease or unit boundary line (in footage): 512'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 881feet M	SL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	
Disposal Wildcat Cable	Depth to bottom of fresh water: 160 / 20	
Seismic ; # of Holes Other	Depth to bottom of usable water:	
Other:	Surface Pine by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
<del>_</del>	Length of Conductor Pipe (if any): None	
Operator:	Projected Total Depth: 1200'	
Well Name: Original Total Depth:	Formation at Total Depth: Mississippian	
Original Completion Date: Original Total Deptil	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	No Well Farm Pond X Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	-
KCC DKT #:	── Will Cores be taken?	No
	If Yes, proposed zone:	
	• •	
	RECE	VED
	RECE AFFIDAVIT KANSAS CORPORAT	
	AFFIDAVIT KANSAS CORPORAT	
The undersigned hereby affirms that the drilling, completion and eventual	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.	TON COMMIS
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:	AFFIDAVIT KANSAS CORPORAT	TON COMMIS
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0	том со <b>мм</b> я 3 <b>2008</b>
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i>	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0 (  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set WICHIT	10N COMMIS 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation.	10N COMMIS 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. e district office on plug length and placement is necessary prior to plugging;	10N COMMIS 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservation set by circulating cement to the top; in all cases surface pipe shall be set WICHING to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in;	10N COMMIS 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the state of the appropriate district office will be notified before well is either the appropriate district office will be notified before well is either the state of	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date.	10N COMMIS 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 16. If an ALTERNATE II COMPLETION, production pipe shall be cere.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133.891-C, which applies to the KCC District 3 area, alternate II cementing	10N COMMIS 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either lower than a complete the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the spud date or the well shall be completed within 30 days of the spud date or the	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.	10N COMMIS 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either of the appropriate of the complete of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be certify that the statements made herein are true and correct to	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig;  conservative  set by circulating cement to the top; in all cases surface pipe shall be set WICHIT  to the underlying formation.  e district office on plug length and placement is necessary prior to plugging;  plugged or production casing is cemented in;  nented from below any usable water to surface within 120 DAYS of spud date.  Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing  all be plugged. In all cases, NOTIFY district office prior to any cementing.  the best of my knowledge and relief.	10N COMMIS 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and correct to	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.	10N COMMIS 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either of the appropriate of the complete of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be certify that the statements made herein are true and correct to	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  the best of my knowledge and relief.  Agent	10N COMMIS 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the street of the specified district office will be notified before well is either of the appropriate district office will be notified before well is either of the specified of the specified or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be the specified of the spec	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  the best of my knowledge and relief.  Agent  Remember to:	ON COMMIS  2008  DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the properties of the strict office will be notified before well is either of the appropriate district office will be notified before well is either of the national properties of the specific casing ord must be completed within 30 days of the spud date or the well shall be retained by the strict of the spud date or the well shall be completed.  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. the best of my knowledge and relief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	2008 DIVISION A, KS
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the state of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31783 - ODD  Apple 15 - 125 - 31783 - ODD	AFFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  the best of my knowledge and selief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ON COMMIS  2008  DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the first that the district office will be notified before well is either in the completed district office will be notified before well is either in the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31 783 - ODOO  Conductor pipe required 100 - 1	AFFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHI the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. the best of my knowledge and selief.  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	2008 DA DIVISION A, KS
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and correct to Date:  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	each drilling rig;  conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHING to the underlying formation.  de district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	2008 DIVISION A, KS
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the following that the district office will be notified before well is either of the notified before to the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed to the statements made herein are true and correct to the complete of the spud date or the well shall be completed to the spud date or the well shall be completed to the spud date or the well shall be completed to the spud date or the well shall be completed to the spud date or the well shall be completed to the spud date or the well shall be completed to the spud date or the well shall be completed to the spud date or the well shall be completed to the spud date or the well shall be completed to the spud date or the well shall be completed to the spud date or the well shall be completed to the spud date or the spud date or the well shall be completed to the spud date or the spud date or the well shall be completed to the spud date or the spud date or the well shall be completed to the spud date or the spud dat	AFFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  the best of my knowledge and relief.  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	2008 DA DIVISION A, KS
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be returned to the spud date or the well shall be certify that the statements made herein are true and correct to Date:    September 5, 2008	AFFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; CONSERVATIK be set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. be district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date.  Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	2008 DIVISION A, KS  6 31 17
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either of the properties of the properties of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and correct to the patern of the properties of the propertie	AFFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; conservative set by circulating cement to the top; in all cases surface pipe shall be set WICHIT to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date.  Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2008 DIVISION A, KS  6 31 17
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either of the notified before well is either of the number of the number of the number of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and correct to  Date:  September 5, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31 783 - 0000  Conductor pipe required  feet per ALT. I	AFFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq.  SEP 0  each drilling rig; CONSERVATION  set by circulating cement to the top; in all cases surface pipe shall be set WICHING  to the underlying formation.  e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date.  Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2008 DIVISION A, KS  6 31 17

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31783-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Montgomery
Lease: _Tucker	1,895 feet from N / S Line of Section
Well Number: 5-6	644 feet from E / X W Line of Section
Field: Cherokee Basin Coal	Sec. 6 Twp. 31 S. R. 17 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

 1895					 
 ·	: :				 
 )		*********			 
				,,,,,,,,	 
 :		·  !		• • • • • • • • • • • • • • • • • • • •	 
 	<u></u>			*******	 

RECEIVED KANSAS CORPORATION COMMISSION

SEP 0 8 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway			Mission Woods KS 66205		
Contact Person: Timothy H. Wright			Phone Number: 913-748-3960		
Lease Name & Well No.: Tucker 5-6			Pit Location (QQQQ):		
Type of Pit:    Emergency Pit   Burn Pit	Pit is:  Proposed Existing  If Existing, date constructed:				
Settling Pit Drilling Pit			1,895 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity: (bbls)		644 Feet from East / West Line of Section  Montgomery County		
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used? self-sealing		
Fit differsions (all but working pits).	O Length (fe	,	Width (feet) N/A: Steel Pits  3 (feet) No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining notuding any special monitoring.  RECEIVED KANSAS CORPORATION COMMISS  SEP 0 8 2008  CONSERVATION DIVISION		
Source of		Depth to shallo Source of info	owest fresh waterfeet. WICHITA, KS		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
L I		Type of materi	al utilized in drilling/workover: fresh water mud		
Number of producing wells on lease: Nu		Number of working pits to be utilized: 2  Abandonment procedure: Let evaporate until dry, then backfill			
Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No		and restore			
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
September 5, 2008  Date		Sitt	Signature of Applicant or Agent		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 9/5/08 Permit Num	nber:	Pern	nit Date: 1/8/08 Lease Inspection: Yes Y		