# For KCC Use: 9-/5-08 Effective Date: 3 District # No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: September 16, 2008	Spot Description: _37.341917 -96.080833
month day year	W2 - NW - NE Sec. 22 Twp. 31 S. R. 12 XE W
33365 <b>3</b> 3365	(a/a/a/a) 633 feet from N / S Line of Section
OPERATOR: License#	2,236 Feet from E / W Line of Section
Address 1: 1900 Shawnee Mission Parkway	is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Mission Woods State: KS Zip: 66205 + 2001	County: Elk
Contact Person: Timothy H. Wright	Lease Name: KCE Well #: 7-22
Phone: 913-748-3960	Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?
Name: Thornton Air	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary line (in footage): 633'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1062 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 150'
Seismic ; # of Holes Other	Depth to bottom of usable water: 225'
Other:	Surface Pine by Atternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
	Length of Conductor Pipe (if any): None
Operator:	Projected Total Depth: 1500'
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	<del></del>
	If Yes, proposed zone:
AEEI	If Yes, proposed zone:
	If Yes, proposed zone:  RECEIVED  NAME OF THE PROPOSED PR
The undersigned hereby affirms that the drilling, completion and eventual plugg	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  NAME OF THE PROPOSED PR
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION SEP 1 0 2008
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION SEP 1 0 2008  rilling rig; CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each district office prior as specified below <i>shall be set</i> by	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be septimized.
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each did.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the consolidated.	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION SEP 1 0 2008  rilling rig; Circulating cement to the top; in all cases surface pipe shall be STICHITA, KS underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each did.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand that the surface propriate district office will be notified before well is either plugged.	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be serchita, KS inderlying formation. It office on plug length and placement is necessary prior to plugging; It or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plugge it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented the	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION SEP 10 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be spichita, KS inderlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pluggist is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each d  3. The minimum amount of surface pipe as specified below <i>shall</i> be <i>set</i> by through all unconsolidated materials plus a minimum of 20 feet into the c  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION  SEP 10 2008  rilling rig;  circulating cement to the top; in all cases surface pipe shall be spichita, KS underlying formation.  to office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pluggilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each driving an amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the driving and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be processed.	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be seCHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pluggist is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each d  3. The minimum amount of surface pipe as specified below <i>shall</i> be <i>set</i> by through all unconsolidated materials plus a minimum of 20 feet into the c  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be seCHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pluggilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B". Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	RECEIVED KANSAS CORPORATION COMMISSION  SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be sechita, KS underlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pluggilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	RECEIVED KANSAS CORPORATION COMMISSION  SEP 1 0 2008  rilling rig;  circulating cement to the top; in all cases surface pipe shall be spichita, KS underlying formation.  to office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each did.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the culture of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B". Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be possible to the set of the statements made herein are true and correct to the best pater.  September 9, 2008  Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMISSION  SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be sechita, KS underlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each driving the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the driving the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best Date:  September 9, 2008  Signature of Operator or Agent:  For KCC Use ONLY	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION  SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be seiCHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Title:  Agent  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each did.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the culture of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B". Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be possible to the set of the statements made herein are true and correct to the best pater.  September 9, 2008  Signature of Operator or Agent:	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be security, KS underlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be possible that the statements made herein are true and correct to the best Date:  September 9, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O49 - 22521 - ODDO	RECEIVED KANSAS CORPORATION COMMISSION  SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be seiCHITA, KS underlying formation. to office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #135 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date:  September 9, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 049 - 22521-0000  Conductor pipe required feet	RECEIVED KANSAS CORPORATION COMMISSION  SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be seiCHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Title:  Agent  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the c.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #135 must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the best pate:  September 9, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O49 - 22521-ODD  Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be sechita, KS underlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If orm below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Agent  Title:  Agent  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #135 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date:  September 9, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 049 - 22521-0000  Conductor pipe required feet	RECEIVED KANSAS CORPORATION COMMISSION  SEP 1 0 2008  rilling rig; circulating cement to the top; in all cases surface pipe shall be specification. It office on plug length and placement is necessary prior to plugging; dir production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each d.  3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented on the completed within 30 days of the spud date or the well shall be placed. It is a completed within 30 days of the spud date or the well shall be placed. September 9, 2008  September 9, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O49 - 22521 - ODDO  Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  SEP 1 0 2008  rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be sechita, KS underlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If orm below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Agent  Title:  Agent  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each driving and the approved notice of intent to drill <i>shall be</i> posted on each driving and the district office will be as the set by through all unconsolidated materials plus a minimum of 20 feet into the driving and the district office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be perfer be certify that the statements made herein are true and correct to the best Date:  September 9, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O49 - 22521 - ODDO  Conductor pipe required	PAVIT  CONSERVATION COMMISSION  Filling rig;  CONSERVATION DIVISION  Circulating cement to the top; in all cases surface pipe shall be spichita, KS inderlying formation.  It office on plug length and placement is necessary prior to plugging;  If or production casing is cemented in;  If one below any usable water to surface within 120 DAYS of spud date.  By 891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each d.  3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best place.  September 9, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O49 - 22521-ODDO  Conductor pipe required	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION  SEP 1 0 2008  rilling rig;  CONSERVATION DIVISION  circulating cement to the top; in all cases surface pipe shall be siCHITA, KS inderlying formation.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If you held we any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  15 of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each d.  3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pater.  September 9, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O49 - 22521-ODDO  Conductor pipe required	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  SEP 1 0 2008  rilling rig;  CONSERVATION DIVISION  circulating cement to the top; in all cases surface pipe shall be serchita, KS inderlying formation.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If one below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Agent  Title:  Agent  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Well Not Drilled - Permit Expired  RECEIVED  KANSAS CORPORATION COMMISSION  KANSAS CORPORATION COMMISSION  SEP 1 0 2008  CONSERVATION DIVISION  CONSERVATION DIVISION  FOR ANISAS CORPORATION COMMISSION  SEP 1 0 2008  FOR ANISAS CORPORATION COMMISSION  ANISAS CORPORATION COMMISSION  CONSERVATION DIVISION  AUTHORITY ARE SEPTICAL SERVATION DIVISION  FOR ANISAS CORPORATION COMMISSION  SEP 1 0 2008  FOR ANISAS CORPORATION COMMISSION  SEP 1 0 2008  FOR ANISAS CORPORATION COMMISSION  SEP 1 0 2008  FOR ANISAS  FOR ANISAS  CONSERVATION DIVISION  FOR ANISAS  CONSERVATION DIVISION  FOR ANISAS  CONSERVATION DIVISION  FOR ANISAS  CONSERVATION DIVISION  FOR ANISAS  FOR ANI

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - <u>049 - 22521-0000</u>	
Operator: Layne Energy Operating, LLC	Location of Well: County: Elk
Lease: KCE	633 feet from N / S Line of Section
Well Number: 7-22	2,236 feet from X E / W Line of Section
Field: Cherokee Basin Coal	Sec. 22 Twp. 31 S. R. 12 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

			633' 0-			
	••••	 		2236	,	
*********		 	•••••			
 		 **********	*********			
••••		 				

RECEIVED KANSAS CORPORATION COMMISSION

SEP 10 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway			Mission Woods KS 66205	
Contact Person: Timothy H. Wright		Phone Number: 913-748-3960		
Lease Name & Well No.: KCE	7-2	22	Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 22 Twp. 31 R. 12 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		633 Feet from North / South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		2,236 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	Elk County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  self-sealing	
Pit dimensions (all but working pits):	BO Length (fe	20	Width (feet) N/A: Steel Pits	
	rom ground level to de	,	3 (feet) No Pit	
If the pit is lined give a brief description of the	liner	Describe proce	edures for periodic maintenance and determining	
material, thickness and installation procedure	€.	liner integrity, i	ncluding any special monitoring.	
			4	
Double to a bollowing to the second of the s		owest fresh waterfeet.		
Source of info		rmation:		
None feet Depth of water well feet meas		measu	ured well owner electric log KDWR	
		_	rial utilized in drilling/workover: fresh water mud	
1		al utilized in drilling/workover: fresh water mud		
1		er of working pits to be utilized:		
Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to		and restore		
flow into the pit? Yes No	spilled lidids to	Drill pits must	be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMISSION				
SEP 1 0 2008				
September 9, 2008		duto?	the/	
Date Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 9/10/08 Permit Num	nber:	Perm	nit Date: 9/10/08 Lease Inspection: Yes XNo	