KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: 10-2-08	Spot Description: 35' N & 70' E of
month day year	
5214	(avarano) 625 feet from N / S Line of Section
OPERATOR: License#	1,580 feet from E / W Line of Section
Name:Address 1; 301 S. Market	Is SECTION: Regular Irregular?
Address 2:	
City: Wichita State: KS Zip: 67202 +	(Note: Locate well on the Section Plat on reverse side) County: Gove
Contact Person: Jay Schweikert	Their Pench 2.10
Phone: 316-265-5611	SARI-I out
CONTRACTOR: Licensett 33575	Fleig Name.
CONTRACTOR, Deciser	Is this a Prorated / Spaced Field? Yes X No
Name: WW Drilling	Target Formation(s): Mississippi
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in lootage).
◯ Oil C Enh Rec Infield Mud Rotary	Ground Sanace Elevation.
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic ; # of Holes Other	
Other:	Depth to bottom of usable water: 1260 / 350
CIA CIARACO, and well information on following	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): None
Well Name;	Projected Total Depth: 4700'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR
ROODRI #.	Will Cores be taken?
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plug	DAVIT ging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMP
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved police of intent to drill shall be posted on each of the approved police of intent to drill shall be posted on each of the approved police of intent to drill shall be posted on each of the approved police of intent to drill shall be posted on each of the approved police of the approv	DAVIT ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 0. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	DAVIT ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shalf of SERVATION DIVISION.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 0. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall conservation DIVISIO underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the district the same and the same and the district the same and the same and the district the same and th	pavit ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shalf be SERVATION DIVISION underlying formation. WICHITA, KS ct office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard and amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges.	pavit ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION UNCHITA, KS confice on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	pavit ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION UNCHITA, KS confice on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	pavit ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION UNCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the driving and unconsolidated materials plus a minimum of 20 feet into the standard of the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	pavit ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION underlying formation. WICHITA, KS with the conclusion casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the second and the second and the district of the second and	DAVIT ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard and an amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the standard and the stand	pavit ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION underlying formation. WICHITA, KS with the conclusion casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the original to the intention of the intenti	ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Engineer
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the original to the intention of the intenti	pavit ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation division underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Engineer
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the second s	ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Engineer
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation division underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the well is district office will be notified before well is either plugge in an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted by the statements made herein are true and correct to the period of the statements of the operator of Agent: Post CC Use ONLY	ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Deerations Engineer Title: Pemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted to the statements made herein are true and correct to the post of the statements of the statement of	ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION WICHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved in the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the surface will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the period of the specific of the specific provided in the statements of the specific of the specific provided in the statements of the specific provided in the statement of the specific provided in the specifi	ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Deerations Engineer Title: Penember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted to the statements made herein are true and correct to the post of the statements of the statement of	ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Deerations Engineer Title: Pile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the description of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the description of the specified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the period of the specified of the specified of the period of the specified of	ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION UNCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Engineer Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be set</i> to the specified below <i>shall be set</i> to though all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> to the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the period of the specified specified within the statements of the specified specified specified within approved by the specified s	ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIVISION underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Derations Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be set</i> to the specified below <i>shall be set</i> to though all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> to the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the period of the specified specified within the statements of the specified specified specified within approved by the specified s	ging of this well will comply with K.S.A. 55 et. seq. SEP 0 9 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIVISION WICHITA, KS curderlying formation. to office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 043-21737-0000	
Operator: Lario Oil & Gas Company	Location of Well: County: Gove
Lease: Theis Ranch	625 feet from N / S Line of Section
Well Number:	1,580 feet from X E / W Line of Section
Field: Wildcat	Sec. 19 Twp. 14 S. Fl. 31 E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lario Oil & Gas Company		License Number: 5214	
Operator Address: 301 S. Market		•	Wichita KS 67202
Contact Person: Jay Schweikert			Phone Number: 316-265-5611
Lease Name & Well No.: Theis Rand	ch 2-	-19	Pit Location (QQQQ): 35' N & 70' E of
Type of Pit:	Pit is:		<u>E2 _ NW _ NE</u>
Emergency Pit Burn Pit	Proposed	Existing	Sec. 19 Twp. 14 R. 31 East West
Settling Pit Drilling Pit	If Existing, date of	onstructed:	625 Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 7,100	(bbls)	1,580 Feet from East / West Line of Section Gove County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Bentonite
Pit dimensions (all but working pits):	00 Length (fe		Width (feet) N/A: Steel Pits 4 (feet) No Pit
If the pit is lined give a brief description of the			edures for periodic maintenance and determining
material, thickness and installation procedure	3.	liner integrity, i	SEP 0 9 200
material, thickness and installation procedure Distance to nearest water well within one-mile		Depth to shallo	CONSERVATION DIVISIONS TEST OF THE PROPERTY OF
	e of pit		CONSERVATION DIVISIONS FEET 16 Feet.
Distance to nearest water well within one-mile	e of pit 27 feet	Depth to shalld Source of informeast Drilling, Work Type of materi	CONSERVATION DIVISIONS FEET 16 Feet.
Distance to nearest water well within one-mile	e of pit 27 feet	Depth to shalld Source of informeast Drilling, Work Type of materi Number of work Abandonment	SEP 0 9 200 CONSERVATION DIVISIONS WICHITA ** Owest fresh water 16 feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite Mud rking pits to be utilized: 2 procedure: Allow for evaporation. Fill in and cover
Distance to nearest water well within one-mile	e of pit 27 feet I spilled fluids to	Depth to shallo Source of information measurement. Drilling, Work Type of materi Number of work Abandonment. Drill pits must correct to the best August	SEP 0 9 200 CONSERVATION DIVISIONS CONSERVATION DIVISIONS CONSERVATION DIVISIONS CONSERVATION DIVISIONS CONSERVATION DIVISIONS WIGHTA YEAR WICH YEAR WIN
Distance to nearest water well within one-mile	e of pit 27 feet I spilled fluids to ements are true and o	Depth to shallo Source of information measurement. Drilling, Work Type of materi Number of work Abandonment. Drill pits must correct to the best August	SEP 0 9 200 CONSERVATION DIVISIONS WIGHTA YEAR OWEST fresh water