For KCC Use:	9 15-00
Effective Date:	7-13 U
District #	
SGA? V Yes	No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: September 12, 2008 month day year	Spot Description: SE SE SE Sec 29 Turn 30 s p 16 TXTE TIME
OPERATOR: License# 3830 Name: AX&P, Inc. Address 1: 20147 200 Rd	SE SE SE Sec.29 Twp. 30 S. R.16 \ \times E \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Address 2: City: Neodesha State KS Zip: 66757 Contact Person: J J Hanke Phone: 620 325-5212	(Note: Locate well on the Section Plat on reverse side) County: Wilson Lease Name: Unit 1 -Ellis Well #E35Q-N
CONTRACTOR: License# 33079	Field Name: Neodesha Is this a Prorated / Spaced Field? Yes No
Name: Patrick Tubbs	Target Formation(s): Neodesna Sand
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Inf	Nearest Lease or unit boundary line (in footage): Real MSL Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: Depth to bottom of usable water: 150 +
If OWWO: old well information as follows:	Surface Pipe by Alternate:
Operator: Well Name:	Length of Conductor Pipe (if any):
Original Completion Date: Original Total Depth:	Formation at Total Depth: Neodesha Sand
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location:	Water Source for Drilling Operations: Well X Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR 1)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plu	-IDAVII KANSAS CORPORATION CONTA
It is agreed that the following minimum requirements will be met:	SEP 0 8 2008
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	derilling rig; by circulating cement to the top; in all cases surface pipe shall be set withITA, KS and underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; defined from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
I hereby certify that the statements made herein are true and correct to the boate: Signature of Operator or Agent:	fler paula Title: 1/765.
For KCC Use ONLY API # 15 - 205-27670-0000	Remimber to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required None feet Minimum surface pipe required 20 feet per ALT III Approved by: [MA 9-/008] This authorization expires: 9-10-09	- File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27670-0000	
Operator: AX&P, Inc.	Location of Well: County: Wilson
Lease: Unit 1 - Ellis	400 feet from N / S Line of Section
Well Number: E 35Q-N	350 feet from ∇ E / \square W Line of Section
Field: Neodesha Field	Sec. 29 Twp. 30 S. R. 16 X E W
Number of Acres attributable to well: 2.5 QTR/QTR/QTR/QTR of acreage: SE SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

				7			
İ	:	:	:		:	:	1
	:	•	:		:	:	:
1	•	:	<u>:</u>		-	:	
	1	:	;		:	:	:
Ì	•	•	•	Į.	•	•	•
				1			
1	:	:	:		:		:
\$:	:	:		:		:
!	;	•	:	i	•	:	:
		•			•		•
				,			
ŀ	•						
	:	:	:		:	1	:
:	:	:	:			1	: 1
	:	:	:		:		: 1
İ	:	:	:	i	:	<u>:</u>	: 1
						•	
ļ	:			į .			
ļ	:	:	:		:		;
!	:	:	:			:	: :
į	:	:	:	,		:	: 1
ĺ	:	•	: າ	9		;	
		·	4	J		<u> </u>	
	:	: :		:		:	:
Į	:	; ;		:		:	: [
	:	: :				:	: 1
į	:	: :		:		:	:]
1	•			-		:	
							, , . , . , . ,
ľ							
!	:	;				:	: !
!	:	:				:	;
i		:		;		:	:
i		•		,		•	
	-						. !
:	:	: :		:		: .	; i
	:	: :		:			: 1
	:	: :	i	1			
	:	: :	1	:	:		
					·		1
	,						
	:						. }
		:		;	:		
				;			Q.
				:			q.
			;				Q.

RECEIVED KANSAS CORPORATION COMMISSION

SEP 0 8 2008

CONSERVATION DIVISION WICHITA, KB



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Address: 20147 CR 200 Neodesha, Ks 66757 Contact Person: J.J. Hanke Phone Number: (620) 325–5212 Lease Name & Well No.: Unit 1-E11is E11is#35Q-N Pit Location (QQQQ): Type of Pit: Emergency Pit Burn Pit Pit Proposed Existing Sec. 29 Twp. 30 R16 East West 400 Feet from North / South Line of Section 350 Feet from North / South Line of Section 100 (bbls) Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: Type of Pit: Pit capacity: Pit dimensions (all but working pits): Pit dimensions (all but working pits): Depth from ground level to deepest point: Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECEIVED	Operator Name: AX&P, Inc.		License Number: 3830]
Contact Person: J.J. Hanke Phone Number: (620) 325-5212 Lease Name & Well No.: Unit 1-Blis Ellis#35Q-N Pit Location (QQQQ): SE SE SE SE	Operator Address: 20147 CR	200 Neodesha. Ks		1
Type of Pit: Emergency Pit	0			
Emergency Pit Burn Pit Settling Pit Existing, date constructed: 400 Feet from North / South Line of Section 350 Feet from North / South Line of Section 350 Feet from North / South Line of Section 350 Feet from North / South Line of Section North / Sout	Lease Name & Well No.: Unit 1-E11	is Ellis#35Q-N	Pit Location (QQQQ):	
Settling Pit Dinling Pit Hexisting, date constructed: 400 Feet from North / South Line of Section 350 Feet from North / South Line of Section 350 Feet from Least / West Line of Section 350 Feet from Least / West Line of Section Wilson County Line of Section Wilson County Line of Section Wilson County Line of Section Wilson County Line of Section Wilson County Line of Section Wilson County Line of Section Wilson County Line of Section Wilson County Line of Section Wilson County Line of Section Wilson Line of Section Line of Section Wilson Line of Section Wilson Line of Section Line	Type of Pit:	Pit is:	SE_SE_SE	
Workover Pit	Emergency Pit . Burn Pit	X Proposed Existing	Sec. 29 Twp. 30 R16 X East West	
Pit capacity: 100 Pit		If Existing, date constructed:	400 Feet from North / 🔀 South Line of Section	
Is the pit located in a Sensitive Ground Water Area?			1 350	
Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Yes No		(bbls)	Wilson County	
See bottom below ground level? Artificial Liner? Yes No	Is the pit located in a Sensitive Ground Water	Area? Yes X No		
Depth from ground level to deepest point: 5				
Describe procedures for periodic maintenance and determining RECEIVED		•	5	
Distance to nearest water well within one-mite of pit NA 1/2 milet Depth of water well feet	, ,	p	noluding any special monitoring. RECE	VED
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of pay knowledge and belief. KCC OFFICE USE ONLY Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh water Number of working pits to be utilized: One Abandonment procedure: backfill w topsoil Orill pits must be closed within 365 days of spud date. Fresh water Number of working pits to be utilized: One Abandonment procedure: backfill w topsoil Signature of Applicant or Agent KCC OFFICE USE ONLY REFA C		check pit	SEP 08	2008
Producing Formation: Number of producing wells on lease: Samels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No No No No No No No N	N/A	of pit Depth to shallow Source of inform	CONSERVATION West fresh water 100+ feet. mation:	ION COMMISSION 2008
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of pay knowledge and belief. Coffice USE ONLY RFAC	N/A 1/2 milet Depth of water well	of pit Depth to shallow Source of informfeetmeasur	CONSERVATION west fresh water 100+ feet. nation: redwell owner electric logX KDWR	ION COMMISSION 2008
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of pay knowledge and belief. Grid Drill pits must be closed within 365 days of spud date. Signature of Applicant or Agent KCC OFFICE USE ONLY REAC	N/A 1/2 milet Depth of water well Emergency, Settling and Burn Pits ONLY:	of pit Depth to shallow Source of informate measure Drilling, Works	CONSERVATION West fresh water 100+ feet. mation: red well owner electric logX KDWR over and Haul-Off Pits ONLY:	ION COMMISSION 2008
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Date	N/A 1/2 milet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	of pit Depth to shallow Source of informate in measure Drilling, Worked Type of material	CONSERVATION West fresh water 100+ feet. Ination: Index well owner electric log X KDWR Inver and Haul-Off Pits ONLY: Indicate of the desired of the desired water electric log the electric log the desired water electric log the electric log the electric log the electric log the electric log the electric log the electric log the electric log the electric log the electri	ION COMMISSION 2008
KCC OFFICE USE ONLY RFAC	N/A 1/2 milet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	of pit Depth to shallov Source of inforr feet	CONSERVATION west fresh water 100+ feet. nation: redwell owner electric logXKDWR wer and Haul-Off Pits ONLY: utilized in drilling/workover:fresh_water ing pits to be utilized: One	ON COMMISSION 2008 N DIVISION KS
	Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all se	of pit Depth to shallor Source of inform feet Drilling, Worko Type of materia Number of work Abandonment p	CONSERVATION West fresh water 100+ feet. nation: redwell ownerelectric logXKDWR I utilized in drilling/workover:freshwater ing pits to be utilized:one procedure:backfill w topsoil	2008 **DIVISION CONTRACTOR **KS
	Depth of water well	of pit Depth to shallon Source of inform feet Drilling, Worko Type of material Number of work Abandonment p Drill pits must be nents are true and correct to the best	CONSERVATION West fresh water 100+ feet. Mation: The description well owner electric log X KDWR The stresh water fresh water fresh water The stresh water one fresh water fresh water The stresh water fresh water fresh water The stresh water fresh water fresh water fresh water The stresh water fresh water fresh water fresh water fresh water The stresh water fresh water	2008 **DIVISION CONTRACTOR **KS



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

September 8, 2008

AX & P, Inc. 20147 200 Rd Neodesha, KS 66757

RE: Drillin

Drilling Pit Application

Unit 1 Ellis Lease Well No. E35Q-N

SE/4 Sec. 29-30S-16E Wilson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File