For KCC Use:	9-2000
Effective Date:	1200
District #	<u>_1</u>
SGA? Yes	□ No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

		Must be a	approved by KCC five	(5) days p	rior to comn	nencing	well		
Expected Spud Date:	September	12.	2008	Snot De	escription: _1	0- East	of W2-Se-Se		
Exposited Opad Batto.	month	day	year	#orE_			Sec. 20 Twp. 2	6 ep 16	_ ∏E XW
Open ston 1:	34064 🗸			(0/0/0/0)	660		_		S Line of Section
OPERATOR: License#_ Name: GW Energy LLC					880		feet from		V Line of Section
Address 1: 225 North Mar	ket Street, Ste. #230			Is SEC	TION: KIR	egular [Irregular?	△ - · ∟ ·	2
Address 2:									tal a V
City: Wichita	State: KS	Zip: 67	202 +	Country	Edwards	: Locate	well on the Section Pla	t on reverse si	de)
Contact Person:David F	P. Williams			Lease I	NA / h	sch		Wall	#: #1-20
Phone: (316)263-4932				Field Na	T	dale		44611	T
CONTRACTOR: License#	33843				Prorated / S	naced Fi	eld?		Yes No
Name: Tema Crilling, LLC	F-0-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-			Target F	ormation(s):	Mississi	opian, Kinderhook Sand		
Well Drilled For:	Well Class:	Турє	e Equipment:	Neares	t Lease or un	it bound	ary line (in footage): (560"	
XOil / DEnh	Rec Infield		Mud Rotary	Ground	Surface Elev	ation: _	Est. 2102'		feet MSL
Gas Stora			Air Rotary		vell within one	•			Yes No
Disp	· .	/ =	Cable	Public v	vater supply v	well with	in one mile:	_	Yes X No
	of Holes Other		•	Depth to	o bottom of fr	esh wate	180° 280 .		
Other:							iter: <u>180° 2</u> 80		
If OWWO: old well	l information as follo	ws:		Surface	Pipe by Alte	rnate: 🗾	∐ 400' /		
_				Length	of Sunace Pi of Conductor	pe Plant	ned to be set: 400'		
Operator:			and the second of inflation on the control of the second o		ed Total Dept				
Well Name: Original Completion D			Donth:		on at Total D				
Ongmai Completion D	ate	Algiriai 10tai	Depui		Source for Dri				ALL STREET, COMMUNICATION OF THE PARTY OF TH
Directional, Deviated or He	orizontal wellbore?		Yes No				Other:		
If Yes, true vertical depth:					ermit #:				
Bottom Hole Location:						(Note:	Apply for Permit with D	WR 🖸	
KCC DKT #:				Will Cor	es be taken?	ļ.		<i>></i> _	Yes No
				If Yes, p	roposed zone	a:			
 If the well is dry ho The appropriate di If an ALTERNATE 	wing minimum requitate district office proved notice of interpolation of surface pipe solidated materials pole, an agreement but istrict office will be surfaced to the completion, processed to the completion, provided the completion of the completion	irements wi rior to spud at to drill sha as specified plus a minimal between the notified before production p	etion and eventual plu ill be met: ding of well; all be posted on each d below shall be set in num of 20 feet into the operator and the dist ore well is either plugg sipe shall be cemented	drilling rig; by circulating underlying rict office on ed or product from below	g cement to formation. plug length ction casing any usable	the top; and plac is ceme water to	in all cases surface cement is necessary nted in; o surface within 120	prior to plu	<i>igging;</i> ad date.
			rface casing order #1 te or the well shall be						
I hereby certify that the s	•	•					pilei		-9-
, ,	A THOMAS III GOS IIC	Siri aro du	30	7/1/7"	1. 50		· Co.	/lanager/	/P.C
Date: 09/03/08	Signature of	Operator or	Agen Alex	10,1		سب	Title: CO-I	wanager/	F.G.
				Remem	ber to:				20
For KCC Use ONLY				- File D	rill Pit Appl ica	ation (for	m CDP-1) with Intent	to Drill;	0
API # 15 - 047 -	21580-0	<u> </u>			•		-1 within 120 days of	-	183
Conductor pipe required	Non	9	feet	f	_	-	according to field pro		} — 7
Minimum surface pipe n	γ_{Ω}	\frown	eet per ALT.	, -			fice 48 hours prior to -4) after plugging is c		hin 60 days)
Approved by: Put			Sor bot MENTAL TIL				ore disposing or inject		· · · · · · · · · · · · · · · · · · ·
	GICAG			l .			ee: authorized expira	-	4
This authorization expir (This authorization void if		thin 12 month	s of approval date.)	check	the box below	w and re	turn to the address be	elow.	
11110 database region voto in	a.a.a.g not started wit	12 //10/10/	open and action				nit Expired Date: _		
Spud date:	Agent:			Si	gnature of O	perator c	or Agent:		区
1									\

RECEIVED Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 KANSAS CORPORATION COMMISSION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 047-21580-0000	
Operator: GW Energy LLC	Location of Well: County: Edwards
Lease: Welsch	660 feet from N / X S Line of Section
Well Number: # 1-20	880 feet from 🔀 E / 🔲 W Line of Section
Field: Trousdale	Sec. 20 Twp. 26 S. R. 16 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: 100° E wz - Se - Se	
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

Γ								
			•		,			
П		:	:					
П					l :			
П		:						
П					,			•
П		:						
П		•	•					
П								
П					Ì			
П			•					
П		:						
П				•	i '		•	
П		:						
П		•			1		•	
П								
П								
П								
П		:						
1		:	•		1			
J						•		
-1		•	:		1			
-1		:			1			
1		•	•	•		•	•	•
П								
П					ì			
ı								•
ŀ		<u>:</u>	-	:		:		
i		:	:	;				•
ł		•	•	•	I	:	•	
- 1		:	:					
i		•	-			:	•	
- 1		•	•	2	Λ	·		
ı				ري	ν .			•
П								
1								<u>'</u>
П								
H					1			
-1								
ч			:	:	1			:
			:		1	:		;
- 1			:	: 	· · · · · · · · · · · · · · · · · · ·	: :		:
ļ	•••••		:	: 		: : : : : : : : : : : : : : : : : : :		
l	•••••	· · · · · · · · · · · · · · · · · · ·	: :	: 		: : : : : : : : : : : : : : : : : : :		: :
	•••••		:					
	•••••	*******						
				············				
				······································			•••••	
								880 ^f
								880
								880 [']
								8 80
								880 ¹
								880
								880 D'
							64	880'
							J60	880 s



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- CONSERVATION DIVISION WICHITA, KS 6 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: GW Energy LLC			License Number: 34064				
Operator Address: 225 North Market Street, Ste. #230			Wichita	KS	67202		
Contact Person: David P. Williams	Phone Number: (316)263-4932						
Lease Name & Well No.: Welsch # 1-20			Pit Location (QQQQ):				
Type of Pit: Pit is:			<u> </u>				
Emergency Pit Burn Pit Proposed Existing			Sec. 20 Twp. 26 R. 16 East West				
Settling Pit Drilling Pit	If Existing, date co						
Workover Pit Haul-Off Pit	Pit capacity:			880 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)		(bbls)	Edwards		County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:		mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling How is the pit lined if a plastic liner is not u				
Yes No	Yes X	No					
Pit dimensions (all but working pits):	00 Length (fe	eet)100	Width (feet)	V/A: Steel	l Pits		
Depth fr	om ground level to de	eepest point:	4 (feet)	No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determ ncluding any special monitoring. KANS	ining REI	CEIVED DRATION COMMISSIO		
			SEP 0 4 2008				
			CONSERVATION DIVISION				
ш			50	WIC	CHITA, KS		
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh water50feet. mation:				
57			uredwell owner electric log X KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	cover and Haul-Off Pits ONLY:				
Producing Formation:		• • •	ial utilized in drilling/workover: Bentonite				
'			t procedure: Evaporate Dry and Backfill				
			procedure. Lyaporate Dry and L		\(\sigma_{\delta} \)		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must			be closed within 365 days of spud date.				
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.		0.0 0.0		
			20.50		8		
09/02/2008 Date		de it	Signature of Applicant or Agent				
Date							
	KCC	OFFICE USE O	NLY Steel Pit RFAC	⊠ RFA	2[4]		
Date Received: 9/4/08 Permit Nun	nber:	Perm	it Date: 9,15,08 Lease Inspection:	Yes	No		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

September 15, 2008

Mr. David Williams GW Energy, LLC 225 N Market Ste 230 Wichita, KS 67202

RE: Drilling Pit Application

Welsch Lease Well No. 1-20 SE/4 Sec. 20-26S-16W Edwards County, Kansas

Dear Mr. Williams:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily.

NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File