For KCC Use:	9:22.08
Effective Date:	4 0000
District #	
SGA? Yes	 No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	Spot Description; Ap. 10' E of
Expected Spud Date: 10/15/2005 day year	N/2 _NE4 Sec. 25 Twp. 9 S. R. 24E XW
30717 🗸	(Q/Q/Q/Q) 330 feet from N / S Line of Section
ODEDATOR- Licences	1,310 Feet from E / W Line of Section
Name: Downigus Netson Oil Company, Inc.	is SECTION: Regular Irregular?
Address 1: P.O. Box 372	(Note: Locate well on the Section Plat on reverse side)
Address 2:	(Note: Locate well on the Section Flat of Teveral State)
	County: Graham Lease Name: Golff Weil #: 1-25
Contact Person: Ron Nelson	Lease Name: Gottl Weil #: 1-25
Phone: 785-621-2610	Field Name: Wildcat
CONTRACTOR: License#_33493	IS II S Of 1 (Cristian) Character 1 (cristian)
Name: American Eagle Drilling	Target Formation(s): LKC & Arbuckle
Well Drillad For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
- Ven brigad i Gr.	Ground Suriace Elevation:
AL BANK	Water well within one-quarter mile:
	Public water supply well within one mile:
Disposal Wildcat Cable Seismic; # of Holes Other	Depth to bottom of fresh water: 150
	Depth to bottom of usable water: 1200 (250
Other:	Surface Pipe by Alternate: I I III
if OWWO: old well information as follows:	Length of Surface Pipe Ptenned to be set:
	Length of Conductor Pipe (if any):
	Projected Total Depth: 4,200
Well Name: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
if Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DMR
KCC DKT #:	Will Cores be talken?
	If Yes, proposed zone:
	RECEIVED
	FIDAVIT KANSAS CORPORATION COMMISSI
	FIDAVIT KANSAS CORPORATION COMMISSI LINEAR OF This well will comply with K.S.A. 55 St. Sec.
AF The undersigned hereby affirms that the drilling, completion and eventual plats is agreed that the following minimum requirements will be met:	FIDAVIT KANSAS CORPORATION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to epudding of well;	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to epudding of well;	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set .	THOAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 CONSERVATION DIVISION the drilling rig; by circulating company to the top; in all cases surface pipe shall be set.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and its minimum amount of surface pipe as specified below shall be set.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 CONSERVATION DIVISION BY CONSERVATION DIVISION BY CONSERVATION DIVISION BY CONSERVATION DIVISION BY UNCHITA, KR. WICHITA, WICHITA, KR. WICHITA,
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district of	Ungging of this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 CONSERVATION DIVISION OF WICHTA, KE WICHTA, KE WICHTA, KE The underlying formation. Strict office on plug length and placement is necessary prior to plugging; when a production calculation cannot be compared or norduction calculation in compared or norduction calculation in compared or norduction calculation calculation.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to epudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be confided before well is either plug 5. The appropriate district office will be notified before well is either plug.	ripavit ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 Conservation Division the drilling rig; by circulating coment to the top; in all cases surface pipe shall be set with the underlying formation. Strict office on plug length and piscement is necessary prior to plugging; ugged or production calling is comented in; and from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to epudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE!! COMPLETION, production pipe shall be carried.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 CONSERVATION DIVISION th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be	CONSERVATION DIVISION th drilling rig: WICHITA, KE The underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, MOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to epudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE!! COMPLETION, production pipe shall be carried.	CONSERVATION DIVISION th drilling rig: WICHITA, KE The underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, MOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the restrict of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the	replayed this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 CONSERVATION DIVISION WICHITA, K.S. WICHITA, WICHITA, K.S. WICHITA, K.S. WICHITA, K.S. WICHITA, K.S. WICHITA, K.S. WICHITA,
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be	replaying of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KE WICHITA, WICHITA, WICHITA, KE WICHITA, WICHI
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the drilling of the properties of the spud date or the well shall be the properties of the	replayed or production casing is commercial in; and formation containing is commercial in; and formation containing is commercial in; and formation casing is commercial in; a
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate to Appendix "B" - Eastern Kansas surface casing order if must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the date: Signature of Operator or Agent: For KCC Line ONLY	EPIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing best of my knowledge and belief. Title: Title: Remainbur to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the drilling of the properties of the properties an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order if must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the Date: 9-16-07 Signature of Operator or Agent: API # 15 - 065-23482-0000	replaying of this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 CONSERVATION DIVISION To production calling is comerced in; and placement is necessary prior to plugging; and or production calling is comerced in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II comenting be plugged. In all cases, NOTIFY district office prior to any comenting. Title: Title: Remainbur to: - File Drill Pit Application (form CDP-1) with intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to epudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plug of an ALTERNATE!! COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order if must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the Date: 9-10-01 Signature of Operator or Agent: Along	ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 CONSERVATION DIVISION WICHITA, KE By circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing best of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreace attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the second of the intent and the posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the Date: 9-16-07 Signature of Operator or Agent: API # 15-065-23482-000 Conductor pipe required	replayed by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proretion orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the display of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order if must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the Date: Gold Communication of the complete of the complete of the spud date or the well shall be completed.	ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KE By circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and piacement is necessary prior to plugging; ged or production casing is comented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, MOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the provent of the prior to surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district of the properties and the properties of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the properties of	ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KE WICHITA, WICHITA, KE WI
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved and the copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the drilling of the experiment is drived by the shall be considered to the experiment of the properties of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the construction pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the plus of the conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - DIS - 23482-DOOD Conductor pipe required None feet per ALT 1 Plant authorization growing: The subsystation growings: 9-17-09	ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KE By circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and piacement is necessary prior to plugging; ged or production casing is comented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, MOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each state of the appropriate district office pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the Date: Gold Completed	ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 CONSERVATION DIVISION In drilling rig; It by circulating coment to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and piscement is necessary prior to plugging; and form below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, elternate II comenting the plugged. In all cases, MOTIFY district office prior to any comenting. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district of the well is dry hole, an agreement between the operator and the district of the well be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall be incompleted completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and correct to the Date: 9-10-08 Signature of Operator or Agent: None feet Minimum surface pipe required 200 feet per ALT 1 Approved by: 100-9-17-08 The subsystation spokes: 9-17-09	ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 7 2008 CONSERVATION DIVISIONAL MICHITA, K.S. WICHITA, K.S. WICHI


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a promised or spaced field, please fully complete this aids of the form. If the intended well is in a promised or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

biologog golden grant and a service and a se			
API No. 15 - 065-23482-0000	:	_	
Operator: Downign-Netson Oil Company, Inc.	Location of We	il: County: S	
Lease: Goff	330		feet from X N / S Line of Section
Well Number: 1-25	1,310		feet from X E / W Line of Section
Field: Wildcat	Sec. 25	_Twp. <u>9</u>	S. R. <u>24</u>
Number of Acres attributable to well:	ls Section:	K Recuter o	or limegular
QTR/QTR/QTR of acreage: N/2 _ N/2 _ NE/4	, COOLUM: P		
	If Section is	reguler, loc	ate well from nearest corner boundary.
	Section come	·used: 🔲	NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the negret lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Downign-Nelson Oil Company, Inc.			License Number: 30717		
Operator Address: P.O. Box 372		Hays KS 67601			
			Phone Number: 785-621-2610		
Contact Person: Ron Nelson Lease Name & Well No.: Golt 1-25			Pit Location (QQQQ): NW NE		
Pit dimensions (all but working pits):	Artificial Liner? Yes 1970 Length (ferom ground level to de	No 70 eepest point: Describe prociner integrity,	Sec. 25 Twp. 9 R. 24 East West 330 Feet from North / South Line of Section 1,310 Feet from East / West Line of Section Graham County Chloride concentration: 15,000 mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Sealed with Native and Fresh Muci		
N/A Distance to nearest water well within one-mi	le of pit	N/A Depth to shall Source of info	SEP 1 7 2008 CONSERVATION DIVISION WICHITA, KS Owest fresh water 85 25 feet.		
4620 $\frac{11.68}{1}$ feet Depth of water well_	112 feet		well owner electric log KDWR		
Producing Formation: Type of mate Number of producing wells on lease: Number of w		torkover and Haul-Off Pits ONLY: aterial utilized in dritting/workover: FRESH MUD working pits to be utilized: 3 ment procedure: Evaporation and Backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pil? Yes No Drill pils mus		t be closed within 365 days of spud date.			
i hereby certify that the above sta	tements are true and	correct to the be	t procedure: Evaporation and Backfill be closed within 365 days of spud date. st of my knowledge and belief.		
9-16-07 Signature of Applicant or Agent					
	KCC	OFFICE USE	ONLY Steel Pit RFAC RFAS		
Date Received: 9/12/68 Permit Nu	mber:	Pen	mit Date: 9/12/08 Lease Inspection: Yes No		