Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

32639	API No. 15 - 051-25345-00-00
Operator: License #	County: Ellis
Name: 1600 Stout Street, Suite 1500	SE_ SW_ SW Sec 20_ Twp. 13 S R. 16 East 🖾 West
Danyon Calanada 90202	
City/State/Zip:	1880 feet from E / (circle one) Line of Section
Purchaser: 11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Footages Calculated from Nearest Outside Section Corner:
Interior and a second	
Phone: (303) 623-3573 KCC WICHITA	Dollara 1
Contractor: Name: Murfin Drilling Co., Inc. 30606	Herzoa
License:	Field Name:Arbuckle/Lansing
Wellsite Geologist: Robert E. 0'Dell	Elevation: Ground: 1957 ft Kelly Bushing: 1962 ft
Designate Type of Completion:	Total Depth: 3474 Plug Back Total Depth: Open Hole com
X New Well Re-Entry Workover	Amount of Surface Pipe Set and Cemented at 233 Feet
X Oil SWD SIOW Temp. Abd.	
Gas ENHR SIGW	Multiple Stage Cementing Coliar Used? DV Too1 Yes No 0 1120 feet Feet
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setree
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1120 ft
Operator:	feet depth to <u>surface</u> w/ <u>350</u> sx cmt.
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) ALT II WH ALT II WH
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit) 7-19-07
Deepening Re-perfConv. to Enhr./SWD	Chloride content 64,000 ppm Fluid volume 400 bbls allow to dry; then backfill
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:
10/02/04 10/09/04 11/10/04	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
,	Godiny.
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1	2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
a \ \ \ K Wel	KCC Office Use ONLY
President 12/2000 SA	
Title: President Date: 12/34. S.	Letter of Confidentiality Attached
Subscribed and sworn to before me thisday of	If Denied, Yes Date:
19	Wireline Log Received
a love of more	Geologist Report Received
Notary Public: Structure 2010	UIC Distribution
Date Commission Expires:	10'dd

				Side	? Two				يد سفرست يو	;
1	Coral Produc	tion Co	rporatio	n.		DeHaan	JAL		30	3
Operator Name:			X West	Lease County	Name: _	Ellis	3 4.40	. Well #: —		
INSTRUCTIONS: She tested, time tool open temperature, fluid reco Electric Wireline Logs	ow important tops a and closed, flowing overy, and flow rate	and base or g and shut- s if gas to	f formations point pressures, surface test, a	enetrated. whether shalong with fi	Detail a ut-in pre	essure reached s	static level, hydros	static pressu	res, bottom hole	
Drill Stem Tests Taker		X Ye	es No		Z	og Formatio	on (Top), Depth ar	nd Datum	Sample	-
Samples Sent to Geo	logical Survey	X Ye	es 🗌 No		Name Top Dat					
Cores Taken Electric Log Run (Submit Copy)	Cores Taken Yes Z Yes				TAnhydrite 1089 ft +87 B. Anhydrite 1129 ft +83 Heebner 3176 ft -121 Lansing 3224 ft -126					t t
	ELI Dual Induction Log 3481				BKC 3461 ft -1 Arbuckle 3470 ft -1 T.D. 3481 ft -1					t
ELI Microlog	,		81 <i>=</i> t2800							
				RECORD	_	ew Used				
Purpose of String	Size Hole Drilled	Siz	t all strings set-o e Casing (In O.D.)	Weig	ht	Setting Depth	Type of Cement	# Sacjs Used	Type and Perce	ent
Surface	12 ¼"	8 5/8		23#		233 ft	Comm 3-2	150	60/40 poz	6% gel
Production	7 7/8"	5 ½ "		15.5 -	17#	3473 ft	ASC	125	ASC 2% gel	
· · · · · · · · · · · · · · · · · · ·		1	ADDITIONAL	CEMENTI	G / SQ	JEEZE RECORD				 -
Purpose: Perforate	Depth Top Bottom	Type of Cement #Sa			Used	Type and Percent Additives				
X Protect Casing Plug Back TD Plug Off Zone	1120-sur	60/40	350		6% gel; ¼ flocel/sack					
				<u> </u>						
Shots Per Foot			D - Bridge Plug ach Interval Per			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
NONE	drlg 3 ft w	v cable	rig			300 gal ı	md acid; 30	00 gal mo	d acid Btm	8' hole
	3474-	3481 op	en hole ·	- Arbuc	, level.					
2	3424-3427;	3394-3	396'; 338	30-3382		250 ga1	mud acid e	ach zone	e:	
2	3295-3298;	3264-3	270; 3232	2-3235;		1000 gal 20%; 2000 gal 20%;				
3226-3229					2000 gal 20%					
TUBING RECORD	Size	Set At		Packer A	1	Liner Run	Yes No	, '		
Date of First, Resumerd	Production, SWD or E	inhr.	Producing Met	hod	Flowin	g X Pumpin	g 🔲 Gas Lift	Oth	ner <i>(Explain)</i>	
Estimated Production Per 24 Hours	0i1 22	Bbls.	Gas	Mcf	Wate 24		ols. Ga	as-Oil Ratio	Gravit	y
Disposition of Gas	METHOD OF C		N			Production Interv	/al		· · · · · · · · · · · · · · · · · · ·	
Vented Sold (If vented, Sur	X Used on Lease		Open Hole Other (Speci	Perf.		Dually Comp.	Commingled			<u>. </u>

ALLIED CEMENTING CU., INC. 18809 Federal Tax I.D. SERVICE POINT:

REMIT TO	P.O. BOX 31
	RUSSELL, KANSAS 67665

SERVICE POINT:

DATE /0/2/03	SEC.	TWP.	RANGE 16	CALLED OUT	ON LOCATION	JOB START	JOB FINISH		
LEASE Ochque	WELL#	. 1	LOCATION Victor	sen IES	~ ~	COUNTY	STATE		
OLD OR NEW (Ci		·							
		2i n 24	:						
CONTRACTOR	MURA		,	OWNER					
TYPE OF JOB HOLE SIZE	SURFI	-	0. 233	CEMENT					
CASING SIZE	842		PTH	_ AMOUNT O		·			
TUBING SIZE	<i>y</i>		PTH		by Com 3.	2			
DRILL PIPE		DE	PTH						
TOOL	****		PTH	<u></u>	, ,	man of	y representation of the second		
PRES. MAX			NIMUM	_ COMMON	1: 12	@			
MEAS. LINE CEMENT LEFT IN	I CCC	SH	OE JOINT	POZMIX _	of ,	@			
PERFS.	v CSG.	۷		_ GEL CHLORIDE		@ @	11.12		
DISPLACEMENT			-	ASC		@			
_	EOU	JIPMENT	ľ		ENED	@			
	&					@			
PUMP TRUCK _	CEMENT	ER_B	711	$\underline{}$ — Mar:	3 0 2303	@	.		
- 11/	HELPER		Droe	- KCCV	NICHITA	@ @			
BULK TRUCK					141911114	@			
	DRIVER	CR	916						
BULK TRUCK	DDIVED					@			
#	DRIVER			 HANDLING 	1:02	@			
				MILEAGE _		<u> </u>	- - (1) 		
	RE	MARKS:			ļ	TOTA	L 1721		
	Λ		- 1 2 m	·					
Kan-S	Ito E	5-3-1	et 232		SERV	ICE			
Cemt w	11501	sbe 3=		_ DEPTH OF J	ior				
		,	•		CK CHARGE		12 No 18		
Pump plu	> u/	bb	to of water	EXTRA FOO		@			
	1			MILEAGE _	<u> </u>	@	June of the second		
Cent.	did		Rt.	 MANIFOLD 		@	June 1 and 1 and 1		
				1-57	wood	@	, learning		
~~	A		Peal		~	@			
CHARGE TO:	CORF	+1 /	V00	<u> </u>		тота	L 7095		
STREET				_		1017	L		
CITY	S	TATE	ZIP				12.77		
					PLUG & FLOA	YT EQUIPME	T EQUIPMENT		
m 411: 1 C		, , , , , , , , , , , , , , , , , , ,	•		Name	@ @			
To Allied Cemer	_					@			
			menting equipment assist owner or—			@			
•		~	The above work was			A			
			n of owner agent or			TOTA	L		
		_	nd the "TERMS AN						
CONDITIONS"				TAX					
			•	TOTAL CHA	ARGE				
			•	DISCOUNT			AID IN 30 DAYS		
	7	a a		2.3000111		1 .			
SIGNATURE	In The	1. 1//	94/	An Th	onc Me	ANTIN	•		
**************************************	y y Wy U	9110			PRIN	TED NAME			

ALLIED CEMENTING CO., INC. 18767

RUSSELI	L, KANSAS 676	565	•	SER	/ICE POINT:	R
DATE 10 16 04 SE	C. TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASEDE. HOON WI	ELL# /	LOCATION Victor	15 44N	/	COUNTY	STATE .
OLD OR NEW (Circle	one)	VISILIE			6///3	
CONTRACTOR MA		1 1 24 (Both 100)	OWNER			
HOLE SIZE	T.!	b. – – –	CEMENT	200	60%	Ø
CASING SIZE TUBING SIZE		EPTH	AMOUNT ORD		40 0 /0	741
DRILL PIPE		EPTH	14 15 F	butted par	rk .	
TOOL		EPTH ///8				
PRES. MAX	MI	NIMUM	COMMON	210	_@_ 785	1648 50
MEAS. LINE		OE JOINT	POZMIX	140	@ 4½0	574/60
CEMENT LEFT IN CS PERFS.	SG.	- <u> </u>	GEL		_@_ <mark>//e</mark> e	Z316°
DISPLACEMENT /5	.50 0	11 662	CHLORIDE ASC	1	_ @ @	
,	EQUIPMENT		ASC		_	
345		rul.	FLO-SEAL	පිරි ී	@ /40	12320
	MENTER	Stove	RECE		@	
	_PER		NEUL	IVED	_@	
BULK TRUCK	/3		MAR 3 (2005	_ @ 	
# 2/3 DRI BULK TRUCK	VER boe	7	KCCW	ICHITA	_	
	VER Ruf				@	
" Jego BRI	/ /		HANDLING		@ <u>/35</u>	50083
	DEMARKS.		MILEAGE	59/SK		408 10
1	REMARKS:				TOTAL	3485.65
POMPIT	DIV			A 17 17 17 17 17 17 17 17 17 17 17 17 17	~-	
- Gunara	1		·	SERVI	CE	
				3		
				CHARGE		70000
			EXTRA FOOTA	\GE	@	
			MANIFOLD			
1	1					
CHARGE TO: LOCA	I Prod	Corp				
			•		TOTAL	7000
STREET		·			IOIAL	100-
CITY	STATE	ZIP	P	LUG & FLOAT	T EQUIPMEN	ľ T
					@	· · · · · · · · · · · · · · · · · · ·
					_	
To Allied Cementing You are hereby reque	Co., Inc.					
→ 1		9 - 1	,			
and furnish cementer						
contractor to do work					TOTAL	
done to satisfaction a					TOTAL	
contractor. I have real CONDITIONS" liste			TAX			
· ·	a on the tevels	o side,	TOTAL CILADO			•
			TOTAL CHARC			
·	1	7 . ^	DISCOUNT -		IF PAI	D IN 30 DAYS
SIGNATURE	JC Bonk	4.97		W. T. V.		
<i>1</i>		<i>v</i> •		PRINT	ED NAME	

ALLIED CEMENTING CO., INC. Federal Tax I.D. SERVICE POIN 18766

REMIT TO P.O. B RUSS		NSAS 67	665		هرا در <u>وسا</u>	A STATE OF THE STA	SER	VICE POINT:	K
DATE 10 10 04	SEC.	TWP.	RANGE	CA	LLED OUT	ON LO	CATION	JOB START	JOB FINISH
LEASED & HaaN OLD OR NEW (Cir	WELL#	<i>j</i> ,	LOCATION	Clossa	1E 4/41	v		COUNTY	STATE
CONTRACTOR	Martin rod St 17 8 SL	rely T.I T.I DI	EPTH 3473 EPTH	Bottom, Sta	OWNER Y EMENT AMOUNT O	ORDERED	125, FR 2	ASO 2%	ogst
TOOL DV PRES. MAX MEAS. LINE		DI M	EPTH EPTH ///8 INIMUM HOE JOINT		COMMON_POZMIX			@ @	
CEMENT LEFT IN PERFS. DISPLACEMENT	:	15"	82 h E	<u>Ri</u>	GEL CHLORIDE ASC		3		33%
		JIPMEN'		02-	ASC		رني	_@_ 	12750
345		Dr	ue.		wfR-Z		500	@ /%	500°4
	CEMENT HELPER	ER	Steve	,	•	CEIVE		@	
BULK TRUCK	ORIVER ORIVER	<u> </u>	borg	· · · · · · · · · · · · · · · · · · ·		R 3 0 2005 CWICH		@ @ @	
1 3 2 1	NI A UK	/	Nupus		HANDLING MILEAGE		28 51/61	@ <u>/35</u> !/MILE	17280
Plug	<i>-</i> 1	MARKS: Holo	15 ch				SERVI	ТОТА	L 2080,80
DU ON	Jt.	65 1	P 1/18						
Ploo	<u>, /v.</u>	peq		···	EXTRA FOO MILEAGE	OTAGE	ZZ	_@ @_ _4/••	889
	1	1 4		· , <u> </u>	MANIFOLD)		@ @ @	
CHARGE TO:	oval	Pro	1 Corp						
STREET								TOTA	L 1248 🤓
CITY	ST	ATE	ZIP		1 1)1/	PLUG &	z FLOAT	T EQUIPME	NT <i>33</i> 0°
Totallia Commit	C	•		(flex)	1 Packer	DOWN	plug	_@ _@	1325°°
To Allied Cement You are hereby re and furnish cemer	quested to	to rent ce nelper to	menting equipm assist owner or		7 Centr	thzeri	-	@ <u>/20</u> _@ <u>50</u> _@	35090
contractor to do w done to satisfaction contractor. I have CONDITIONS" Is	n and su read &	pervisior understar	n of owner agent and the "TERMS	t or	TAX			TOTAI	5581 ^{eo}
SIGNATURE	Jo	Bal	20		TOTAL CHA				ID IN 30 DAYS
	7		m1/\				PRINT	ED NAME	