

ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32639  
Name: Coral Production Corporation  
Address: 1600 Stout Street, Suite 1500  
City/State/Zip: Denver, Colorado 80202  
Purchaser: N.C.R.A.  
Operator Contact Person: Jim Weber  
Phone: (303) 623-3573  
Contractor: Name: Murfin Drilling Co., Inc.  
License: 30606  
Wellsite Geologist: Larry Nicholson

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_  
09/01/04 09/10/04 11/04/04  
Spud Date or \_\_\_\_\_ Date Reached TD \_\_\_\_\_ Completion Date or  
Recompletion Date \_\_\_\_\_ Recompletion Date \_\_\_\_\_

API No. 15 - 051-25335-00-00  
County: Ellis  
70'W S/2S/2N/2E/2 Sec. 7 Twp. 12 S. R. 17  East  West  
1530 1489 feet from  S /  N (circle one) Line of Section  
2550 2823 feet from  E /  W (circle one) Line of Section  
KCC 6 PS  
Footages Calculated from Nearest Outside Section Corner:


(circle one) NE SE NW  SW  
Seib Well #: 1  
Lease Name: \_\_\_\_\_ Field Name: Bemis-Shutts  
Producing Formation: Topeka/Lansing  
Elevation: Ground: 2158 ft Kelly Bushing: 2163 ft  
Total Depth: 3740 ft Plug Back Total Depth: 3680 ft  
Amount of Surface Pipe Set and Cemented at 275 feet Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set port collar @ 1425 ft Feet  
If Alternate II completion, cement circulated from 1425 ft  
feet depth to surface w/ 150 sx cmt.  
60/40 poz, 6% gel, 1/4# floccel/sack

Drilling Fluid Management Plan ALT II W/WHM  
(Data must be collected from the Reserve Pit) 7-19-07  
Chloride content 64,000 ppm Fluid volume 400 bbls  
Dewatering method used allow to dry; then backfill  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jim R. Weber  
Title: President Date: 03/28/05  
Subscribed and sworn to before me this 28th day of March, 2005  
19 \_\_\_\_\_  
Notary Public: Steve R. Springer  
Date Commission Expires: 2/1/2009



**KCC Office Use ONLY**  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

ORIGINAL

Operator Name: Coral Production Corporation Lease Name: Seib Well #:
Sec. 7 Twp. 12 S. R. 17 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken [X] Yes [ ] No (Attach Additional Sheets)

Samples Sent to Geological Survey [X] Yes [ ] No

Cores Taken [ ] Yes [X] No

Electric Log Run [X] Yes [ ] No (Submit Copy)

List All E. Logs Run:

ELI Dual Induction Log 3739 ft to 275 ft
ELI Density/Neutron Log 3739 ft to 3000 ft
ELI Microlog 3739 ft to 3000 ft

[X] Log Formation (Top), Depth and Datum [ ] Sample

Table with 3 columns: Name, Top, Datum. Rows include T. Anhydrite, B. Anhydrite, Topeka, Heebner Shale, Toronto, Lansing, =BKC, Arbuckle, T.D.

CASING RECORD table with columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs./Ft., Setting Depth, Type of Cement, # Sacjs Used, Type and Percent Additives. Includes Surface and Production rows.

ADDITIONAL CEMENTING / SQUEEZE RECORD table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives. Includes a row for 1425 - Sur with 60/40 poz cement.

Reperforate Middle Lansing 3488-3492 ft acidize with 1500 gal 20% HCL

PERFORATION RECORD table with columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record, Depth. Includes rows for 2 shots at various intervals.

TUBING RECORD table with columns: Size, Set At (no show), Packer At, Liner Run. Includes checkboxes for Yes/No.

Date of First, Resumerd Production, SWD or Enhr. Producing Method [ ] Flowing [X] Pumping [ ] Gas Lift [ ] Other (Explain)

Table with columns: Estimated Production Per 24 Hours, Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity. Values: Oil 8, Water 22.

Disposition of Gas METHOD OF COMPLETION [ ] Vented [ ] Sold [ ] Used on Lease [ ] Open Hole [X] Perf. [ ] Dually Comp. [X] Commingled [ ] Other (Specify)

# ALLIED CEMENTING CO., INC. 18865

Federal Tax I.D. [REDACTED]

TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: 2

DATE <u>10-19-01</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <u>SEID</u>	WELL # <u>1</u>	LOCATION <u>TOLLOUN N TO SEVERN RD</u>			COUNTY <u>CLATS</u>	STATE <u>KS</u>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)		<u>1/2 W N 4TH</u>					

CONTRACTOR MAIER  
 TYPE OF JOB PORT COLLAR  
 HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
 CASING SIZE 5/2 DEPTH \_\_\_\_\_  
 TUBING SIZE 2" DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_  
 CEMENT AMOUNT ORDERED 400 6940 670 CEC  
1/4 LB FLOSEAL

COMMON	<u>90</u>	@	<u>7.85</u>	<u>706.50</u>
POZMIX	<u>602</u>	@	<u>4.10</u>	<u>246.82</u>
GEL	<u>7</u>	@	<u>11.00</u>	<u>77.00</u>
CHLORIDE		@		
ASC		@		
<u>Flo Seal</u>	<u>37#</u>	@	<u>1.40</u>	<u>51.80</u>

**RECEIVED**  
**MAR 30 2005**  
**KCC WICHITA**

HANDLING	<u>420</u>	@	<u>1.35</u>	<u>567.00</u>
MILEAGE	<u>105/24/mi.</u>			<u>235.00</u>
TOTAL				<u>2,383.32</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER MARIC  
 # 345 HELPER DAVE  
 BULK TRUCK DRIVER CRAIG  
 # 378  
 BULK TRUCK DRIVER \_\_\_\_\_  
 # \_\_\_\_\_

**REMARKS:**

P. COLLAR @ 1425 TEST CSG TO 1000'  
MIXED 3 GEL OPENED TOOL MIXED  
10 GEL BREAK CIRC MIXED 150 SK  
CIRC CEMENT CLOSED TOOL TEST  
TO 1000' RUN 10 JTS WASHED CLEAN

**SERVICE**

DEPTH OF JOB	_____			
PUMP TRUCK CHARGE				<u>700.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>35 mi.</u>	@	<u>4.00</u>	<u>140.00</u>
MANIFOLD		@		
		@		
		@		
TOTAL				<u>840.00</u>

CHARGE TO: CORAL  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

		@		
		@		
		@		
		@		
		@		
TOTAL				_____

To Allied Cementing Co., Inc!  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE J. C. Barba, Jr.

PRINTED NAME

# ALLIED CEMENTING CO., INC.

18896

Federal Tax I.D. \_\_\_\_\_

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67667

SERVICE POINT:

Russell

DATE <u>9-1-04</u>	SEC. <u>7</u>	FWP. <u>12</u>	RANGE <u>17</u>	CALLED OUT <u>6:00PM</u>	ON LOCATION <u>7:45PM</u>	JOB START <u>9:15PM</u>	JOB FINISH <u>9:45PM</u>
LEASE <u>The Rence</u>		WELL # <u>1</u>	LOCATION <u>HAY'S N-BUCKEY RD.</u>	COUNTY <u>Ellis</u>	STATE <u>KANSAS</u>		
OLD OR NEW (Circle one) <u>NEW</u>		3 E IN					

CONTRACTOR MURFIN DRLg Rig # 8

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 275'

CASING SIZE 8 5/8 used DEPTH 275'

TUBING SIZE 2 8# DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15'

PERFS. \_\_\_\_\_

DISPLACEMENT 16 1/4 / BBL

EQUIPMENT

PUMP TRUCK CEMENTER ORIN

# 306 HELPER SHANE

BULK TRUCK

# 213 DRIVER GARY

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

Cement  
CIRCULATED

THANKS

CHARGE TO CORAL PRODUCTION CORP.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 160 SK Com 37cc  
290 gal

COMMON	<u>160</u>	@	<u>7.85</u>	<u>1256.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>11.00</u>	<u>33.00</u>
CHLORIDE	<u>5</u>	@	<u>33.00</u>	<u>165.00</u>
ASC		@		

RECEIVED

MAR 30 2005

KCC WICHITA

HANDLING	<u>168</u>	@	<u>1.35</u>	<u>226.80</u>
MILEAGE	<u>59 / SK / MILE</u>			<u>302.40</u>
TOTAL				<u>1983.00</u>

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>570.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>36</u>	@	<u>4.00</u>	<u>144.00</u>
MANIFOLD		@		
<u>1- 8 5/8 WOODEN</u>		@		<u>55.00</u>
<u>PLUG</u>		@		

TOTAL 769.00

PLUG & FLOAT EQUIPMENT

	@			
	@			
	@			
	@			
	@			

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Larry Pickner

LARRY PICKNER  
PRINTED NAME

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

# ALLIED CEMENTING CO., INC.

16998

Federal Tax I.D.#

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

*R*

DATE	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
9/10/04							2:30 AM
LEASE		WELL #	LOCATION	COUNTY	STATE		
Terence Braun		1	Toulon & I-70 N to	Ellis	Ks		
OLD OR NEW (Circle one)		Buckeye Rd IN 1/2 W 1/2 N					

CONTRACTOR	Martin Daly Ry &
TYPE OF JOB	Prod String
HOLE SIZE	7 7/8 T.D. 3739
CASING SIZE	5 1/2 DEPTH 3738
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL JT 57	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	9'
PERFS.	
DISPLACEMENT	15.50 88.82 BBL

OWNER	
CEMENT	
AMOUNT ORDERED	200 X 50 2% gel
	500 gal WFR-2

EQUIPMENT	
345	Dave
PUMP TRUCK	CEMENTER Steve
#	HELPER
BULK TRUCK	
#	DRIVER
BULK TRUCK	
# 213	DRIVER Gary

COMMON	@		
POZMIX	@		
GEL	4 @	11 <sup>00</sup>	44 <sup>00</sup>
CHLORIDE	@		
ASC	200 @	9 <sup>00</sup>	1960 <sup>00</sup>
	@		
WFR-2	500 @	1 <sup>00</sup>	500 <sup>00</sup>
<b>RECEIVED</b>			
<b>MAR 30 2005</b>			
<b>KCC WICHITA</b>			
	@		
HANDLING	204 @	1 <sup>35</sup>	275 <sup>40</sup>
MILEAGE	57/SK/MILE		306 <sup>00</sup>
			TOTAL 3085 <sup>40</sup>

REMARKS:  
 Plug Rathole 15 gk  
~~meets hole 10 gk~~  
 Float Held

CHARGE TO: Coral Prod Corporation  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE			
DEPTH OF JOB			
PUMP TRUCK CHARGE			1180 <sup>00</sup>
EXTRA FOOTAGE	@		
MILEAGE	30 @	4 <sup>00</sup>	120 <sup>00</sup>
5 1/2 Rubber plug	@		60 <sup>00</sup>
	@		
	@		
			TOTAL 1360 <sup>00</sup>

Faxed: 9/10/04  
 To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE *J. C. Braun*

PLUG & FLOAT EQUIPMENT			
1 AFU Insert			235 <sup>00</sup>
MANIFOLD/Guide Shoe	@		150 <sup>00</sup>
2 Baskets	@	128 <sup>00</sup>	256 <sup>00</sup>
8 centralizers	@	50 <sup>00</sup>	400 <sup>00</sup>
1 port collar	@		175 <sup>00</sup>
	@		
			TOTAL 2791 <sup>00</sup>

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME