STATE OF KANSAS
STATE CORPORATION COMMISSION

15-065-02267-00-00

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission

## WELL PLUGGING RECORD

800 Bitting Building Wichita, Kansas	Grah	am	Cou	nty. Sec. <u>25</u> T	wp. 9 Rge.	(E) $22$ $(W$		
NORTH		NE/CNW&SW&"			NE NE SW			
		Lease Owner Jones, Shelburne &						
		Lease Name GUSTAFSON Well No. 2 Office Address Russell, Kansas						
		Well (completed			Dry			
	Date well con	mpleted			101			
		Application for plugging filed				10-19 <sub>19</sub> 55 10-19 <sub>19</sub> 55		
	==	or plugging approv			70.7			
		menced pleted						
		Plugging completed Reason for abandonment of well or producing formation						
		g well is abandon						
Locate well correctly on above				rvation Division o	r its agents befo	ore plugging was con		
Locate well correctly on above Section Plat the of Conservation Agent who su	mencedi'	Ye.	S Fla	on Pettu				
ucing formation					Total Depth of	wal 3935 E		
w depth and thickness of all wat			Dotte	/III	Total Depth of	Wen <u>Jose r</u> e		
-					_			
OIL, GAS OR WATER RECO	സം		· · · · · · · · · · · · · · · · · · ·		(	CASING RECORD		
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT		
		<u> </u>	ļ	8-5/8"	168',	None		
			ļ			<u> </u>		
			<del>                                     </del>	<u> </u>				
						·		
				<u> </u>		<u> </u>		
Dumped 1/2 sacks  Mixed 15 sacks  Filled hole to	cement and			of hulls				
Pushed plug to	40	,						
Dumped in 1/2	sacks hulls							
100 2 20			<u> </u>					
Mixed 10 sacks	<u>cement and</u>	filled ho	le t•					
			· · · · · · · · · · · · · · · · · · ·	<u>ئى ;                                     </u>	Jam	5		
	<del>- •</del>				Jon.	·		
					2	11-7-0		
( m)		nal description is nece				110		
ne of Plugging Contractor	-	, Shelburn		rmer, Inc	· 9171810:	\*		
ress	AUSSE.	ll, Kansas				·		
					<b></b>			
TE OF <u>Kansas</u>		OUNTY OF			, SS.			
	O. FARMER	(	especial control	(2000 (OWD	er or operator)	of the above-describ		
l, being first duly sworn on oath ve-described well as filed and th					s herein contain	ed and the log of t		
ve-described well as med and th	iar the same are time	1		D. Farm	. /			
•	•	(Signature)	Join	v. swim	w			
N.S. NO. SEC. SEC. SEC. SEC. SEC. SEC. SEC. SEC		<u>U</u>	Russe	ell, Kansa	8			
	efore me this 31s	s <i>t</i> :	/ Oct		Address)	5 <i>5</i>		
SUBSCRIBED AND SWORN TO be	Tore me this 523	day of_	( <i>D</i> .	•	, 19 <u>.</u>	<del></del>		
ある」のかは一日	• .		Zun	ele Hon	mai			
commission expires Octobe	r 11, 1958		)、 :	Ĺ		Notary Public.		
3 (6:1 ) BE	-			- deligation of the second	entre communicación de la	-		
					LUGG	NG I		
70 S.					9EC 25 T 9			
MANAGON STAR			•	i water	ACCOMPANY TO A	The second secon		

My Commission expires July 14, 1958 Some Met

Ison	
Gustaison	
FARM NAME	
FARM	

ADDRESS Russell, Kansas Give detailed description and thickness of all formations drilled through, contents of sand, whether dry 640 Acres Formation Top Bottom Formation Top Bottom COUNTY Graham SEC 25 TWP 9 RGE 22 COMPANY OPERATING Jones, Shelburne & Farmer, Inc. OFFICE ADDRESS Russell, Kansas 160 Surface 167 0 FARM NAME Gustafson WELL NO. 2 Shale 167 350 DRILLING STARTED 10-109 55 DRILLING FINISHED 10-19 55 DATE OF FIRST PRODUCTION COMPLETED Shale & sand 350 1005 WELL LOCATED NE 1/4 NE 1/4 SW 1/4 North of South 1005 1240 Sand & shele 160 Shale & sand 124b 1350 Elevation (Relative to sea level) DERRICK FLOOR 2353 GROUND Shale 1350 1370 Locate well correctly Sand 1370 1600 OIL OR GAS SANDS OR ZONES Shale shells & From To From To Name Redbed 1600 1815 Shale & redbed 1815 1862 1862 1900 **Anhydrite** Shale & shells 1900 2440 Perforating Record If Any Shot Record No. of Shots From Size of Shot **Formation** From To Formation . To Shale & lime 2440 2515 Lime & shale 2515 2640 Broken Lime 2640 2815 Shale & lime 2815 2845 CASING RECORD Linne 2845 2885 Amount Pulled Packer Record Amount Set Depth Set Make Wt. Thds. Make Ft. In. Length Shale & lime 2885 2985 Size 8\_5/8 168 2985 3065 Lime & shale Shale & lime 3065 3385 3385 3565 Lime & shale Kind. Bottom Liner Record: Amount. CEMENTING AND MUDDING Lime 3565 3840 Amount Set Chemical Mudding Results Cong. 3840 3935 Sacks Method of Amount Size Method (See Note) Cementing Cement Ft. Gal. Make 8 <u>5/8 168</u> 100 TOPS: Elev 2355 wat method was used to protect sands if outer strings were pulled?\_ Heebner 3527 NOTE: Were bottem hole plugs used? If so, state kind, depth set and results obtained Toronto 3551 TOOLS USED Lansing 3567 Rotur Tools were used from\_ antabrumny But feet to\_\_\_\_\_Cable tools were used from\_\_\_\_feet to\_\_ BKC 3786 Disc Type Rig 🔼 🕟 Arbuckle 3921 th San hat 3935 Il record is true, correct and the best of my knowledge and belief. INITIAL PRODUCTION TEST 7. I, the undersigned, being first duly sworn upon complete according to the records of this office and ribe pitial test whether by flow through tubing or casing or by pumping\_\_\_ Jarmen ce-Pres. Name and title of representative of company Oil Production. \_bbls. Size of choke, if any\_\_\_\_Length of test\_\_ \_\_\_Water bbls. Gravity of oil\_\_\_\_\_Type of Pump 11 pump is used, describe\_\_\_\_ Subscribed and sworn to before me this 26th day 26 October