


Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittling Building  
Wichita, Kansas

WELL PLUGGING RECORD

15-063-00201-00-00

NORTH



Locate well correctly on above  
Section Flat

Graham

County, Sec. 4 Twp. 9 Rge. 22 (E) W (W)

Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SW SW NE  
Lease Owner B & R Drilling, Inc.  
Lease Name Swank Well No. 1  
Office Address Russell, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
Date well completed February 5, 1951 19  
Application for plugging filed February 4, 1951 Verbally 19  
Application for plugging approved February 4, 1951 Verbally 19  
Plugging commenced February 5, 1951 19  
Plugging completed February 5, 1951 19  
Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production 19  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Eldon Petty  
Producing formation Depth to top Bottom Total Depth of Well 3945 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| Formation | Content | From | To | Size   | Put In | Pulled Out |
|-----------|---------|------|----|--------|--------|------------|
|           |         |      |    | 8 5/8" | 179'   | None       |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Plugging Record

Set first plug at 170'. Cemented with 15 sacks cement. Filled hole to 40' with heavy mud. Set second plug at 40'. 1/2 sack hulls and 10 sacks of cement.

RECEIVED  
STATE CORPORATION COMMISSION  
FEB 15 1951  
CONSERVATION DIVISION  
WICHITA, KANSAS

2-15-51

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to B & R Drilling, Inc.  
Address Russell, Kansas

STATE OF Kansas COUNTY OF Russell, ss.  
W. A. Michaelis, Jr. (employee of owner) or (owner or operator) of the above-described well,  
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) W. A. Michaelis, Jr.  
Russell, Kansas  
(Address)

SUBSCRIBED AND SWORN to before me this 14th day of February, 1951

My commission expires 6-17-54 Notary Public.

PLUGGING  
FILE SEC 4 T 9 R 22 W  
BOOK PAGE 61 LINE 4

B & R Drilling, Inc.  
Swank No. 1

SW SW NE Sec. 4-9-22W  
Graham County, Kansas

Total Depth: 3945'  
Comm: 1-23-51  
Comp: 2-5- 51

Casing

8 5/8" Set @ 179'

Cement

120 Sacks of Monarch

| Formation         | Depth: |
|-------------------|--------|
| Clay-Shale        | 35     |
| Sand              | 40     |
| Shale             | 120    |
| Sand              | 135    |
| Shale-Shells      | 765    |
| Sand-Shale        | 1000   |
| Sand              | 1130   |
| Shale-Shells      | 1400   |
| Sand-Shale        | 1585   |
| Shale-Shells      | 1685   |
| RedBed-Shale      | 1835   |
| Anhydrite         | 1880   |
| Shale-Lime-Shells | 1985   |
| Lime-Shale        | 2650   |
| Shale-Lime-Shells | 2705   |
| Lime-Shale        | 3560   |
| Lime              | 3675   |
| Lime-Shale        | 3725   |
| Lime              | 3775   |
| Lime-Shale        | 3865   |
| Lime              | 3945'  |

STATE OF KANSAS )  
                              )SS  
RUSSELL COUNTY )

I hereby certify that the above information is true and correct to the best of my knowledge.

Violet Keller

Subscribed and sworn to before me this 14th day of February, 1951.

Clara Sumner

Notary Public

My commission expires: 6-17-54

**PLUGGING**  
FILE SEC 4 T 9 R 22 W  
BOOK PAGE 61 LINE 14

**RECEIVED**  
STATE CORPORATION COMMISSION  
FEB 15 1951  
CONSERVATION DIVISION  
Wichita, Kansas  
2-15-51

B & R Drilling, Inc.  
Swank No. 1

SW SW 1/4 Sec. 4-9-22W  
Graham County, Kansas

Total Depth: 3945'  
Coasm: 1-23-51  
Comp: 2-5-51

Casing: 8 5/8" Set @ 179'  
Cement: 120 Sacks of Monarch

| Formation         | Depth: |
|-------------------|--------|
| Clay-Shale        | 35     |
| Sand              | 40     |
| Shale             | 120    |
| Sand              | 135    |
| Shale-Shells      | 765    |
| Sand-Shale        | 1000   |
| Sand              | 1130   |
| Shale-Shells      | 1400   |
| Sand-Shale        | 1585   |
| Shale-Shells      | 1685   |
| Red Bed-Shale     | 1835   |
| Anhydrite         | 1880   |
| Shale-Lime-Shells | 1985   |
| Lime-Shale        | 2650   |
| Shale-Lime-Shells | 2705   |
| Lime-Shale        | 3560   |
| Lime              | 3675   |
| Lime-Shale        | 3725   |
| Lime              | 3775   |
| Lime-Shale        | 3865   |
| Lime              | 3945'  |


STATE OF KANSAS )  
                          )SB  
RUSSELL COUNTY )

I hereby certify that the above information is true and correct to the best of my knowledge.

*Walter Feller*  
-----

Subscribed and sworn to before me this 14th day of February, 1951.

*Oliver Summer*  
-----  
Notary Public



My commission expires: 6-17-54

