

4-031953

7-13

API number: 15-065-20,451-0000

TO:
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

C SE NE /4 SEC. 18, 09 S, 22 W
3300 feet from S section line
660 feet from E section line

Operator license# 5363

Lease McKee well # 1

Operator: Berexco, Inc.

County Graham

Address: P.O. Box 723
Hays, Kansas 67601

Well total depth 3834 feet
Conductor Pipe: 0 inch @ 0 feet
Surface pipe 8 5/8 Inch @ 277 feet

124.60

Aband. oil well , Gas well , Input well , SWD , D & A

Plugging contractor: Berexco, Inc. License# 5363

Address: Hays, Kansas 67601

Company to plug at: Hour: A.M. Day: 13 Month: July Year: 94

Plugging proposal received from: Bob Grant

Company: Berexco, Inc. Phone: _____

Were: Order 325 sxs. 60/40 pozmix - 10% gel - 500# hulls.
Allied Cement Company.
Work string of 2 3/8 tubing.

Plugging Proposal Received by: Carl Goodrow

Plugging operations attended by agent? All[], Part[], None[]

Completed: Hour: 11:30A.M., Day: 13, Month: July, Year: 94

Actual plugging report: 8 5/8" set @ 277' w/170 sxs. 5 1/2" set @ 3989'
w/100 sxs. Prod. perfs. 3660' - 3729'. Squeezed at 3733' - 3734' w/100
sxs. Critical area - control shots at 1950' and 1150'. Mixed and pumped
down 2 3/8" tubing with 70 sxs. cement with 150# hulls from 2000'.
Pulled tubing to 1000' - mixed and pumped 180 sxs. cement with 350# hulls.
Pulled tubing. Squeezed 5 1/2" with total 300 sxs. cement blend with
500# hulls to Max. P.S.I. 300#. Close in P.S.I. 300#. Squeezed 5 1/2"
with 50 sxs. cement blend to Max. P.S.I. 300#. Close in P.S.I. 200#.

Plug complete.

Remarks:

Condition of casing(in hole): GOOD BAD Anhy. plug: YES NO

Bottom plug(in place): YES , CALC , NO Dakota plug: YES , NO

Plugged through TUBING , CASING . Elevation: _____

RECEIVED

STATE CORPORATION COMMISSION

I did / did not observe the plugging.

Carl Goodrow JUN 22 1994

DATE 7-26-94

INV. NO. 40872

(agent) CONSERVATION DIVISION
Form CP-2/3 Wichita, Kansas

7-22-94

INVOICED

170