

CARD MUST BE TYPED

State of Kansas
NOTICE OF INTENTION TO DRILL
(see rules on reverse side)

CARD MUST BE SIGNED

Starting Date: 7 7 85
month day year

API Number 15- 163-22, 716-00-00

OPERATOR: License # 5146
Name Rains & Williamson Oil Co., Inc.
Address 435 Page Court, 220 West Douglas
City/State/Zip Wichita, Kansas 67202
Contact Person Juanita Green
Phone (316) 265-9686

NE NE SE Sec 32 Twp 10 S, Rge 16
(location) East West

2310 Ft North from Southeast Corner of Section
330 Ft West from Southeast Corner of Section
(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License # 5146
Name Same as Above
City/State

Nearest lease or unit boundary line 330 feet.
County Rooks
Lease Name WHISMAN 'A' Well# 1

Well Drilled For: Well Class: Type Equipment:
 Oil Swd Infield Mud Rotary
 Gas Inj Pool Ext. Air Rotary
 OWWO Expl Wildcat Cable

Domestic well within 330 feet: yes no
Municipal well within one mile: yes no

If OWWO: old well info as follows:
Operator
Well Name
Comp Date Old Total Depth
Projected Total Depth 3650 feet
Projected Formation at TD Conglomerate
Expected Producing Formations Topeka, Lansing/KC
Conglomerate

Depth to Bottom of fresh water 75 feet
Lowest usable water formation Dakota
Depth to Bottom of usable water 700 feet
Surface pipe by Alternate: 1 2
Surface pipe to be set 250 feet
Conductor pipe if any required -0- feet
Ground surface elevation feet MSL
This Authorization Expires 1-3-86
Approved By 7-3-85 [Signature]

I certify that we will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to K.C.C. specifications.

RCH for KOHE

Date 7-2-85 Signature of Operator or Agent [Signature] Title
WILSON RAINS

PRESIDENT Form C-1 4/84

CARD MUST BE TYPED

State of Kansas
NOTICE OF INTENTION TO DRILL

CARD MUST BE SIGNED

Starting Date: 7 7 85
month day year

API Number 15- 163-22, 716-00-00

OPERATOR: License # 5146
Name Rains & Williamson Oil Co., Inc.
Address 435 Page Court, 220 West Douglas
City/State/Zip Wichita, Kansas 67202
Contact Person Juanita Green
Phone (316) 265-9686

NE NE SE Sec 32 Twp 10 S, Rge 16
2310 Ft North from Southeast Corner of Section
330 Ft West from Southeast Corner of Section
(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License # 5146
Name Same as Above
Well Drilled For Well Class Type Equipment
 Oil Gas Water Other
 Windmill Other

Nearest lease or unit boundary line 330 feet.
County Rooks
Lease Name WHISMAN "A" Well # 1
Domestic well within 1/2 mile: yes no
Municipal well within one mile: yes no

Operator
Well Name
Casing Date Old Total Depth
Projected Total Depth 3650 feet
Projected Formation at TD Conglomerate
Expected Producing Formations Topeka, Lansing/KC
Conglomerate

Depth to Bottom of fresh water 75 feet
Lowest usable water formation Dakota
Depth to Bottom of usable water 700 feet
Surface pipe by Alternate: 1 2
Surface pipe to be set 250 feet
Conductor pipe if any required -0- feet
Ground surface elevation feet MSL.
This Authorization Expires 1-3-86
Approved By 7-3-85 RCH for KOHE

I certify that we will comply with K.S.A. 55-101, et seq., plus eventually plugging here to K.C.C. specifications.
Date 7-2-85 Signature of Operator or Agent Wilson Rains Title PRESIDENT
WILSON RAINS

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ feet depth with sxs of
2nd plug @ feet depth with sxs of
3rd plug @ feet depth with sxs of
4th plug @ feet depth with sxs of
5th plug @ feet depth with sxs of
(2) Rathole with sxs (b) Mousehole with sxs

NOTE: Agreement between operator and district office on plug placement and the amount of cement to be used is necessary prior to plugging.
Important: Call district office after well is either plugged or production casing is cemented in.
(Call 7 a.m. to 5 p.m. workdays)

District office use only:

API #15— Legal T S, R
Surface casing of feet set with sxs at hours, 19
Alternate 1 _____ or 2 _____ surface pipe was used.
Alternate 2 cementing was completed @ ft. depth with sxs on 19
Hole plugged 19
STATE CORPORATION COMMISSION

JAN 21 1986

CONSERVATION DIVISION
Wichita, Kansas