

MUST BE TYPED

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

API NO. 15- 009-24689-0000

County Barton

20' N & 10' E
SE - NW - NE Sec. 19 Twp. 17S Rge. 12 X W

970 Feet from (N) (circle one) Line of Section

1640 Feet from (E)W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(NE) SE, NW or SW (circle one)

Lease Name Lawrence J. Fingert # 1

Field Name Wildcat

Producing Formation _____

Elevation: Ground 1927 KB 1932

Total Depth 3500 PBDT _____

Amount of Surface Pipe Set and Cemented at 385' Feet

Multiphase Stage Cementing Collar Used? _____ Yes X No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan Alt. I, KGR 8/10/07
(Data must be collected from the Reserve Pit)

Chloride content 58,000 ppm Fluid volume 800 bbls

Dewatering method used Allow to dry and backfill

Location of fluid disposal if hauled offsite: _____

Operator Name _____

Lease Name _____ License No. _____

Quarter _____ Sec. _____ Twp. _____ S Rng. _____ E/W _____

County _____ Docket No. _____

Operator: License # 32639

Name: Coral Production Corp.

Address 1600 Stout St, Suite 1500

City/State/Zip Denver, CO 80202

Purchaser: _____

Operator Contact Person: Jim Weber

Phone (303) 623-3573

Contractor: Name: Vonfeldt Drilling, Inc.

License: 9431

Wellsite Geologist: Tim Lauer

Designate Type of Completion
X New Well _____ Re-Entry _____ Workover _____

X Oil _____ SWD _____ SLOW _____ Temp. Add _____
Gas _____ ENHR _____ SIGW _____
Dry _____ Other (Core, WSW, Expl., Cathodic, etc) _____

If Workover:
Operator: _____
Well Name: _____
Comp. Date _____ Old Total Depth _____

Deepening _____ Re-perf. _____ Conv. to Inj/SWD _____
Plug Back _____ PBDT _____
Commingled _____ Docket No. _____
Dual Completion _____ Docket No. _____
Other (SWD or Inj?) _____ Docket No. _____

10-31-00 11-8-00 11-9-00
Spud Date Date Reached TD Completion Date

CONSERVATION DIVISION

RECEIVED
KANSAS CORPORATION COMMISSION
FEB 20 2001


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Jim R. Weber
Title President Date 01/29/2001

Subscribed and sworn to before me this 29 day of January, 19 2001.

Notary Public Stacy R. Springfield
Date Commission Expires 2/1/2005



K.C.C. OFFICE USE ONLY

F _____ Letter of Confidentiality Attached
C _____ Wireline Log Received
C _____ Geologist Report Received

Distribution
_____ KCC _____ SWD/Rep _____ NGPA
_____ KGS _____ Plug _____ Other (Specify)

ORIGINAL

SIDE TWO

Operator Name Coral Production Corporation

Lease Name L. J. Finger

Well # 1

Sec. 19 Twp. 17S Rge. 12 East West

County Barton

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets.)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
(Submit Copy.)

List All E.Logs Run: Dual Induction 3498 - 385'
Neutron/Density 3476-3000'
Sonic 3492-385'
Micro log 3482-3000'

Name	Formation (Top), Depth and Datum		Datum
	Top		
T Anhydrite	845		+1106
B Anhydrite	858		+1093
T Queen Hill	3022		+1071
T Heebner Shale	3107		-1156
T Toronto	3125		-1174
T Br Lime	3197		-1246
T Lansing/Kansas City	3211		-1260
B Lansing/Kansas City	3444		-1493
T Arbuckle	3456		-1505

CASING RECORD

New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23#/ft	385'	POZ mix	225	2% gel 3% CaCl
Production	7 7/8"	5 1/2"	14# & 15.5#	3480'	Thik set	135	

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Perforate				
<input checked="" type="checkbox"/> Protect Casing	sur-830'	60/40 POZmix	165	2% gel
<input type="checkbox"/> Plug Back TD		regular	50	2% CaCl
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth	
4/ft	3051 - 3056	250 gal mud acid; 1000 gal	15% acid
4/ft	3228 - 3230	250 g mud acid; 1000 gal	15%
4/ft	3284 - 3288	natural completion	
4/ft	3343 - 3347; 3383 - 3386	250 gal mud acid; 1000 gal	15%

TUBING RECORD Size 2 7/8" Set At 3100' Packer At _____ Liner Run Yes No

Date of First, Resumed Production, SWD or Inj. _____ Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours Oil Bbls. 30 Gas Mcf 50 Water Bbls. 0 Gas-Oil Ratio _____ Gravity 36

Disposition of Gas: Vented Sold Used on Lease (If vented, submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled

Production Interval Plattsmith Lansing-Kansas City

ORIGINAL

Jan-23-01 11:56A Allied Cementing Co

3167936099

P.01

ALLIED CEMENTING CO., INC.

8383

Federal Tax I.D.

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

St. Paul

DATE 1-20-01	SEC. 19	TWP. 17	RANGE 12	CALLED OUT 6:00AM	ON LOCATION 9:00AM	JOB START 10:00AM	JOB FINISH 11:00AM
LEASE <u>Finer</u>	WELL# 1	LOCATION <u>Hampton 48, 30, 1/2 E, 3/5</u>		COUNTY <u>Butler</u>	STATE <u>Ks</u>		

CONTRACTOR Mason Well Serv.
 TYPE OF JOB Circulate Cement
 HOLE SIZE _____ TD. _____
 CASING SIZE 5 1/2" DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX 1100# MINIMUM 300#
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. 830'
 DISPLACEMENT _____

OWNER Sand
 CEMENT
 AMOUNT ORDERED 175 lbs 6 1/4 6 7/8 2 1/2
50 lbs Common 2 1/2 cc 2 1/2 Sand
(used 160 lbs 6 1/4 6 7/8)
 COMMON 149.00 @ 6.35 946.15
 POZMIX 60.00 @ 3.25 214.50
 GEL 9.00 @ 9.00 81.00
 CHLORIDE _____ @ _____ _____
SABO 2.50 @ 5.75 14.38
 _____ @ _____ _____
 _____ @ _____ _____
 _____ @ _____ _____
 HANDLING 2.35 @ 1.05 2.4675
 MILEAGE 2.35 @ 17 159.80
 TOTAL 1664.20

EQUIPMENT

PUMP TRUCK CEMENTER Turn D
 #120 HELPER Steve T
 BULK TRUCK
 #312 DRIVER Jason D
 BULK TRUCK
 #341 DRIVER Wayne W

REMARKS:

Perf @ 830'
Loaded to 5 1/2" casing. Broke circulation
Mixed 160 lbs 6 1/4 6 7/8 followed
by 50 lbs Common 2 1/2 cc released
plug & displaced with self water
Strapped Plug at 810' max pressure 1100#
Shut in 3000'
(Cement did circulate)

SERVICE

DEPTH OF JOB 830'
 PUMP TRUCK CHARGE _____ 470.00
 EXTRA FOOTAGE 530 @ .43 227.90
 MILEAGE 17 @ 3.00 51.00
 PLUG 1-5 1/2" hdd @ 50.00 50.00
 _____ @ _____ _____
 _____ @ _____ _____
 TOTAL 798.90

CHARGE TO: Corral Production, Corp.
 STREET 1600 Stout St. Suite 1500
 CITY Denver STATE Colo. ZIP 80202

FLOAT EQUIPMENT

_____ @ _____ _____
 _____ @ _____ _____
 _____ @ _____ _____
 _____ @ _____ _____
 _____ @ _____ _____
 TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE 2463.10
 DISCOUNT 246.31 IF PAID IN 30 DAYS
Net 2216.79
 SIGNATURE James Weber
 PRINTED NAME

SIGNATURE X J Weber

ORIGINAL ALLIED CEMENTING CO., INC. 4643

Federal Tax I.D. #

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>11-1-00</u>	SEC. <u>19</u>	TWP. <u>17</u>	RANGE <u>12</u>	CALLED OUT <u>12:00 AM</u>	ON LOCATION <u>1:30 AM</u>	JOB START	JOB FINISH <u>3:15 AM</u>
LEASE <u>Finger</u>		WELL# <u>1</u>		LOCATION <u>SJ29WK 3E 5S 12E</u>		COUNTY <u>Barton</u>	STATE <u>KN</u>
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Vonfeldt DRG
 TYPE OF JOB SURFACE
 HOLE SIZE 12 1/4 T.D. 387
 CASING SIZE 8 1/2 DEPTH 386
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. 15
 PERFS. _____
 DISPLACEMENT _____

OWNER _____
 CEMENT AMOUNT ORDERED
225 lbs 60/40 20% Gel 3% CC

COMMON	<u>135</u>	@	<u>635</u>	<u>857 25</u>
POZMIX	<u>90</u>	@	<u>325</u>	<u>292 50</u>
GEL	<u>4</u>	@	<u>950</u>	<u>38 00</u>
CHLORIDE	<u>7</u>	@	<u>2800</u>	<u>196 00</u>
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
HANDLING	<u>236</u>	@	<u>105</u>	<u>247 80</u>
MILEAGE	<u>44/ST</u>	@	<u>MI/E</u>	<u>283 20</u>
TOTAL				<u>1914 75</u>

EQUIPMENT

PUMP TRUCK CEMENTER Bill
 # 153 HELPER PAUL
 BULK TRUCK
 # 2182 DRIVER SHANE
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

Ran 9 fts 8 1/2 inch 386
Cem. of 225 lb Com.
pump plug w 23 1/2 bbls
Cemt. did Circ.

SERVICE

DEPTH OF JOB	_____			
PUMP TRUCK CHARGE	_____		<u>470 00</u>	
EXTRA FOOTAGE	_____	@	_____	
MILEAGE	<u>30</u>	@	<u>3 00</u>	
PLUG <u>18 1/2 WOOD</u>	_____	@	<u>45 00</u>	
_____	_____	@	_____	
_____	_____	@	_____	
TOTAL				<u>605 00</u>

CHARGE TO: CORAL PROD. COFF.
 STREET 1600 Stout St., Suite 1500
 CITY Denver STATE Colo. ZIP 80202

FLOAT EQUIPMENT

_____	@	_____	
_____	@	_____	
_____	@	_____	
_____	@	_____	
_____	@	_____	
TOTAL			_____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Oreg Davidson

PRINTED NAME _____

ORIGINAL ALLIED CEMENTING CO., INC. 5764

Federal Tax I.D. #

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

DATE <u>11-9-00</u>	SEC. <u>19</u>	TWP. <u>17</u>	RANGE <u>12</u>	CALLED OUT <u>8:30 PM</u>	ON LOCATION <u>11:45 AM</u>	JOB START <u>4:30 AM</u>	JOB FINISH <u>5:45 PM</u>
LEASE <u>L.J. Finger</u> WELL # <u>1</u>				LOCATION <u>Hairington DR, 3N, 3 1/2 E, 5/16ths</u>		COUNTY <u>Barton</u>	STATE <u>Ks</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Vonfeldt Duly

TYPE OF JOB Production

HOLE SIZE 7 7/8" T.D. 3500'

CASING SIZE 5 1/2" used 14# DEPTH 3480'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 1200# MINIMUM _____

MEAS. LINE _____ SHOE JOINT 25'

CEMENT LEFT IN CSG. 25'

PERFS. _____

DISPLACEMENT 84 1/2 bbls

OWNER Same

CEMENT

AMOUNT ORDERED 150 lbs ASC

500 gal ASF,

COMMON	<u>150 ASC</u>	@	<u>8.20</u>	<u>1230.00</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
	<u>ASF - 500 gal</u>	@	<u>1.00</u>	<u>500.00</u>
		@		
		@		
		@		
		@		
HANDLING	<u>150</u>	@	<u>1.05</u>	<u>157.50</u>
MILEAGE	<u>30</u>			<u>180.00</u>
TOTAL				<u>\$ 2067.50</u>

EQUIPMENT

PUMP TRUCK CEMENTER Tom D

181 HELPER Bob D

BULK TRUCK

341 DRIVER hannie M

BULK TRUCK

_____ DRIVER _____

REMARKS:

Ran 3480' of 5 1/2" cas. Brake circulation. Pumped 500 gal ASF followed by 135 lbs ASC. Worked line clean of cement. Released plug. Displaced with fresh H₂O. handled plug at 1200#. Released and float and hold. Plugged bottom w/ 15 lbs.

SERVICE

DEPTH OF JOB	<u>3480'</u>			
PUMP TRUCK CHARGE			<u>1080.00</u>	
EXTRA FOOTAGE		@		
MILEAGE	<u>30</u>	@	<u>3.00</u> <u>90.00</u>	
PLUG	<u>1-5 1/2" Rubber</u>	@	<u>50.00</u> <u>50.00</u>	
		@		
		@		
TOTAL				<u>\$ 1220.00</u>

CHARGE TO: Coral Production, Corp.

STREET 1600 Stuart St, Suite 1500

CITY Denver STATE Colo ZIP 80202

FLOAT EQUIPMENT

1-5 1/2" Guidehoe	@	<u>150.00</u>	<u>150.00</u>	
1-5 1/2" HV Inset	@	<u>235.00</u>	<u>235.00</u>	
8-5 1/2" Centralizer	@	<u>50.00</u>	<u>400.00</u>	
1-5 1/2" Bender	@	<u>128.00</u>	<u>128.00</u>	
	@			
TOTAL				<u>\$ 913.00</u>

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE X Joe Borla

TAX - 0 -

TOTAL CHARGE \$ 4200.50

DISCOUNT \$ 420.05 IF PAID IN 30 DAYS

SIGNATURE X Joe Borla

PRINTED NAME

Net \$ 3780.45