


15-163-25597-00-00

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 North Market, Insurance Bldg.
Wichita, Kansas

Rooks County. Sec. 17 Twp. 9S Rge. 20 (E) W (W)
Location as "NE/CNW/SW" or footage from lines NE NW SW
Lease Owner Rex & Morris, & C.R.A.
Lease Name Pfannenstiel "C" Well No. 1
Office Address Box 334, El Dorado, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) DRY HOLE April 29, 1959
Date well completed " 19 "
Application for plugging filed " 19 "
Application for plugging approved " 19 "
Plugging commenced " 19 "
Plugging completed " 19 "
Reason for abandonment of well or producing formation Dry Hole



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well _____
Producing formation None Depth to top _____ Bottom _____ Total Depth of Well 3831 Feet
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

| FORMATION | CONTENT | FROM | TO | SIZE | PUT IN | PULLED OUT |
|------------------|---------|------|-----|--------|--------|------------|
| Surface Hole | Water | 0 | 218 | 8 5/8" | 218 | None |
| See Attached Log | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Filled with mud from 3831 to 600': Set bridge plug @ 600' and cemented with 20 sacks
cement through drill pipe: Filled with mud to 180': Set plug and cemented with 20
sacks through drill pipe: Filled with mud to 40': Set bridge and cemented with
10 Sacks cement.



(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Rex & Morris Drilling Company
Address Box 334, El Dorado, Kansas

STATE OF Kansas, COUNTY OF Butler, ss.
C. E. McClure (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. E. McClure
Box 334, El Dorado, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 12th day of May, 1959
My commission expires August 8, 1962
Elizabeth Deschner Notary Public.



PLUGGING
FILE SEC. 17 T. 9 R. 20
BOOK PAGE 39 LINE 3

15-163-25597-00-00

PFANNENSTIEL "C" #1

Rex & Morris Drilling Company
and
Cooperative Refinery Association

Total Depth: 3831'
Contractor: Rex & Morris Drilling Co.
Commenced: 4-21-59
Completed: 4-29-59
Initial Production: D. & A.

Location: NE NW SW
Section 17-9S-20W
Rooks County, Kansas

Casing Record:
8 5/8 @ 218' w/150 sacks

FORMATION

DEPTH

| | |
|--------------------|------|
| Surface Hole | 218 |
| Shale | 900 |
| Shale and Sand | 1500 |
| Red Rock and Shale | 1725 |
| Shale | 1745 |
| Anhydrite | 1790 |
| Shale and Lime | 2135 |
| Lime and Shale | 2585 |
| Lime | 2800 |
| Lime and Shale | 3120 |
| Shale and Lime | 3270 |
| Lime and Shale | 3499 |
| Lime | 3660 |
| Lime and Shale | 3635 |
| Shale and Lime | 3762 |
| Conglomerate | 3801 |
| Lime (Arbuckle) | 3831 |

R. T. D.

5/14/59
MAY 14 1959
DIVISION
Wichita, Kansas


I hereby certify the foregoing statements are true and correct to the best of my knowledge and belief.

Rex & Morris Drilling Company

By Paul D. Koontz
Paul D. Koontz, Geologist

STATE OF KANSAS
COUNTY OF BUTLER, SS.

Subscribed and sworn to before me, a Notary Public, this 13th day of May, 1959.



Elizabeth Deschner
Elizabeth Deschner, Notary Public

My commission expires: August 8, 1962.

PLUGGING
FILE SEC 17 T 9 R20W
BOOK PAGE 39 LINE 3