

15-163-00447-00-00

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

Rooks County. Sec. 25 Twp. 9 Rge. 20 (E) (W)

Location as "NE/CNW/SW" or footage from lines NW NW SE

Lease Owner Anschutz Drilling Company, Inc.

Lease Name Steeples Well No. 1

Office Address Union Nat'l Bk Bldg., Wichita, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed 8-2 19 52

Application for plugging filed 10-1 19 52

Application for plugging approved 10-3 19 52


Plugging commenced 10-4 19 52

Plugging completed 10-8 19 52

Reason for abandonment of well or producing formation Dry

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Eldon Petty

Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 3800 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| FORMATION | CONTENT | FROM | TO | SIZE   | PUT IN | PULLED OUT |
|-----------|---------|------|----|--------|--------|------------|
|           |         |      |    | 8-5/8" | 217'   |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Bottom plug set at 3600' with 4 sacks cement  
Top plug set at 217' with 3 sacks cement

RECEIVED  
CORPORATION COMMISSION

OCT 15 1952

10-15-1952  
CONSERVATION DIVISION  
Wichita, Kansas

Name of Plugging Contractor Anschutz Drilling Company, Inc.  
Address Union Nat'l Bk Bldg., Wichita, Kansas

STATE OF KANSAS, COUNTY OF SEDGWICK, ss.  
E. B. Snell (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) E. B. Snell  
709 Union Nat'l Bk Bldg., Wichita, Ks.

(Address)

SUBSCRIBED AND SWORN to before me this 14th day of October, 19 52

My commission expires May 2, 1956

Jacqueline Korman Notary Public.

PLUGGING  
FILE SEC 25 T 9 R 2024  
BOOK PAGE 72 LINE 6



WELL LOG BUREAU--KANSAS GEOLOGICAL SOCIETY  
508 East Murdock, Wichita, Kansas


15-163-00447-00-00

Company- ANSCHUTZ DRILLING CO., INC.  
Farm- Steeples No. 1

SEC. 25 T. 9 R. 20W  
NW NW SE

Total Depth. 3800  
Comm. 7-20-52 Comp. 8-2-52  
Shot or Treated.  
Contractor.  
Issued. 10-18-52

County Rooks KANSAS



Elevation. 2230 KB

Production. Dry

Figures indicate Bottom of Formations.

|                     |      |
|---------------------|------|
| sand                | 70   |
| sand & shale        | 135  |
| shale & shells      | 620  |
| shale & sand        | 850  |
| sand                | 980  |
| shale & shells      | 1010 |
| shale & sand        | 1100 |
| red bed             | 1185 |
| red bed & shale     | 1653 |
| anhydrite           | 1693 |
| shale & shells      | 2345 |
| shale & lime        | 2585 |
| shale & shells      | 2715 |
| shale & lime        | 2825 |
| shale               | 2905 |
| lime & shale        | 3290 |
| lime                | 3357 |
| lime & shale        | 3403 |
| lime                | 3438 |
| lime & shale        | 3486 |
| K. C. lime          | 3528 |
| lime                | 3610 |
| lime, shale & chert | 3640 |
| lime & chert        | 3643 |
| lime & shale        | 3730 |
| cherty congl.       | 3776 |
| lime                | 3800 |
| Total Depth         |      |

Tops:

|                    |      |
|--------------------|------|
| Heebner            | 3441 |
| Toronto            | 3465 |
| Lansing            | 3478 |
| Base-Kansas City   | 3685 |
| Cherty Congl.      | 3737 |
| Erosional Arbuckle | 3781 |
| Solid Arbuckle     | 3788 |

**PLUGGING**  
FILE SEC. 25 T. 9 R. 20W  
ROCK PAGE 47 LINE 6

DIVISION