

15-065-00297-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Graham County. Sec. 11 Twp. 9S Rge. (E) 21(W)

Location as "NE/CNW%SW%" or footage from lines NW SE SE

Lease Owner Jones, Shelburne & Farmer, Inc.

Lease Name Morin Well No. 1

Office Address Russell, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry

Date well completed 9-26 19 52

Application for plugging filed 9-26 19 52

Application for plugging approved 9-26 19 52


Plugging commenced 9-26 19 52

Plugging completed 9-26 19 52

Reason for abandonment of well or producing formation Dry

If a producing well is abandoned, date of last production Never produced 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Elden Petty

Producing formation Depth to top Bottom Total Depth of Well 3784 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8	167'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

1. Filled hole with heavy mud
2. Pushed plug to 160'
3. Dumped 1/2 sack hulls on top of plug.
4. Mixed 15 sacks cement and dumped on top of hulls
5. Filled hole to top
6. Pushed plug to 40'
7. Dumped in 1/2 sack hulls.
8. Mixed 10 sacks cement and filled hole to top with same.

RECEIVED
STATE CORPORATION COMMISSION

SEP 30 1952

CONSERVATION DIVISION
Wichita, Kansas

9-30-52

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor D. & M. Drilling Company

Address Great Bend, Kansas

STATE OF , COUNTY OF , ss.

 (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) John W. Farmer


(Address)

SUBSCRIBED AND SWORN to before me this 27th day of September, 19 52

My commission expires April 23, 1956

Bonnie Perryhill
Notary Public.

24-2675-S 2-52-20M



PLUGGING
FILE SEC 11 T 9 R 2136
BOOK PAGE 48 LINE 6


OPERATOR Jones, Shelburne & Farmer, Inc.

FORMATION RECORD

ADDRESS Russell, Kansas

Give detailed description and thickness of all formations drilled through, contents of sand, whether dry, water, oil or gas.

640 Acres
N



Locate well correctly

COUNTY Graham SEC. 11 TWP. 9S RGE 21W
 COMPANY OPERATING Jones, Shelburne & Farmer, Inc.
 OFFICE ADDRESS Russell, Kansas
 FARM NAME Morin WELL NO. 1
 DRILLING STARTED 9-16 1952 DRILLING FINISHED 9-26 1952
 DATE OF FIRST PRODUCTION _____ COMPLETED _____
 WELL LOCATED NW 1/4 SE 1/4 SE 1/4 North of South
 Line and _____ ft. East of West Line of Quarter Section
 Elevation (Relative to sea level) DERRICK FLOOR 2173 GROUND _____
 CHARACTER OF WELL (Oil, gas or dryhole) Dry

OIL OR GAS SANDS OR ZONES

Name	From	To	Name	From	To
1			4		
2			5		
3			6		

Perforating Record If Any

Shot Record

Formation	From	To	No. of Shots	Formation	From	To	Size of Shot

CASING RECORD

Amount Set								Amount Pulled		Packer Record	
Size	Wt.	Thds.	Make	Ft.	In.	Ft.	In.	Size	Length	Depth Set	Make
8 5/8	24	8	LW	158				None			

Liner Record: Amount _____ Kind _____ Top _____ Bottom _____

CEMENTING AND MUDDING

Size	Amount Set		Sacks Cement	Chemical		Method of Cementing	Amount	Mudding Method	Results (See Note)
	Ft.	In.		Gal.	Make				
8 5/8	158		100						

Note: What method was used to protect sands if outer strings were pulled? _____

NOTE: Were bottom hole plugs used? _____ If so, state kind, depth set and results obtained _____

TOOLS USED

Rotary Tools were used from _____ feet to _____ feet. Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet, and from _____ feet to _____ feet.

Type Rig _____

INITIAL PRODUCTION TEST

Describe initial test: whether by flow through tubing or casing or by pumping _____

Amount of Oil Production _____ bbls. Size of choke, if any _____ Length of test _____ Water _____

Production _____ bbls. Gravity of oil _____ Type of Pump if pump is used, describe _____

Formation	Top	Bottom	Formation	Top	Bottom
Sand & Shale	0	100			
Shale, Shells	100	158			
Gray shoal, shale & shells	158	240			
Shale & Shell	240	200			
DaKotā Sand	1200	1475			
Shale, Shells and Red bed	1475	1675			
Anhydrite	1675	1725			
Shale & Shell	1725	1840			
Shale Shells and lime streaks	1840	2035			
Shale & lime streaks	2035	2205			
Broken lime	2205	2452			
Shale & lime streaks	2452	2515			
Lime & Shale	2515	2790			
Shale & Lime	2790	2891			
Broken lime	2891	2935			
Shale	2935	3080			
Lime & Shale	3080	3176			
Broken lime	2176	3220			
Shale & Sand Lime	3220	3330			
Lime & Shale	3330	3400			
Lime	3400	3440			
Lime & Shale	3440	3495			
Lime & Shale Streaks	2895	3538			
Lime	3538	3570			
Shale & Lime	3570	3610			
Lime & Shale	3610	3710			
Shale & Lime	3710	3791			

TOPS:

Elevation 2173
 Heebner 3408
 Toronto 3428
 Lansing 3450
 Base of K. C. 3600
 Cherty Cong. 3773
 T. D. 3791
 D & A

PLUGGING
 MORIN
 9-30-52

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

John W. Farmer
 Name and title of representative of company
 Vice-President

Subscribed and sworn to before me this 29th day of September 1952
 My Commission expires April 23, 1956
Bonnie Berryhill
 Notary Public

FARM NAME Morin WELL NO. 1 COUNTY Graham SEC. 13 TWP. 10S RGE 21W