API NO. 15-065228030000

STATE CORPORATION COMMISSION OF KANSAS OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM	County Graham County Ks.
ACO-1 WELL HISTORY DESCRIPTION OF WELL AND LEASE	se.ne.ne. sec. 22 Tup. 10 Rge. 25w
Operator: License # 32552	990 Feet from SN circle one) Line of Section
Name: Energy One Oil Operations	330 Feet from (E)W (circle one) Line of Section
Address 1116 East 8th St	Footages Calculated from Nearest Outside Section Corner: NE SE, NW or SW (circle one)
	Lease Name Knoll "C" Well# 1
City/State/Zip Hays, Ks. 67601	Field Name Ambrose
Purchaser:	Producing Formation <u>LKC</u>
Operator Contact Person: Carl Zimmerman	Elevation: Ground <u>2482</u> KB <u>2487</u>
Phone (785) 623-4488	Total Depth 4029 PBTD 4029
Contractor: Name: A&A Drilling Co.	Amount of Surface Pipe Set and Cemented at 209' Fee
License: 30076	Multiple Stage Cementing Collar Used?Yes _X
Wellsite Geologist: Kit Noah	If yes, show depth setFe
Designate Type of Completion X New Well Re-Entry Workover	If Alternate II completion, cement circulated from
	feet depth to sx cm
Oil SWD SIOW Temp. Abd. Gas ENHR SIGW X Dry Other (Core, WSW, Expl., Cathodic, etc)	
If Workover:	(Data must be collected from the Reserve Pit)
Operator:	Chloride content 1900 ppm Fluid volume 640 bb
U	Dewatering method used Skimed reserve nit
	_
	Location of fluid disposal if hauled offsite: unknown
Deepening Re-perf. Converto Inj/SMD Re-perf. PBTD A PERFORMANCE PBTD A	roperator Name <u>Pfeifer Dozer & Tank Servic</u>
	St Peter Ks. License No.
Other (SWD or Inj?) Docket No. 33 10 10 10 10 10 10 10 10 10 10 10 10 10	County Docket No.
12-30-00 1-6-01 1-6-01 7 Completion Date	County Docket No.
INSTRUCTIONS: An original and two copies of this form shall - Room 2078, Wichita, Kensas 67202, within 120 days of the	be filed with the Kansas Corporation Commission, 130 S. Market
Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on	side two of this form will be held confidential for a period of form (see rule 82-3-107 for confidentiality in excess of 1
months). One copy of all wireline logs and geologist well a MUST BE ATTACHED. Submit CP-4 form with all plugged well	report shall be attached with this form. ALL CEMENTING TICKETS
with and the statements herein are complete and correct to the	gated to regulate the oil and gas industry have been fully compline best of my knowledge.
Signature Dal Flinguermon	
	K.C.C. OFFICE USE ONLY Letter of Confidentiality Attached
Subscribed and sworn to before me this 144 day of Fig. 186	C Wireline Log Received C Geologist Report Received
19 201.	' Distribution
Notary Public Koron Immosmon	KCC SMD/RepNGPA NGPA Other
Date Commission Expires 4/7/dem/	(Specify)
NOTARY PUBLIC - State of Kansas ROXANN ZIMMERMAN My Appt. Exp. 4/3 Carl	Form ACO-1 (7-91)
= (· ·

operator Name Eng	rgy One	Oil Ope	rations						
		☐ East		County	Graham C	County Ks.			
Sec. 22 Twp. 10s	Rge. <u>25w</u>	□ west		7				e •	
INSTRUCTIONS: Show- interval tested, time hydrostatic pressure if more space is nee	s, bottom hole	temperature							
Drill Stem Tests Tak (Attach Additiona	T	☐ Yes G	o _{No}	☐ Log	Formatio	n (Top), Depth	and Datums	s Sample	
Samples Sent to Geological Survey Yes No Cores Taken Yes No) No	Name Top Datum Anhydrite 2133' +354' Topeka 3558' -1071					
			_						
Electric Log Run (Submit Copy.)		Tes 2		Heebn Toron	er 🐪	3769		.282	
List All E.Logs Run:				Lansi Base	ng	3811 4029	1 11	324 .542	
					••				
					• ·	÷ *			
	· · · · · · · · · · · · · · · · · · ·	CASING	RECORD _						
	Report a	ll strings se	L t-conductor,	New []	Used intermediate,	production, et	£.		
Purpose of String	Size Hole Drilled	Size Cas Set (In	ing	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks	Type and Percent	
			-		Берін	Cenent	Used	Additives	
									
								 	
<u> </u>	ADDITIONAL CI	MENTING/SQUE	EZE RECORD		<u></u>	***************************************			
Purpose:	Depth Top Bottom	Type of Ce		acks Used		ives and Bensen	Addining		
Perforate Protect Casing		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		ocks used	<u> </u>	ype and Percent	Additive	S	
Plug Back TD Plug Off Zone									
Shots Per Foot	PERFORATION Specify Footag	RECORD - Br e of Each In	idge Plugs S terval Perfo	Set/Type orated	Acid, 1 (Amount and	racture, Shot, Kind of Mater	Cement Sq ial Used)	weeze Record Depth	
			· · · · · · · · · · · · · · · · · · ·				25 m		
		•				*			
UBING RECORD	Size	Set At	Pa	cker At	Liner Run ,	□· _{Yes} □	No		
ate of First, Resume	ed Production,	SWD or Inj.	Producing	Method	lowing Pun	ping Gas Li	ft 🗆 ot	her (Explain)	
stimated Production Per 24 Hours	oil	Bbls.	ias	Mcf Wate		Gas-Dil		Gravity	
sposition of Gas:	METHOD OF	COMPLETION			Pro	duction Interv	ıl		
Vented Sold (If vented, subm	Used on Le	ease [Open Hole	Perf.		Comp. Commi			
			Other (Sp	ecify)			··	" · A	

ÂLLIED CEMENTING CO., INC.

P.O. POX. 5 RUSCELL, KS 67665 PH (785) 483-3887 FAX (785) 483-5566 ORIGINAL

Invoice Number: 083094

Invoice Date: 01/06/01

Sold Energy One Olf Oper To: De 1416 E. 48th H Hays KS 044 50601

> Cust I D... Enerl P.O. Number Knoll C-l P.O. Ohte ... 01/06/01

Due Date ::02/05/01

	1. 工作技术之间,在这种企工。	
*Titem Tr.D. /Desc. Oly: Used	Unit Price	Net A TX
Common 111700	SKS 7.5500	i. 838.05 E
Pozmix. 74.00	SKS 3-2500	240.50 VE
Gel	164 SKS 2. 79.5000	95.00 E
First JoSeal Far 100	I'BS 7 7 1.1500 7	54.05 E
Handling 195760	SKS 1 0500-	264.7750 1
Mileage (50) 195 sks 68.04 per sk per mi	MILE + 7 8000	390.00 E
Rotary Plug	EACH 580.0000	500 00 0
MHeage pmp trk 50.00	MILE 3.0000	1580.00 E
Dryhole plug	EACH 23.0000	23.00 E
		Jan Jan Lander
	Subtotal:	-2575.35
	Tax	0.00
	Payments:	0.00
	Total	2575.35
		-= 257.54
25754		The second secon
		2,317.81
	Pack # 2009	
	DOCK# 2609	
	A CONTRACTOR AND A STATE OF	
[# HONE : 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
	3	

FORM #F9000 57685;

* Section Continues (Section States)

55年7月11日中央中央部分的企业。由中央中央部分的企业的企业的企业。

ALLIED CEMENTING CO., INC. 4745

SERVICE POINT

P.O. BOX 31	
RUSSELL, KANSAS 676	665

ON LOCATION 9:00 A.M. JOB START JOB FINISH SEC. TWP. RANGE CALLED OUT 2:000 m. DATE //OLOSO COUNTY STATE al INID Peter LEASE KOOL WELL# C-1 LOCATION water OLD OR NEW (Circle one) SAME AcA **OWNER** CONTRACTOR Kotary Plug TYPE OF JOB CEMENT 4040 HOLE SIZE AMOUNT ORDERED _ **DEPTH CASING SIZE TUBING SIZE DEPTH** DRILL PIPE **DEPTH** TOOL **DEPTH** COMMON. PRES. MAX **MINIMUM** 74 @ POZMIX MEAS. LINE **SHOE JOINT** @ 10 GEL CEMENT LEFT IN CSG. @ **CHLORIDE** PERFS. @ FLOSEAL DISPLACEMENT @ **EQUIPMENT** @ @ CEMENTER **PUMP TRUCK** 153 **HELPER** HANDLING 195 @ BULK TRUCK-4M MILEAGE _ Share DRIVER **BULK TRUCK** TOTAL _ DRIVER **SERVICE REMARKS:** 2000 **DEPTH OF JOB** 1180 100 SK 250-PUMP TRUCK CHARGE 40 56 **EXTRA FOOTAGE** 40-1125x @ MILEAGÈ @ Rathole 1051 TOTAL __753 = CHARGE TO: Energy One FLOAT EQUIPMENT STREET ____ ZIP_ STATE CITY_ @ @ @ @ @ To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment TOTAL and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or TAX_ contractor. I have read & understand the "TERMS AND TOTAL CHARGE -CONDITIONS" listed on the reverse side. IF PAID IN 30 DAYS DISCOUNT -PRINTED NAME

ALLIED GEMENTING CO., INC.

P.O. BEX 24 RUSSELL; KS 67665 PH (785) 483-3887 FAX (785) 483-5566 J. PRIGINAL

Invoice Number: 083039

Invoice Date: 12/31/00

Sold, Energy One Oil Oper Town P. O. Box 531, 34, The Schoenchen, KS 67667-0053 40

> Cust I.D....: Ener1 P.O. Number. :: Knol4 #1 P.O. Date. :: :: 12/31/00

Duc Date : 01/10/01 Term : Ne 30

	X. 1			
Ttemul:D./Desc. Qty:/Used	ALC: N	Unit egg	rice	Net 4 Mix
Common 90 00		la service de la constante de	****	
l'ozmix 60 00		SKS.	7 5500	679:50 E
Gel 3-002		SKS	31 2500	195 700 6
achioride 2000		*SKS	28.0000 28.0000	777-1-297507=1
Handling		SKS	11.0500	110.00
Mileage (50)		MILE	6.3200	165.90° E
158 sks 68.04 per sk per mi			3200	316.00 E
Surface		JOB J	470.0000	470.00 E
Mileage pmp trk 50.00		MITE.	. 3.0000	1150.00 E
Surface plug		EACH.	45.0000	45.00 F
All Prices Are Net, Payable 30 [ays Followi	ng subtot	al: 7	2189.90
Date of Invoice. Phy2% Charged	Thereafter!	Tax ::	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.00
If Account CURRENT take Discount	of \$ 212	29 Paymen		0.00
ONLY if paid within 30 days from	Trivoice Da	te Total.		2189.90
				118.99
		*		79.70.91
	ATT			7000
	A I D 4 2005		Dave-	4.7
Pa Ch	\$ 2005			
	a de la companya de			
	**		Angel Commence	
	-	132 12 12 12 12 12 12 12 12 12 12 12 12 12		
	Mark Mary Control			

ALLIED CEMENTING CO., INGRIGAPAL REMIT TO P.O. BOX 31 SERVICE POINT: RUSSELL, KANSAS 67665 RANGE CALLED OUT JOB START ON LOCATION JOB FINISH 4:15 AM 1,15 Am LEASE Kholl LOCATION ST POTEL WELL# GLAham OLD OKNEW (Circle one) **CONTRACTOR** Same **OWNER** TYPE OF JOB **HOLE SIZE CEMENT CASING SIZE** AMOUNT ORDERED 1505/5 60/4/ **DEPTH TUBING SIZE DEPTH** DRILL PIPE **DEPTH** TOOL **DEPTH** PRES. MAX **MINIMUM** COMMON_ SKS MEAS. LINE SHOE JOINT **POZMIX** 5K> CEMENT LEFT IN CSG. GEL 2850 51/2 PERFS. **CHLORIDE** DISPLACEMENT **EQUIPMENT** @ **PUMP TRUCK CEMENTER** 300 HELPER HANDLING TRUCK MILEAGE_ 46 Dr 5K/mi TOTAL 1524 70 DRIVER **REMARKS: SERVICE** Cement did citoulates **DEPTH OF JOB** PUMP TRUCK CHARGE **EXTRA FOOTAGE MILEAGE** 50-mile PLUG 878 Surface TOTAL CHARGE TO: Energy one Oil Operation STREET ____ FLOAT EQUIPMENT CITY____ @ @ @ @

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND

CONDITIONS" listed on the reverse side.

TOTAL

TAX_

TOTAL CHARGE

DISCOUNT ___ - IF PAID IN 30 DAYS

PRINTED NAME