## RECEIVED KANSAS CORPORATION COMMISSION

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

Date Commission Expires: 7-12

## **WELL COMPLETION FORM** WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE ORIGINAL

CONSERVATION DIVISION WICHITA, KS Operator: License # 32903	API No. 15 - 207-24278-00-0\
Name: Triple B Crude, LLC.	County: Woodson
Address: 2100 West Virginia Rd	NE NW. se Sec.30 Twp.23 S. R.17 The East Wes
City/State/Zip: Colony Ks 66015	
Purchaser: Mclaskey	1500 teet from N (circle one) Line of Section
	1500 feet from W (circle one) Line of Section
Operator Contact Person: Matt Bowen	Footages Calculated from Nearest Outside Section Corner:
Phone: ( <u>.620</u> ) <u>852–3501</u>	(circle one) NE 86% NW SW
Contractor: Name: Kenny Laymon	Lease Name: Bruner Well #: 13
License:na	Field Name: Neosho Falls, Leroy
Wellsite Geologist:na	Producing Formation: squirrel
Designate Type of Completion: exsisting well	Elevation: Ground: 970 Kelly Bushing: 970
New WellX_ Re-Entry Workover	Total Depth: 970' Plug Back Total Depth: 970'
XX OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at Fee
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFee
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from top to botto
Operator: Triple B Crude, LLC.	feet depth tow/101sx cmt.
Well Name: Bruner #13	
Original Comp. Date: na Original Total Depth: 970'	Orilling Fluid Management Plan OWWO nalf 7/24/0
Deepening Re-perf Conv. to Enhr./SWD	· ·
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R
Recompletion Date  Recompletion Date	County: Docket No.:
	Societies .
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply.  2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	
Signature: Matt Bowen	KCC Office Use ONLY
Title: Charafar Date: 1/-5-0/	Letter of Confidentiality Associated
26	Letter of Confidentiality Attached  If Denied, Yes Date:
Subscribed and sworn to before me this Standay of Nov.	Wireline Log Received
= 2001 0 M	ONIKA STONEHOCKER
Notary Public: Sonka Stoneholker	NOTARY PUBLIC Section Herein Heceived
Date Commission Expires: 7-12-06	y Appt. Exp. 7-2 O.S.

Operator Name:	Tribte B C	rude, LLC.	Lease Na	me:	me: Bruner Well #: 13			
Sec. 30 / Twp/2	3 s (R 17	East West	County: Woodson			- ( V. V. V		
tested, time tool oper temperature, fluid rec	and closed, flowing covery, and flow rate	and base of formations p g and shut-in pressures, s if gas to surface test, a final geological well site	whether shut- along with final	in pressure reached	static level, hydro	static pressu	ests giving interval res, bottom hole	
Drill Stem Tests Taker	II a	☐ Yes ☐ No			on (Top), Depth a	nd Datum	Sample	
Samples Sent to Geological Survey na Yes No			Name squirre	el	Top na	Datumna		
Cores Taken na Electric Log Run (Submit Copy)	a	Yes No			•		વ	
List All E. Logs Run:	na	•						
					÷	,		
			RECORD	New Used X e, intermediate, product	tion etc	:	,	
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives	
surface	na	6"	na	40'	port-a	na	na	
production	5.125".	2.875"	na	949'	port-a	101	2sx gel	
			1 -					
		ADDITIONAL	CEMENTING /	SQUEEZE RECORD				
Purpose:  Perforate Protect Casing	Depth Top Bottom	Type of Cement	#Sacks Use	d .	Type and Percent Additives			
Plug Back TD Plug Off Zone				n n				
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shi				ture, Shot, Cement S		•	
na			J. 12.00	(Au)	oun and kind of man	erial Oseu)	Depth	
٠								
TUBING RECORD	Size 2.875"	Set At 949 '	Packer At	Liner Run	Yes No			
Date of First, Resumerd F May 2	roduction, SWD or En	hr. Producing Meth		owing XX Pumpin	, De		* /Fuoloio	
Estimated Production Per 24 Hours	Oil Bi	ı		Water Bb	ds. Ga	s-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF CO	MPLETION		Production Interv		<u> </u>	. 25	
Vented Sold	Used on Lease	Open Hole	Perf. [	Dually Comp.	Commingled			