

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

Operator: License # 30076
Name: A & A PRODUCTION
Address: PO BOX 100
City/State/Zip: HILL CITY KS 67642
Purchaser: _____
Operator Contact Person: ANDY ANDERSON
Phone: (785) 421-6266
Contractor: Name: A & A PRODUCTION
License: 30076
Wellsite Geologist: KITT NOAH

Designate Type-of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW Other (Core, WSW, Expl., Cathodic, etc)
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
1-11-01 1-19-01 1-20-01
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 065-22812-0000
County: GRAHAM
S/2 NE/4 SE/4 Sec. 23 Twp. 8 S. R. 23 East West
1680 feet from (S) N (circle one) Line of Section
960 feet from (E) W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: RIGGS Well #: 1
Field Name: LEGERE
Producing Formation: _____
Elevation: Ground: 2133 Kelly Bushing: _____
Total Depth: 3840 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 214 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan P+A KGR 7/20/07
(Data must be collected from the Reserve Pit)
Chloride content 2% ppm Fluid volume 800 bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: REILLY OIL COMPANY, INC.
Lease Name: JUSTUS License No.: 32686
Quarter SE Sec. 23 Twp. 8 S. R. 23 East West
County: GRAHAM Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Andy Anderson
Title: Operator Date: 2/8/01
Subscribed and sworn to before me this 8th day of FEBRUARY

Notary Public: Rita Anderson
Date Commission Expires: January 21, 2004

KCC Office Use ONLY

Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received

BITA AUGUSTINE
Graham County, Kansas
My Appt. Exp. 1-21-04

RECEIVED
STATE CORPORATION COMMISSION
FEB 12 2001
Wichita, Kansas

Operator Name: A & A PRODUCTION Lease Name: RIGGS Well #: 1
 Sec. 23 Twp. 8 S. R. 23 East West County: GRAHAM

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: <u>Radiation Guard Log</u>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><input checked="" type="checkbox"/> Log</td> <td>Formation (Top), Depth and Datum</td> <td><input type="checkbox"/> Sample</td> </tr> <tr> <td>Name</td> <td>Top</td> <td>Datum</td> </tr> <tr> <td>ANDYDRITE</td> <td>1760</td> <td>+ 378</td> </tr> <tr> <td>B/ANHYDRITE</td> <td>1794</td> <td>+ 344</td> </tr> <tr> <td>TOPEKA</td> <td>3150</td> <td>-1012</td> </tr> <tr> <td>HEEBNER</td> <td>3363</td> <td>-1225</td> </tr> <tr> <td>TORONTO</td> <td>3387</td> <td>-1249</td> </tr> <tr> <td>LANSING</td> <td>3404</td> <td>-1266</td> </tr> <tr> <td>B/KC</td> <td>3618</td> <td>-1480</td> </tr> <tr> <td>MARM</td> <td>3692</td> <td>-1554</td> </tr> <tr> <td>ERO ARB</td> <td>3786</td> <td>-1648</td> </tr> <tr> <td>ARBUCKLE</td> <td>3790</td> <td>-1652</td> </tr> </table>	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample	Name	Top	Datum	ANDYDRITE	1760	+ 378	B/ANHYDRITE	1794	+ 344	TOPEKA	3150	-1012	HEEBNER	3363	-1225	TORONTO	3387	-1249	LANSING	3404	-1266	B/KC	3618	-1480	MARM	3692	-1554	ERO ARB	3786	-1648	ARBUCKLE	3790	-1652
<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample																																			
Name	Top	Datum																																			
ANDYDRITE	1760	+ 378																																			
B/ANHYDRITE	1794	+ 344																																			
TOPEKA	3150	-1012																																			
HEEBNER	3363	-1225																																			
TORONTO	3387	-1249																																			
LANSING	3404	-1266																																			
B/KC	3618	-1480																																			
MARM	3692	-1554																																			
ERO ARB	3786	-1648																																			
ARBUCKLE	3790	-1652																																			

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surface	12 1/4	8 5/8	20	214	60/40 POZ Mix	140	3% CC 2% Gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

ALLIED CEMENTING CO., INC.

P.O. BOX 31
 RUSSELL, KS 67665
 PH (785) 483-3887
 FAX (785) 483-5566

***** ORIGINAL *****
 * INVOICE *

Invoice Number: 083224

Invoice Date: 01/20/01

Sold A & A Production
 To: P. O. Box 100
 Hill City, KS
 67642

Cust I.D.....: A&APro
 P.O. Number...: Riggs #1
 P.O. Date.....: 01/20/01

Due Date.: 02/19/01
 Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	114.00	SKS	6.3500	723.90	E
Pozmix	76.00	SKS	3.2500	247.00	E
Gel	10.00	SKS	9.5000	95.00	E
FloSeal	48.00	LBS	1.1500	55.20	E
Handling	200.00	SKS	1.0500	210.00	E
Mileage (60)	60.00	MILE	8.0000	480.00	E
200 sks @\$.04 per sk per mi					
Plug	1.00	JOB	580.0000	580.00	E
Mileage pmp trk	60.00	MILE	3.0000	180.00	E
Plug	1.00	EACH	23.0000	23.00	E

All Prices Are Net, Payable 30 Days Following
 Date of Invoice. 1 1/2% Charged Thereafter.
 If Account CURRENT take Discount of \$ 259.41
 ONLY if paid within 30 days from Invoice Date

Subtotal: 2594.10
 Tax.....: 0.00
 Payments: 0.00
 Total....: 2594.10

RECEIVED
 STATE CORPORATION COMMISSION
 FEB 12 2001
 CONSERVATION DIVISION
 Topeka, Kansas

ORIGINAL

ALLIED CEMENTING CO., INC.

P.O. BOX 31
RUSSELL, KS 67665
PH (785) 483-3887
FAX (785) 483-5566

* INVOICE *

Invoice Number: 083224

Invoice Date: 01/20/01

Sold A & A Production
To: P. O. Box 100
Hill City, KS
67642

Cust I.D.....: A&APro
P.O. Number...: Riggs #1
P.O. Date.....: 01/20/01

Due Date.: 02/19/01
Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	114.00	SKS	6.3500	723.90	E
Pozmix	76.00	SKS	3.2500	247.00	E
Gel	10.00	SKS	9.5000	95.00	E
FloSeal	48.00	LBS	1.1500	55.20	E
Handling	200.00	SKS	1.0500	210.00	E
Mileage (60)	60.00	MILE	8.0000	480.00	E
200 sks @\$.04 per sk per mi					
Plug	1.00	JOB	580.0000	580.00	E
Mileage pmp trk	60.00	MILE	3.0000	180.00	E
Plug	1.00	EACH	23.0000	23.00	E

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ 259.41
ONLY if paid within 30 days from Invoice Date

Subtotal: 2594.10
Tax.....: 0.00
Payments: 0.00
Total....: 2594.10

RECEIVED
STATE CORPORATION COMMISSION
FEB 12 2001
CONSERVATION DIVISION
Wichita, Kansas