KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| Operator: License # 33344 | API No. 15 - 133-27183-0000 |
|---|--|
| Name: Quest Cherokee, LLC | County: Neosho |
| Address: 211 W. 14th Street | nwneSec. 7 Twp. 28 S. R. 20 |
| City/State/Zip: Chanute, KS 66720 | 660 feet from S / Circle one) Line of Section |
| Purchaser: Bluestem Pipeline, LLC | 1980 feet from (E)/ W (circle one) Line of Section |
| Operator Contact Person: Jennifer R. Ammann | Footages Calculated from Nearest Outside Section Corner: |
| Phone: (620) 431-9500 | (circle one) NE) SE NW SW |
| Contractor: Name: TXD | Lease Name: Roberts, Max D. Well #: 7-1 |
| License: 33837 | Field Name: Cherokee Basin CBM |
| Wellsite Geologist: Ken Recoy | Producing Formation: multiple |
| Designate Type of Completion: | Elevation: Ground: 926 Kelly Bushing: n/a |
| New Well Re-Entry Workover | Total Depth: 932 Plug Back Total Depth: 910 |
| Oil SWD SIOW Temp. Abd. | Amount of Surface Pipe Set and Cemented at 33 Feet |
| Gas SIGW Iemp. Abd. | Multiple Stage Cementing Collar Used? |
| Dry Other (Core, WSW, Expl., Cathodic, etc) | If yes, show depth setFeet |
| If Workover/Re-entry: Old Well Info as follows: | If Alternate II completion, cement circulated from 910 |
| Operator: | feet depth to surface w/ 120 sx cmt. |
| Well Name: | Alt Villa |
| | Drilling Fluid Management Plan |
| Original Comp. Date:Original Total Depth: DeepeningRe-perfConv. to Enhr./SWD | (Data must be collected from the Reserve Pit) |
| | Chloride content ppm Fluid volume bbls |
| Plug Back Total Depth | Dewatering method used |
| Commingled Docket No | Location of fluid disposal if hauled offsite: |
| Dual Completion Docket No | Operator Name: |
| Other (SWD or Enhr.?) Docket No | Lease Name:License No.; |
| 9/23/07 9/29/07 9/29/07 | Quarter Sec TwpS. R |
| Spud Date or Date Reached TD Completion Date or Recompletion Date | County: Docket No.: |
| | Donot No. |
| Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of | th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, were or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-3 and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells. |
| All requirements of the statutes, rules and regulations promulgated to regulate and correct to the best of my knowledge. | ate the oil and gas industry have been fully complied with and the statements |
| Signature: Gennify R. ammann | KCC Office Use ONLY |
| Nov. Well Development Coordinates 1/22/09 | (4) |
| Title: New Well Development Cooldinator Date: 172206 | |
| Subscribed and sworn to before me this dd day of world and sworn to before me this | If Denied, Yes Date: RECEIVED |
| 20 08. | Wireline Log Received KANSAS CORPORATION COMMISS |
| Notary Public: Device Klauman | Geologist Report Received UIC Distribution JAN 2 3 2008 |
| 9-11 2 A | |
| Notary P | Public - State of Kansas |
| My Appt. Expire | 3 N 4-201() |

CAIGINAL CAR

| Operator Name: Qu | est Cherokee, LL | С | | Lease N | ame:_ | Roberts, Max D. | | Well #: _ 7-1 _ | | |
|--|---|------------------------------------|----------------------------|---|---|--|--|----------------------------|-----------------------------|-------------------------|
| Sec Twp2 | S. R. 20 | ✓ East | West | County: _ | | | | | | |
| INSTRUCTIONS: S tested, time tool ope temperature, fluid re Electric Wireline Log | n and closed, flowing covery, and flow rate | g and shut-in p s if gas to sur | oressures, face test, a | whether shut long with fina | i-in pre | ssure reached s | static level, hydro | ostatic pressure | s, bottor | n hole |
| Drill Stem Tests Take | • | Yes | □No | | V L | | on (Top), Depth a | and Datum | | Sample |
| Samples Sent to Ge | ological Survey | Yes | □No | | Nam See | e attached | | Тор | [| Datum |
| Cores Taken Electric Log Run (Submit Copy) | | ☐ Yes ☐ Yes | ☐ No ☐ No | | | | | | | |
| List All E. Logs Run: | | | | | : | | | | | |
| Compensated Dual Induction | d Density Neut n Log | ron Log | | | | | | | | |
| | | Report all | | RECORD | ☐ Ne | ew Used ermediate, product | ion, etc. | | | |
| Purpose of String | Size Hole Drilled | Size Ca Set (In | | Weight Lbs. / F | | Setting Depth | Type of Cement | # Sacks Used | | and Percent dditives |
| Surface | 12-1/4 | 8-5/8" \ | | 22 | | 33 | "A" | | | |
| Production | 6-3/4 | 4-1/2 | | 10.5 | - | 910 | "A" | 120 | | · |
| | | | | | | | | | | |
| Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone | TD | | | | sed | JEEZE RECORD Type and Percent Additives | | | | <i>*</i> |
| Shots Per Foot | | ON RECORD - | | | | | ture, Shot, Cemer | | d | Depth |
| 4 | Specify Footage of Each Interval Perforated 811-814/755-757/749-751 | | | | 500gal 15%HCLw/ 58 bbhs 2%kd water, 617bbls w | | | | | |
| | | | | | | | | | | 749-751 |
| 4 546-548/515-518/488-490 | | | | 400gal 15%HCLw/ 48 bbts 2%kcl water, 553bbb w | | | atter w/ 2% KCL_ Blockde, 4000# 20/40 send 546-548/515-518 | | | |
| | | | | | | | | | | 488-490 |
| 4 | 410-414/498-402 | | | | <u> </u> | 300gel 15%HCLw/ 41 bbl: | 2%kd water, 684bbis water | w/ 2% KCL, Blocide, 5500 | # 20/40 sand | 410-414/498-402 |
| TUBING RECORD 2- | Size 3/8" | Set At 932.50' | 1 | Packer At n/a | ! | Liner Run | _Yes ✓ No | o | | |
| Date of First, Resume | rd Production, SWD or f | nhr. Pr | oducing Met | hod | Flowin | g Pumpir | | ift Othe | r (Explain |) |
| Estimated Production Per 24 Hours | Oil n/a | Bbls. 5. | Gas 1mcf | Mcf | Wate | | bls. | Gas-Oil Ratio | | Gravity |
| Disposition of Gas | METHOD OF | COMPLETION | | | | Production Inter | val | | | |
| (If vented, S | Used on Lease ubmit ACO-18.) | | Open Hole Other (Spec | | | Dually Comp. | Commingled | | *: | |
| The state of the s | | | 3 | RTAILA PLOID-LUM 188 | Young Young | LAZA VVI | | | agentan eus ⁱ | |

QUEST Resource Corporation

211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9500

WELL NAME & NUMBER

TICKET NUMBER 2503

SECTION TOWNSHIP RANGE COUNTY

FIELD TICKET REF #

FOREMAN John Durone

624250

TREATMENT REPORT & FIELD TICKET CEMENT

| 9-29.07 | Roberts | Max | 7-1 | | 7 | 28 20 | No |
|---|--|----------------------------|--|----------------------------------|--------------|--|-------------------------|
| FOREMAN / OPERATOR | TIME | TIME | LESS LUNCH | TRUCK # | TRAILER # | TRUCK HOURS | EMPLOYEE SIGNATURE |
| Jan | 9:30 | 10:00 | | 903427 | | .50 | you Planghas |
| Tim . | | 12:00 | | 903197 | | 2.5 | Tim Aym |
| Tyler | | 12:00 | | 903600 | | 2.5 | Tul Do |
| DANIEL | 1 | 10:00 | | 931420 | | ,50 | Jouil S |
| CASING DEPTH 9 SLURRY WEIGHT_ DISPLACEMENT 1 REMARKS: | 10.14 DRILL F 14.5 SLURR 1.51 DISPLA | PIPE Y VOL CEMENT PS | T W | UBING VATER gal/sk MIX PSI | OT CE | SING SIZE & WEIGHT HER MENT LEFT IN CASING TEHbpm SKS of cement | G |
| | 910. | 5 | F+41/2 C C+re11/2 41/2 Floods | 2 - 12 5 | | | |
| ACCOUNT CODE | QUANTITY or L | | | TOTAL AMOUNT | | | |
| 903157 903157 903600 1104 | 2.5 2.5 2.5 | h/ E | Foreman Pickup Cement Pump Truck Bulk Truck Portland Cement | | | | |
| 1124 | 6 | | 50/50 POZ Blend G | | 5 312 ~ | | |
| 1110 | 1- | | Gilsonite | 1/2 7 | E1 2 01 Dr | 12100 | |
| 1107 | 1 | | lo-Seal | | | , | |
| 1118 | , | | Premium Gel | | | | RECEIVED |
| 1215A | 100 | , , | KCL | | | KANS | SAS CORPORATION COMMISS |
| 1111B | , | I | Sodium Silicate | Colchlorio | le | | |
| 1123 | 700 | - 2- | City Water | | | | JAN 23 2008 |
| | | | Transport Truck | | | | CONSERVATION DIVISION |
| | | ALEX 7 | Transport Trailer | | | | WICHITA, KS |
| 431420 | , 50 | hr | 30 Vac | | | | |