

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 31725
Name: Shelby Resources, LLC
Address: 5893 Saddle Creek Trail
City/State/Zip: Parker, Co. 80134
Purchaser: Plains Marketing
Operator Contact Person: Jim Waechter
Phone: (303) 840-2183
Contractor: Name: Murfin Drilling Co., Inc.
License: 30606

RECEIVED
JAN 18 2005
KCC WICHITA

Wellsite Geologist: Jeff Zoller
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>11/17/04</u>	<u>11/22/04</u>	<u>12/06/04</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 065-23012-0000
County: Graham 160' S of
NE SW SW Sec. 33 Twp. 9 S. R. 21 East West
830' feet from (S) N (circle one) Line of Section
990' feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW (SW)
Lease Name: Allphin Well #: 5
Field Name: Cooper

Producing Formation: Arbuckle
Elevation: Ground: 2324' Kelly Bushing: 2329'
Total Depth: 4010' Plug Back Total Depth: 4010'
Amount of Surface Pipe Set and Cemented at 217' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1824' Feet
If Alternate II completion, cement circulated from 1824'
feet depth to surface w/ 225 sx cmt.

Drilling Fluid Management Plan alt 2 KGR 2/25/08
(Data must be collected from the Reserve Pit)
Chloride content 3200 ppm Fluid volume 180 bbls
Dewatering method used haul off free fluids
Location of fluid disposal if hauled offsite:
Operator Name: Shelby Resources, LLC
Lease Name: Bemis Shutts A License No.: 31725
Quarter NE Sec. 28 Twp. 11 S. R. 17 East West
County: Ellis Docket No.: D-00,351

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Managing Member Date: 1/12/05
Subscribed and sworn to before me this 12th day of January,
2005.
Notary Public: [Signature]
Date Commission Expires: _____

JAMES B. BAUER
NOTARY PUBLIC
STATE OF COLORADO
My Commission Expires **09-28-2008**

KCC Office Use ONLY

Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

ALLIED CEMENTING CO., INC. 18822

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>11-22/04</u>	SEC. <u>33</u>	TWP <u>9</u>	RANGE <u>21</u>	CALLED OUT <u>11:00 AM</u>	ON LOCATION <u>1:30 PM</u>	JOB START	JOB FINISH <u>6:30 PM</u>
LEASE <u>Alphin</u>		WELL # <u>5</u>		LOCATION <u>Booster station 2W15TW</u>		COUNTY <u>Graham</u>	STATE <u>Ks</u>
OLD OR NEW (Circle one) <u>(N)</u>							

CONTRACTOR MURFIN #24
 TYPE OF JOB Prod CSG
 HOLE SIZE 7 7/8 T.D. 4010
 CASING SIZE 5 1/2 DEPTH 4005.08
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 18.35
 PERFS.
 DISPLACEMENT 97.20 bbls

OWNER
 CEMENT
 AMOUNT ORDERED
17500 ASC 10% Salt 24.00
500901 WFR2

EQUIPMENT
 PUMP TRUCK CEMENTER Bill
 # 345 HELPER Dave
 BULK TRUCK
 # 222 DRIVER Rufus
 BULK TRUCK
 # DRIVER

COMMON	@		
POZMIX	@		
GEL	@	<u>3</u>	<u>11.00 33.00</u>
CHLORIDE	@		
ASC	@	<u>175</u>	<u>9.80 1715.00</u>
Salt	@	<u>16</u>	<u>15.00 240.00</u>
WFR-2	@	<u>500 gals</u>	<u>1.00 500.00</u>
RECEIVED			
JAN 18 2005			
KCC WICHITA			
HANDLING	@	<u>194</u>	<u>1.35 261.90</u>
MILEAGE	@	<u>54/5K/mile</u>	<u>630.50</u>
			TOTAL <u>3380.40</u>

REMARKS:

pipe rate 4005.08
Shoe 18.35
Insert 3986.73
Pump 500 gals/WFR2 Cemt. w/ 150000 ASC
Pump plug w/ 97.20 bbls land plug
e 1000 PST float/did hold
1500 RH
1000 MH

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>1180.00</u>
EXTRA FOOTAGE	@	
MILEAGE	@	<u>65 4.00 260.00</u>
MANIFOLD	@	
<u>1-5/8 Rubber Plug</u>	@	<u>60.00</u>
		TOTAL <u>1500.00</u>

CHARGE TO: Shelby Res
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>5- Centralizers</u>	@	<u>50.00</u>	<u>250.00</u>
<u>1- Port Culler</u>	@		<u>1750.00</u>
<u>2- BASKETS</u>	@	<u>128.00</u>	<u>256.00</u>
<u>1- Insert</u>	@		<u>235.00</u>
<u>1- Guide shoe</u>	@		<u>150.00</u>
			TOTAL <u>2641.00</u>

To Allied Cementing Co., Inc. Blue "L" FAX# 11-23
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE

PRINTED NAME

ALLIED CEMENTING CO., INC. 18746

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>12.7.04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>9:30 AM</u>	JOB START	JOB FINISH <u>4:00 PM</u>
LEASE <u>Allphin</u>	WELL # <u>5</u>	LOCATION <u>Church of God 15 1/2 W</u>			COUNTY <u>Graban</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Professional well

TYPE OF JOB port collar

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2 DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT

AMOUNT ORDERED 350 cu yd 6% gel

1/4 lb floccul per cu yd

Used 190

COMMON	<u>114</u>	@	<u>785</u>	<u>894.90</u>
POZMIX	<u>76</u>	@	<u>4.00</u>	<u>308.00</u>
GEL	<u>10</u>	@	<u>11.00</u>	<u>110.00</u>
CHLORIDE		@		
ASC		@		
<u>Floccul</u>	<u>48#</u>	@	<u>1.40</u>	<u>67.20</u>
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>367</u>	@	<u>1.35</u>	<u>495.45</u>
MILEAGE	<u>54/52/MI</u>			<u>122.94</u>
TOTAL				<u>3108.60</u>

EQUIPMENT

345

PUMP TRUCK # _____ CEMENTER Dave

HELPER Steve

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # 366 DRIVER Craig

REMARKS:

Ran plug to 3300 tested
to 1000 psi + Held
circ oil to tank, came up
and opened tool, mixed 190 cu
Yard cement + circ, closed tool. Ran
10 sts + washed out. Ran down
to plug + pumped out.

CHARGE TO: Shelby Resources LLC

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 700.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 67 @ 4.00 268.00

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL 968.00

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Brian Karla

PRINTED NAME _____

ALLIED CEMENTING CO., INC. 18728

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>11-16-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <u>Alphin</u>	WELL # <u>5</u>	LOCATION <u>Church o God 1 S 14 W</u>			COUNTY <u>Graham</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Murfin Ry 24

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 217

CASING SIZE 8 1/2 DEPTH 216

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 10-15

PERFS. _____

DISPLACEMENT 24# 13 BBL

OWNER _____

CEMENT AMOUNT ORDERED 160 com 3+2

EQUIPMENT

345 Dave

PUMP TRUCK CEMENTER Steve

_____ HELPER _____

BULK TRUCK _____

_____ DRIVER _____

BULK TRUCK _____

222 DRIVER Craig

COMMON	<u>160</u>	@	<u>7.85</u>	<u>1256.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>11.00</u>	<u>33.00</u>
CHLORIDE	<u>5</u>	@	<u>33.00</u>	<u>165.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>168</u>	@	<u>1.35</u>	<u>226.80</u>
MILEAGE	<u>54/514/mile</u>			<u>562.00</u>
TOTAL				<u>2243.60</u>

REMARKS:

Cement Cir

CHARGE TO: Shelby Resources LLC

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>570.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>67</u>	@	<u>4.00</u>	<u>268.00</u>
MANIFOLD		@		
<u>8 1/2 wooden</u>		@		<u>55.00</u>
		@		
TOTAL				<u>893.00</u>

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		
TOTAL			

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Anthony Martin
Another Job well Done

Anthony Martin
PRINTED-NAME