# For KCC Use: 9-27-QF Effective Date: 9-27-QF District #\_\_\_\_\_

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

	TENT TO DRILL All blanks must be Fil	ieu
Must be approved by KCC five (	(5) days prior to commencing well	
Expected Spud Date: SEPTEMBER 15 2008	Spot Description:	_
month day year	SE SE Sec. 31 Twp. 34 S. R. 11 E	W
6006 V	(0/0/0/0) 745 feet from N / X S Line of Sect	
OPERATOR: License#	feet from KE / W Line of Sect	
Name: MOLZ OIL COMPANY	is SECTION: Regular Irregular?	
Address 1: 19159 SW CLAIRMONT		
Address 2:	(Note: Locate well on the Section Plat on reverse side)  County: BARBER	
Contact Person: JIM MOLZ	Lease Name: MQLZ Well #: 10	
Phone: 620-296-4558	Lease Name: MOLZ Well #: 10	
/ //	[ ]. [\$2].	 In
CONTRACTOR: License# 3935434 3.3789 Name: D&B DRILLING, LLC	Is this a Prorated / Spaced Field?  Target Formation(s): MOLZ Simpson  Yes XI	40
Name: Das Bittelino	larget Formation(s): "//	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 360 Ground Surface Elevation: 1342 feet M	 Si
Oil Finh Rec Infield Mud Rotary		
Gas Storage Pool Ext. Air Rotary		_
Disposal Wildcat Cable	Public water supply well within one mile:  Depth to bottom of fresh water: 366 160	NO
Seismic ; # of Holes Other		
Other:	Depth to bottom of usable water:	
	Surface Pipe by Alternate: I II	
if OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 600'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 5600'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: SIMPSON	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	D14(D) D(1, #)	
	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗾)	
		No No
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗹)	No
Bottom Hole Location;KCC DKT #:	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:	ved
Bottom Hole Location;	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  RECEI  KANSAS CORPORATI	ved
Bottom Hole Location;	(Note: Apply for Permit with DWR Yes Will Cores be taken?  If Yes, proposed zone:    DAVIT   KANSAS CORPORAT    Iging of this well will comply with K.S.A. 55 et. seq.	VED ON COMMIS
Bottom Hole Location;	(Note: Apply for Permit with DWR Yes Will Cores be taken?  If Yes, proposed zone:    DAVIT   KANSAS CORPORAT    Iging of this well will comply with K.S.A. 55 et. seq.	VED ON COMMIS
Bottom Hole Location:	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  RECEI  KANSAS CORPORATI	VED ON COMMIS
Bottom Hole Location;	Will Cores be taken?  If Yes, proposed zone:    DAVIT   KANSAS CORPORATI   Iging of this well will comply with K.S.A. 55 et. seq.    AUG 2 9   CONSERVATION	VED ON COMMIS 2008
Bottom Hole Location:  KCC DKT #:  AFFI  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> set by the state of the shall be set by the shall be shall be set by the shall be set by the shall be set by the shall be shall be set by the shall be shall be set by the shall be	Will Cores be taken?  If Yes, proposed zone:    DAVIT   KANSAS CORPORATI   Iging of this well will comply with K.S.A. 55 et. seq.    AUG 2 9     Conservation of the core in all cases surface pipe shall be setwichtral	VED ON COMMIS 2008
Bottom Hole Location:  KCC DKT #:  AFFI  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the summary of the approved notice of intent to drill shall be shall be set by through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:    DAVIT   KANSAS CORPORATI   Iging of this well will comply with K.S.A. 55 et. seq.    AUG 29     Original of the complete of the core in all cases surface pipe shall be setwichital underlying formation.	VED ON COMMIS 2008
Bottom Hole Location:  KCC DKT #:  AFFI  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  KANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 29  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be setwichita underlying formation.  Ict office on plug length and placement is necessary prior to plugging;	VED ON COMMIS 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be setwichita underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;	VED ON COMMIS 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the state of the state o	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Will Cores be taken?  If Yes, proposed zone:  RECEI  KANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  CONSERVATION  Yes   C	VED ON COMMIS 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.  5. The appropriate district office will be notified before well is either plugger.  6. If an ALTERNATE IL COMPLETION, production pipe shall be cemented.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Will Cores be taken?  If Yes, proposed zone:  RECEI  KANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  CONSERVATION  Yes   C	VED ON COMMIS 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill unconsolidated materials plus a minimum of 20 feet into the strict in the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge than ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.	Will Cores be taken?  If Yes, proposed zone:    DAVIT   RECE!	VED ON COMMIS 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the drift in the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the besides.	Will Cores be taken?  If Yes, proposed zone:    Conservation   Conservation	VED ON COMMIS 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill unconsolidated materials plus a minimum of 20 feet into the difference in the distriction of th	Will Cores be taken?  If Yes, proposed zone:    DAVIT   RECE!	VED ON COMMIS 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the intent of the intent of the state	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  KANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be setwichtra underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  PRESIDENT	VED ON COMMIS 2008 DIVISION KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the driving all unconsolidated materials plus a minimum of 20 feet into the standard of the district of the well is dry noie, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge of the appropriate of the triangle of the spuddate or the well shall be provided to the standard of the spuddate or the well shall be provided to the standard of the standard of the spuddate or the well shall be provided to the standard of the standard of the spuddate or the well shall be provided to the standard of the standard of the spuddate or the well shall be provided to the standard of the standard of the spuddate or the well shall be provided to the standard of the standard of the spuddate or the standard of the spuddate or the well shall be provided to the standard of the spuddate or the standard of the spuddate of the spuddate or the standard of the spuddate	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEI  KANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be setwichtra underlying formation.  Ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  PRESIDENT  Title:  PRESIDENT	VED ON COMMIS 2008
Bottom Hole Location:  KCC DKT #:  AFFI  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge if the appropriate district office will be notified before well is either plugge if an ALTERNATE If COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the complete of the statements made herein are true and correct to the best of the complete of the statements of the spud date or the well shall be plate.  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  KANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be setwichtra underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  PRESIDENT	VED ON COMMIS 2008 DIVISION KS
Bottom Hole Location:  KCC DKT #:  AFFI  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office <i>prior</i> to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the distriction of the surface properties and the distriction of the well is distriction. The appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be properties to the statements made herein are true and correct to the best of the complete of the statements of the operator of Agent:  For KCC Use ONLY  API # 15 - OO7 - 23375 OOD	Will Cores be taken?  If Yes, proposed zone:    Conservation   Conservation	VED ON COMMIS 2008 DIVISION KS
Bottom Hole Location:  KCC DKT #:  AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge if the appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the best of the complete of the complete of the plants of the spud date or the well shall be provided by the statements of the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the shall be provided by the spud date or the sh	Will Cores be taken?  If Yes, proposed zone:  RECE!  RECE!  RANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  y circulating cement to the top: in all cases surface pipe shall be setwichita underlying formation.  to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. The strict office prior to any cementing.  PRESIDENT  Title:  PRESIDENT  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	VED ON COMMIS 2008 DIVISION KS
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge if the appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best of the conductor pipe required in the statement of the conductor of the pipe required is feet per ALT.  For KCC Use ONLY  API # 15 - OO7 - 233 75 0000 feet per ALT.  Figure 11	Will Cores be taken?  If Yes, proposed zone:    Conservation   Conservation	VED ON COMMIS 2008 DIVISION KS
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge if the appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best of the conductor pipe required in the statement of the conductor of the pipe required is feet per ALT.  For KCC Use ONLY  API # 15 - OO7 - 233 75 0000 feet per ALT.  Figure 11	Will Cores be taken?  If Yes, proposed zone:  RECE!  RANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  y circulating cement to the top: in all cases surface pipe shall be setwichtra underlying formation.  to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Lest of my knowledge and belief.  PRESIDENT  Title:  Remember 19:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.	VED ON COMMIS  2008  DIVISION KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the well is dry note, an agreement between the operator and the district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plates.  I hereby certify that the statements made herein are true and correct to the between the operator or Agent:  For KCC Use ONLY  API # 15 - OO7 - 23375-000  Conductor pipe required feet per ALT. III III  Minimum surface pipe required feet per ALT. III  Approved by:  Minimum surface pipe required feet per ALT. III	Will Cores be taken?  If Yes, proposed zone:  RECE!  RANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  y circulating cement to the top: in all cases surface pipe shall be setWiCHITA underlying formation.  to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Let of my knowledge and belief.  PRESIDENT  Title:  Remember 19:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry:  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	VED ON COMMIS 2008 DIVISION KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office will be set by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. It is an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the shall be provided by the statements made herein are true and correct to the best of the spud date of the well shall be provided by the spud date of the spud date of the shall be provided by the spud date of the spud date of the shall be provided by the statements and the district of the spud date of the shall be provided by the spud date of the spud date of the shall be provided by the spud date of the spud date of the shall be provided by the spud date of the spud date of the shall be provided by the spud date of the spud date of the shall be provided by the spud date of the spud date of the shall be provided by the spud date of the spud date of the spud date of the spud date of the shall be provided by the spud date of the	Will Cores be taken?  If Yes, proposed zone:  RECE!  KANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be setwichtta underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  PRESIDENT  Title:  PRESIDENT  Title:  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	VED ON COMMIS 2008 DIVISION KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be provided all unconsolidated materials plus a minimum of 20 feet into the shall be untited before well is either plugge of the shall be compared the distriction of the shall be compared to the shall be compared to the plugge of the shall be completed within 30 days of the spud date or the well shall be provided to the shall be pro	Will Cores be taken?  If Yes, proposed zone:  RECE!  KANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be setWiCHITA underlying formation.  cit office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title:  PRESIDENT  Title:  PRESIDENT  Title:  PRESIDENT  Title:  PRESIDENT  Title:  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the boxibelow and return to the address below.  Well Not Prilled - Permit Expired  Date:	VED ON COMMIS 2008 DIVISION KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the district office will be set by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. It an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the beat of the spud date of the well shall be provided by the spud date of the spud date of the well shall be provided by the spud date of the spud date of the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the well shall be provided by the spud date of the spud date of the well shall be provided by the spud date of the spud da	Will Cores be taken?  If Yes, proposed zone:  RECE!  KANSAS CORPORATI  Iging of this well will comply with K.S.A. 55 et. seq.  AUG 2 9  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be setwichtta underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  PRESIDENT  Title:  PRESIDENT  Title:  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	VED ON COMMIS 2008  DIVISION KS

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-23375-0000 Operator: MOLZ OIL COMPANY	Location of Well: County: BA	RBER
Lease: MOLZ	745	feet from N / S Line of Section
Well Number: 10	412	feet from X E / W Line of Section
Field: STRANATHAN	Sec. 31 Twp. 34	S. R. <u>11</u> E 🔀 W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: SE - SE	Is Section: Regular or	irregular irregular
	If Section Is Irregular, locate Section corner used:	e well from nearest corner boundary. ENWSESW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

1					1	,	:	
-						•	_	
					•			
1	•				•			:
-	•				•	•		: .
i	•				•	•	:	1
	•				•	•		
1	•			•	•	•		1 .
1					•	•	•	•
i				i				1
i				:				1
								1
1								
1	-				•			!
1					•		•	!
i	•			1		•		
1	•				,	,	•	
:			i e			,	•	
							•	1
!			i	!	,			1
!				:	-			
							,,,,,,,,,	
								1
	-			•				
				i .			•	1
			11	:				1
1				:				!
i								1
:				!				1
:				:				:
	:							1
	:							ŧ
	•				-	-		1 1
								1
:								1
1								1
!								
1				:		:	i	1
1	•	•			:	:	i	1
1	•	•		:	:	-		1
1				1	:	:		1 .
1	•			1	1	•	:	i .
1	•	•			-	•	:	1
1					•	•	:	1 '
1			•		•		:	1 3
1	•		•		•	•	•	1.0
L								1 1
}					•			1
	:	;			:	:	:	1
	:				:	:	:	
	:				:	:	:	
	:				:	:	:	
	:				-	:	:	
	:			-	:	:	:	
	:			1	:	:		
	:				:	:	- - - - - - - -	
	:				:	:	- - - - - - - -	
	:				:		:	
			.,,		:		:	
			.,,		:		!	
			,,,		:			
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		:		:	
			,,,		:			
			,,		:			1 !
			,,					1 !
			,,					
			,,					
			,,					1
			,,				laud	1
			,,				luia'	
							1412	
			,,,				412	
			,,				याद	
			,,				412	
			,,				412	
			,,				412	
			,,				412	
			,,				412	
			,,				1412	
					71	41	<u></u>	
			,,		74	5'	412	
			,,,,,,,,,,,		74	51	<u> </u> 412'	
			,,		74	5'	<u> </u> 412'	
					74	51	]भा2ं	
					74	5'	) था उ	
					74	5'	ोगार्थ	
			,,		74	51	<u></u>	
					714	5'	) भाव	
					74	51	ोगार्थ	
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		714	<b>5</b> '	<u></u> ]412'	
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		74	5'	) भाव	
					74	5'	) था 2	
					74	51	ोगार्थ	

RECEIVED KANSAS CORPORATION COMMISSION

AUG 2 9 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: MOLZ OIL COMPANY			License Number: 6006			
Operator Address: 19159 SW CLAIRMONT			KIOWA KS 67070			
Contact Person: JIM MOLZ			Phone Number: 620-296-4558			
Lease Name & Well No.: MOLZ 10		Pit Lecation (QQQQ):				
Type of Pit:	Pit is:		<u>SE _ SE </u>			
Emergency Pit Burn Pit	Proposed Existing		Sec. 31 Twp. 34 R. 11 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		850 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		412 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	тк сараску.	(bbls)	BARBER County			
Is the pit located in a Sensitive Ground Water	Area? Yes	]No	Chloride concentration: mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	Drilling Mud			
Pit dimensions (all but working pits):	25 Length (fe	et)125	Width (feet) N/A: Steel Pits			
	rom ground level to de	eepest point:	5 (feet) No Pit			
Distance to mount of the same and the same a		Depth to shallo Source of info				
		meas	ured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY		1	over and Haul-Off Pits ONLY:			
Producing Formation:			al utilized in drilling/workover: DRILLING MUD			
· · · · ·		rorking pits to be utilized: 1 nt procedure: EVAPORATION				
			procedure: LVACOIVATION			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes  No  Drill pits			be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and	correct to the bes	it of my knowledge and belief.  KANSAS CORPORATION COMMIS			
08/27/08 Date			AUG 2 9 2008  CONSERVATION DIVISION WICHITA, KS			
	ксс	OFFICE USE O	NLY Steel Pit RFAC RFAS			



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

September 22, 2008

Mr. Jim Molz Molz Oil Company 19159 SW Clairmont Kiowa, KS 67070

RE: Drilling Pit Application Molz Lease Well No. 10 SE/4 Sec. 31-34S-11W Barber County, Kansas

Dear Mr. Molz:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and <u>no deeper then 3</u>' and <u>line the sides and bottom with native clay or bentonite</u>. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. **Keep the pits to the north of the stake**.

If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Havnes

**Environmental Protection and Remediation Department** 

cc: district