## Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

	NTENT TO DRILL e (5) days prior to commencing well	All blanks must be Filled
Expected Spud Date: 10/02/2008 / month day year 5447	Spot Description:  NE SW NE Sec. 24 Twp. 30	
OPERATOR: License#	1,650 feet from X	N / S Line of Section E / W Line of Section
Address 1: P O Box 2528	Is SECTION: Regular Irregular?	
Address 2: State: KS Zip: 67880	(Note: Locate well on the Section Plat on	reverse side)
Contact Person: Jarod Powell	County: Haskell	
Phone: 620-629-4227	Lease Name: Smith "Z" Field Name: Unknown	Well #: <u></u>
CONTRACTOR: License#30606  Name: Murfin Drilling Co., Inc.	Is this a Prorated / Spaced Field? Target Formation(s): St Louis	Yes No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330	<u> </u>
7	Ground Surface Elevation: 2853.24	feet MSL
Oil Enh Rec Infield Mud Rotary  Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:	☐Yes ☑No
Disposal Wildcat Cable	Public water supply well within one mile:	Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 520	
Other:	Depth to bottom of usable water:	
If OWWO: old well information as follows:	Surface Pipe by Alternate: XI 1750	<del></del>
<del></del>	Length of Surface Pipe Planned to be set: 1750'	
Operator:	Length of Conductor Pipe (if any):  Projected Total Depth: 5875	
Well Name: Original Total Depth:	Formation at Total Depth: St Louis	
/	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	<del></del>
KCC DKT #:	(Note: Apply for Permit with DWR	
	Will Cores be taken?	Yes No
	If Yes, proposed zone:	RECEIVED
PROPATED & SPACED: HUBOTON AFF	IDAVIT	KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:	,	SEP 1 9 2008
1. Notify the appropriate district office prior to spudding of well;		
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary <b>pr</b> ed or production casing is cemented in;	ior to plugging;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	33,891-C, which applies to the KCC District 3 area, alte plugged. <i>In all cases, NOTIFY district office</i> prior to a	rnate II cementing
I hereby certify that the statements made herein are true and correct to the b	est of my knowledge and belief.	
Date: 09/17/2008 Signature of Operator or Agent:	Found Capital	Assets
For KOO Has ONLY	Remember to:	24
For KCC Use ONLY  API # 15 - OS / - 2 /8 39-0000	- File Drill Pit Application (form CDP-1) with Intent to D	Prill;
	<ul> <li>File Completion Form ACO-1 within 120 days of sput</li> <li>File acreage attribution plat according to field proration</li> </ul>	( )
Conductor pipe required feet	Notify appropriate district office 48 hours prior to work	
Minimum surface pipe required	- Submit plugging report (CP-4) after plugging is comp	pleted (within 60 days):
Approved by 144-9-22-08	- Obtain written approval before disposing or injecting	1
This authorization expires: 9-22-09	<ul> <li>If this permit has expired (See: authorized expiration check the box below and return to the address below</li> </ul>	
(This authorization void if drilling not started within 12 months of approval date.)	Well Not Drilled - Permit Expired Date:	<b>L</b>
Count date:	Signature of Operator or Agent:	
Spud date: Agent:	, <del>, , , , , , , , , , , , , , , , , , </del>	Ę

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - DP1-21839-0000				
Operator: OXY USA, Inc.	Location of Well: County: Haskell			
Lease: Smith "Z"	1,650 feet from X N / S Line of Section			
Well Number: 2	1,650 feet from X E / W Line of Section			
Field: Unknown	Sec. <u>24</u> Twp. <u>30</u> S. R. <sup>32</sup> E W			
Number of Acres attributable to well: 10  QTR/QTR/QTR/QTR of acreage: NE SW NE	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW			

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

RECEIVED

KANSAS CORPORATION COMMISSION

SEP 19 2008

CONSERVATION DIVISION

WICHITA, KS

EXAMPLE

SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: OXY USA Inc.			License Number: 5447	
Operator Address: P. O. Box 252	28, Liberal,	KS 6790	1	
Contact Person: Mike Fink			Phone Number: ( 620 ) 624 - 3569	
Lease Name & Well No.: Smith "Z" #2	2		Pit Location (QQQQ):	
Type of Pit:	Pit is:	<u> </u>	NE _ SW _ NE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 24 Twp. 30S R. 32 East 🗸 West	
Settling Pit	If Existing, date co	onstructed:	1650 Feet from ✓ North / South Line of Sec	tion
Workover Pit Haul-Off Pit	Pit capacity:		1650	
(If WP Supply API No. or Year Drilled)	16,000	(bbls)	Haskell Co.	inty
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: m	g/l
to the hetters helevy averaged level?	A shift and Linear 2		(For Emergency Pits and Settling Pits only)	_
Is the bottom below ground level?  Yes No	Artificial Liner?  ✓ Yes	No	How is the pit lined if a plastic liner is not used?  Bentonite & Cuttings	
			<u></u>	
Pit dimensions (all but working pits):	rom ground level to de		Width (feet) N/A: Steel Pits	
	om ground lever to de	epesi point.	(ieei)	
If the pit is lined give a brief description of the material, thickness and installation procedure		•	edures for periodic maintenance and determining notuding any special monitoring. RECI KANSAS CORPORA	TION
		liner integrity, i	ncluding any special monitoring.  RECI  KANSAS CORPOR  SEP 1  CONSERVATI	110NC
material, thickness and installation procedure	3.	liner integrity, i	RECI KANSAS CORPOR  SEP 1  CONSERVATI  west fresh water	110NC
material, thickness and installation procedure	e of pit	Depth to shallo Source of infor	RECI KANSAS CORPOR  SEP 1  CONSERVATI  west fresh water	110NC
material, thickness and installation procedure Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of informeasu	RECI KANSAS CORPOR  SEP 1  CONSERVATI  West fresh water / 78feet. mation:  Ired well owner electric log KDWR  over and Haul-Off Pits ONLY:	110NC
material, thickness and installation procedure  Distance to nearest water well within one-mile  3 2 7 % feet Depth of water well  Emergency, Settling and Burn Pits ONLY:	e of pit	Depth to shallo Source of informeasu	RECI KANSAS CORPOR  SEP 1  CONSERVATI  west fresh water / 78 feet. mation:  ired well owner electric log KDWR	110NC
material, thickness and installation procedure  Distance to nearest water well within one-mile  3 2 7 % feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:	e of pit	Depth to shallo Source of informeasu  Drilling, Worke Type of material Number of wor	RECI KANSAS CORPOR  SEP 1  CONSERVATI  West fresh water / 7 & feet. mation:  Ired well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: (	110NC
Distance to nearest water well within one-mile  3 2 7 8 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	e of pit  40(_feet	Depth to shallo Source of informeasu  Drilling, Worke Type of material Number of wor	RECI KANSAS CORPOR  SEP 1  CONSERVATI West fresh water / 78feet. mation:  Ired well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud	110NC
Distance to nearest water well within one-mile  3 2 7 8 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	e of pit	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment	RECI KANSAS CORPOR  SEP 1  CONSERVATI  West fresh water / 7 & feet. mation:  Ired well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: (	9 201
Distance to nearest water well within one-mile  3 2 7 8 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	e of pit  40(feet	Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor Abandonment Drill pits must be shall	RECI KANSAS CORPOR  SEP 1  CONSERVATI  West fresh water / 78feet. mation:  Ired well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: { procedure: Evaporation and Backfill  be closed within 365 days of spud date.	9 201
Distance to nearest water well within one-mile  3 2 7 8 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state	e of pit  40(feet	Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor Abandonment Drill pits must be shall	RECI KANSAS CORPOR  SEP 1  CONSERVATI  West fresh water / 78feet. mation:  Ired well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: { procedure: Evaporation and Backfill  be closed within 365 days of spud date.	110NC
Distance to nearest water well within one-mile  3 2 7 8 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?	e of pit  40(feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the best	RECI KANSAS CORPOR  SEP 1  CONSERVATI  West fresh water / 78feet. mation:  Ired well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: { procedure: Evaporation and Backfill  be closed within 365 days of spud date.	9 201
Distance to nearest water well within one-mile  3 2 7 8 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  09/17/08	e of pit  40(feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the best	RECI KANSAS CORPOR  SEP 1  CONSERVATI  West fresh water / 78feet.  mation:  Ired well owner electric log KDWR  over and Haul-Off Pits ONLY:  all utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: {	9 201
Distance to nearest water well within one-mile  3 2 7	e of pit  401 feet  I spilled fluids to ements are true and c	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the best	RECI KANSAS CORPOR  SEP 1  CONSERVATI  West fresh water / 78 feet. mation:  Ired well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: {	9 201