# For KCC Use:

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

Must be approved by KCC five	(5) days prior to commencing well	
40 4 2000		
Expected Spud Date: 10 1 2008 month day year	Spot Description: *NW SW NE	
31106	NW - SW - NE - Sec. 3 Twp. 33 S. R. 15 XE	
OPERATOR: License#	feet from  X N /   S Line of Sec	tion
Name: Harper, Jay dba Harper Oil Co.	leat from Liz / W Line of Sec	tion
Address 1: 1599 east 5200 st.	is SECTION: Regular Irregular?	
Address 2: City: Cherryvale State: Ks Zip: 67335 + 3811	(Note: Locate well on the Section Plat on reverse side)	
City: Cherryvale State: Ks Zip: 67335 + 3811 Contact Person: Jay Harper	County: Montgomery	
Phone: 620-331-9738	Lease Name: Moreland Well #: C20	
	Field Name: Cherrokee Basin Coal Gas Area	
Q41111(1414)    E10011001	Is this a Prorated / Spaced Field?	No -
Name: McPherson Drilling	Target Formation(s): Mississippi	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 495	<del></del>
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 789 feet N	_
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	-
Disposal XWildcat Cable		No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100'	<del></del>
Other:	Depth to bottom of usable water:	<del>.</del>
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20 ft.	
Operator:	Length of Conductor Pipe (if any): Torre	
Well Name:	Projected Total Depth: 1350'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	<del></del>
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone:	
4	RECE	
	IDAVIT KANSAS CORPORA	TION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug	· · · · · · · · · · · · · · · · · · ·	l. 0000
It is agreed that the following minimum requirements will be met:	SEP 2	4 2008
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> </ol>		
<ol><li>A copy of the approved notice of intent to drill shall be posted on each of</li></ol>		
A THE RESIDENCE OF A CONTROL OF		ON DIVISIO
	y circulating cement to the top; in all cases surface pipe shall be set WICHI	
through all unconsolidated materials plus a minimum of 20 feet into the	y circulating cement to the top; in all cases surface pipe shall be set WICHI underlying formation.	
	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> WICHT underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ;	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distription of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> WICHT underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date.	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> WICHT underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> WICHT underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; of or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases</b> , <b>NOTIFY district office</b> prior to any cementing.	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> WICHT underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; of or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases</b> , <b>NOTIFY district office</b> prior to any cementing.	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> WICHT underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; do r production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing. 1st of my knowledge and belief.	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the be	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> WICHT underlying formation.  ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases</b> , <b>NOTIFY district office</b> prior to any cementing. 181 of my knowledge and belief.  Title:  Owner	ia, ks
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the be  Date:  9/23/08  Signature of Operator or Agent:	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> WICHT underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; do r production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing. 1st of my knowledge and belief.	
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the be  Date:  Signature of Operator or Agent:  For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be set WICHT underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1814 of my knowledge and belief.  Title:  Cowner  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	ia, ks
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be plusted to the statements made herein are true and correct to the besonate:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12 5-3/79/-DODO	y circulating cement to the top; in all cases surface pipe shall be set WICHT underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and belief.    Owner   Completion   C	[A, KS]
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be pure the statements made herein are true and correct to the besonate:    Signature of Operator or Agent:   Por KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be set WICHT underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.    Owner	ia, ks
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the be  Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12 5-3/79/- DOO  Conductor pipe required feet	y circulating cement to the top; in all cases surface pipe shall be set WICHT underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.    Owner	3 33
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the be  Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12 5 3/79/- DOO  Conductor pipe required feet  Minimum surface pipe required feet per ALT.	y circulating cement to the top; in all cases surface pipe shall be set WICHT underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.    Owner	3 33
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the be  Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12 5 3/79/- DOO  Conductor pipe required feet  Minimum surface pipe required feet per ALT   I   III    Approved by:	y circulating cement to the top; in all cases surface pipe shall be set WICHT underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.    Owner	[A, KS]
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be pure the statements made herein are true and correct to the best part of Operator or Agent:    1	y circulating cement to the top; in all cases surface pipe shall be set WICHT underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.    Owner	3 33
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the be  Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12 5 3/79/- DOO  Conductor pipe required feet  Minimum surface pipe required feet per ALT   I   III    Approved by:	y circulating cement to the top; in all cases surface pipe shall be set WICHT underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.    Owner	3 33
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the be  Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12 5 3/79/- DOO  Conductor pipe required 100/2 feet  Minimum surface pipe required 20 feet per ALT. II  Approved by: 144 9-24-09  This authorization expires: 9-24-09	y circulating cement to the top; in all cases surface pipe shall be set WICHT underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 plugged. In all cases, NOTIFY district office prior to any cementing. 15 plugged and belief.    OWNET	3 33

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31791-0000	
Operator; Harper, Jay dba Harper Oll Co.	Location of Well: County: Montgomery
Lease: Moreland	1,795 feet from N / S Line of Section
Well Number: C20	2,900 feet from E / W Line of Section
Field: Cherrokee Basin Coal Gas Area	Sec. 3 Twp. 33 S. R. 15
Number of Acres attributable to well: 40 CTR/QTR/QTR/QTR of acreage: NW - SW - NE -	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Harper, Jay dba Harper Oil Co.		License Number: 31106		
Operator Address: 1599 east 5200	st.		Cherryvale Ks 67335	
Contact Person: Jay Harper		Phone Number: 620-331-9738		
Lease Name & Well No.: Moreland C20		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW NW SW NE	
Emergency Pit Bum Pit	Proposed	Existing	Sec. 3 Twp. 33 R. 15 East West	
Settling Pit Drilling Pit	If Existing, date co	onstructed:	1,795 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:	<del></del>	2,900 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	150	(bbls)	Montgomery County	
is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Clay	
Pit dimensions (all but working pits):	O Length (fe	et) 20		]
Depth fr	om ground level to de	epest point:	3 (feet) No Pit	ĺ
If the pit is lined give a brief description of the material, thickness and installation procedure		•	edures for periodic maintenance and determining RECEIVE including any special monitoring. KANSAS CORPORATION	COMMISSIC
			SEP 24 2	<b>9</b> 08
			CONSERVATION D	
Distance to nearest water well within one-mile	af nit		WICHITA, K	
	sou bur	•	west fresh waterfeet.	
N/A feet Denth of water well		Source of infor	mation:	
NA feet Depth of water well	feet	Source of informeasu	mation:  red well owner electric log KDWR	/5
NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:	feet	Source of informeasu  Drilling, Worke	mation:	157
Emergency, Settling and Burn Pits ONLY:	feet	Source of informeasu  Drilling, Worke  Type of materia  Number of work	mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: king pits to be utilized:	1572
Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Source of informeasu  Drilling, Worke  Type of materia  Number of work	mation:  pred well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  king pits to be utilized:  procedure: Pump out contents, haul contents to	15-125-317
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Drilling, Worker Type of material Number of work Abandonment	mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: king pits to be utilized:	15-125-31791
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet fluids to	Drilling, Work Type of materia Number of work Abandonment Drill pits must t	mation:  pred well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  king pits to be utilized:  procedure:  Pump out contents, haul contents to disposal, then fill pit with dirt.  pe closed within 365 days of spud date.	1572
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	feet fluids to	Drilling, Work Type of materia Number of work Abandonment Drill pits must t	mation:  pred well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  king pits to be utilized:  procedure:  Pump out contents, haul contents to disposal, then fill pit with dirt.  pe closed within 365 days of spud date.	15-125-31791
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No  I hereby certify that the above state	feet fluids to	Drilling, Work Type of materia Number of work Abandonment Drill pits must to	mation:  pred well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  king pits to be utilized:  procedure: Pump out contents, haul contents to disposal, then fill pit with dirt.  pe closed within 365 days of spud date.  It of my knowledge and belief.	15-125-31791
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	feet fluids to	Drilling, Work Type of materia Number of work Abandonment Drill pits must to	mation:  pred well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  king pits to be utilized:  procedure:  Pump out contents, haul contents to disposal, then fill pit with dirt.  pe closed within 365 days of spud date.	15-125-31791
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No  I hereby certify that the above state	spilled fluids to	Drilling, Work Type of materia Number of work Abandonment Drill pits must to	mation:  pred well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  king pits to be utilized:  procedure: Pump out contents, haul contents to  disposal, then fill pit with dirt.  oe closed within 365 days of spud date.  It of my knowledge and belief.	15-125-31791