For KCC Use: 9-30-QP Effective Date: 3 Scala Vee VINo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well	illeu
Expected Spud Date: 10/1/08	Spot Description:	-
month day year	NW . SW . NE . SW Sec. 13 Twp. 31 S. R. 16]w
5675	(Q/Q/Q/Q) 1,815 feet from N / X S Line of Sec	tion
OPERATOR: License# Name: McPherson Drilling	3,795 feet from E / W Line of Sec	tion
Address 1: P.O Box 129	Is SECTION: Regular Irregular?	
Address 2:		
City: Sycamore State: KS Zip: 67363 +	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Ron McPherson	COUNTY	
Phone: 620-336-2662	Lease Name: MCPHERSON Well #: " Field Name: NEODESHA	Laborate Companies
CONTRACTOR: License# Company Tools 5675	Tion Warre,	NIA
Name:	Is this a Prorated / Spaced Field? Target Formation(s): BARTLESVILLE Yes X	140
	Nearest Lease or unit boundary line (in footage): 165	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 908 feet N	
XOii		_
Gas Storage Pool Ext. X Air Rotary		_
Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 100 +OR -	INO
Seismic ; # of Holes Other		Account of the Control of the Contro
Other:	Depth to bottom of usable water:	control to a series
If OWWO: old well information as follows:	Surface Pipe by Alternate: I I I I I I I I I I I I I I I I I I I	
-	Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): NONE	
Operator:	Projected Total Depth: 1000'	armine.
Well Name:	Formation at Total Depth: BARTLESVILLE	The state of the s
Original Completion Date: Original Total Depth:	Formation at Total Depth:	 -
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other:	
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	No
	If Voc. proposed zona:	
	KEU	ŒIVED
AEC	IDAVIT	RATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug		١
It is agreed that the following minimum requirements will be met:	SEP 7	2 5 2008
·	22117	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	drilling rig:	TION DIVISION
A copy of the approved notice of intent to drill shall be posted of each The minimum amount of surface pipe as specified below shall be set by	wich we circulating cement to the top; in all cases surface pipe shall be set	IITA, KS
must be completed within 30 days of the spud date or the well shall be	rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
I hereby certify that the statements made herein are true and correct to the be	43 A	
Date: 9/23/08 Signature of Operator or Agent: Date	vey Mcherson Title: Owner	
	•	1
	Remember to:	
For KCC Use ONLY		1 3
For KCC Use ONLY API # 15. /25-3/796-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	
API # 15 - 125-31796-000	- File Drill Pit Application (form CDP-1) with Intent to Drill;	3 31
API # 15 - 125-31796-000	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; 	
API # 15 - 125-31796-000 Conductor pipe required None feet Minimum surface pipe required 20 feet per ALT. 1	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); 	<u>မ</u>
API # 15 - [25-3] 79(6-000) Conductor pipe required None feet Minimum surface pipe required 20 feet per ALT. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. 	31
API # 15 - 125-31796-000 Conductor pipe required None feet Minimum surface pipe required 20 feet per ALT. 1	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please 	<u>မ</u>
API # 15 - [25-3] 79(6-000) Conductor pipe required Nore feet Minimum surface pipe required 20 feet per ALT. I 911 Approved by: [111] 9-25-08	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. 	<u>မ</u>
API # 15 - 125 - 31796-000 Conductor pipe required None feet Minimum surface pipe required 20 feet per ALT. I 1911 Approved by: 12509 This authorization expires: 925-09	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: 	<u>မ</u>
API # 15 - 125 - 31796-000 Conductor pipe required None feet Minimum surface pipe required 20 feet per ALT. I 1911 Approved by: 12509 This authorization expires: 925-09	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. 	<u>မ</u>

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31796-0000	
Operator: McPherson Drilling	Location of Well: County: MG
Lease: MCPHERSON	1,815 feet from N / X S Line of Section
Well Number: 11	3,795 feet from E / W Line of Section
Field: NEODESHA	Sec. 13 Twp. 31 S. R. 16 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - SW - NE - SW	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)


1	-	_		į.			
1	•		i	t	•	i	
1				!			•
				j.			•
i	-		•	í.			
i				₹			
1			•	,	•		-
f	•		•	1			•
3		•	•		•	•	•
1							

1				!			
1		-	•		•		
1			•	!	•		•
			•		•	•	
i	•	•	•	1		•	•
1	•		•		•		
	•			!			
1	•	•		i	•	•	
			•	•			•
				i			
							,
				>			
1				£			
1	-			ξ			
1	-			f			
1				ı			
1				l			-
			,	5			•
F				I			•
1				ı			•
1	-			I			•
1				I		-	
1							
1							
1				I			
1						_	-
1	:	•		1		:	
1	-	•		1		:	
1	:		•	1			
1		<u>.</u>	:	I .			
1	:					:	:
1		•	=			•	_
1	:	•	:			•	
		•		_		•	7
	•	•	. 1.	2		•	•
				3	·		
	· 		/:	3			
			/:	3			
			1:	3			
	· · · · · · · · · · · · · · · · · · ·		/:	3		·	
			/:	3			
			/:	⋠			
			1:	3	,		
			/:	3	,		
			/:	3			
			/:				
			/:				
			/:		,,,,,,,,,		
			/:				
		4	/:		5		
		9	/:		5		
		9-	/:		5		
		9-	/:	— 1811	5		
		9-	/ :		5		
		9	/:		5		
		9-	/:		5		
		9-	/:		5		
		9	/:		5		
		9-	/:		5		
		9	/:		5	,,,,,,	
		9			5		
		9-	/:		5		
		9	/:		5		
		9			5		
		9	/:		5		
197		9	/:		5		
		9			5		
		9	/:		5		
			/:		5		
			/:		5		
			/:		5		
					5		
					5		
		3795	/:		5		
			/:		5		
					5		
			/:		5		
			/:		5		
					5		
			/:		5		
			/:		5		

RECEIVED KANSAS CORPORATION COMMISSION

SEP 2 5 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: in all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: McPherson Drilling		License Number: 5675			
Operator Address: P.O Box 129		Sycamore KS 67363			
Contact Person: Ron McPherson		Phone Number: 620-336-2662			
Lease Name & Well No.: MCPHERSO	ON 11	Pit Location (QQQQ):			
Type of Pit:	Pit is:	NW SW NE SW			
Emergency Pit Burn Pit	Proposed Existing	Sec. 13 Twp. 31 R. 16 East West			
Settling Pit Drilling Pit	If Existing, date constructed:	1,815 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:	3,795 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	(bbls)	MG County			
Is the pit located in a Sensitive Ground Water		Chloride concentration:mg/l			
		(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner? Yes No	How is the pit lined if a plastic liner is not used? EARTHEN			
Pit dimensions (all but working pits).	om ground level to deepest point:	Width (feet) N/A: Steel Pits 6 (feet) No Pit			
		(NOC)			
If the pit is lined give a brief description of the material, thickness and installation procedure		edures for periodic maintenance and determining including any special monitoring.			
Distance to nearest water well within one-mile	of pit Depth to shallo Source of infor	west fresh waterfeet.			
NA feet Depth of water well					
Emergency, Settling and Burn Pits ONLY:	Drilling, Work	kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: EARTHEN			
Producing Formation:	Type of materia				
		rking pits to be utilized:			
Barrels of fluid produced daily: Abandonment		procedure: COVER OVEW WITH DOZER			
Does the slope from the tank battery allow all spilled fluids to		he decad within 365 days of spud date			
flow into the pit? Yes No	Drill pits must t	be closed within 365 days of spud date. RECEIVED t of my knowledge and belief. KANSAS CORPORATION COMM			
I hereby certify that the above state	ments are true and correct to the best				
00/00/00	M . (McPherson Owner SEP 25 2008			
09/23/08 Date	floney's	Signature of Applicant or Agent WICHITA, KS			
	VOC OSSICE LIGE OF				
	KCC OFFICE USE OF	NLY Steel Pit RFAC RFAS			
Date Received: 9/25/08 Permit Num	ber:Permi	it Date: 9/25/05 Lease Inspection: Yes No			