For KCC Use: Effective Date: District

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

must be approved by Nee IIV		
Expected Spud Date: October 24 2008 month day year	Spot Description:	
	- NE . SE - NE Sec. 15 Twp. 12 S. R. 13 EX	
OPERATOR: License#	(0/0/0/0) 1,750 feet from N / S Line of Section	on
Name: Brungardt Oil & Leasing, Inc.	feet from ☐ E / ☐ W Line of Section	on
Address 1: P.O. Box 871	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Russell State: KS Zip: 67665 +	County: Russell	
Contact Person: Gary L. Brungardt Phone: 785-483-4975	Lease Name: Berens Brothers Well #: 2	_
11010	Field Name: Waldo	····
CONTRACTOR: License#	Is this a Prorated / Spaced Field?	0
Name: Shields Oil Producers	Target Formation(s): Arbuckle	
Well Drilled For: Well Class; Type Equipment:	Nearest Lease or unit boundary line (in footage): 380'	_
XOil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1696 feet MS	SL .
Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:	10
Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180'	
Other:	Depth to bottom of usable water: 280 320	_
	Surface Pipe by Alternate: I XII 2001	
If OWWO; old well information as follows:	Length of Surface Pipe Planned to be set: 200'	_
Operator:		~ ··
Well Name:	Projected Total Depth: 3500'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: If Yes, true vertical depth:	Well Farm Pond Other:	
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	- (Note: Apply for Permit with DWR	.la
The second secon	- Will Cores be taken?	NO
	If Yes, proposed zone:	******
ΔF	FIDAVIT RECEIVE	BD
The undersigned hereby affirms that the drilling, completion and eventual pl		COMMISS
It is agreed that the following minimum requirements will be met:	, , , , , , , , , , , , , , , , , , , ,	
Notify the appropriate district office <i>prior</i> to spudding of well;	OCT 0 7 2	008
 Notify the appropriate district office prior to spudding or well, A copy of the approved notice of intent to drill shall be posted on each 	• • • • • • • • • • • • • • • • • • • •	
	t by circulating cement to the top; in all cases surface pipe shalktenser.VATION [DIVISION
through all unconsolidated materials plus a minimum of 20 feet into the	he underlying formation. WICHITA, K	
	strict office on plug length and placement is necessary prior to plugging;	
5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.	
	#133,891-C, which applies to the KCC District 3 area, alternate If cementing	
- 1	be plugged. In all cases, NOTIFY district office prior to any cementing.	
I hereby certify that the statements made herein are true and correct to the	best of my knowledge and beijef.	
1.		
Date: 10/6/08 Signature of Operator or Agent:		
-	Title:	
	Title:	
For KCC Use ONLY	Remember to:	5
For KCC Use ONLY ADI # 15 / 167-23541-0000	Title:	}
API#15-167-23541-0000	Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	}
API # 15 - 167-23541-0000 Conductor pipe required None feet	Title: **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	15 12
API # 15 - 167-23541-0000 Conductor pipe required None feet Minimum surface pipe required 2000 feet per ALT.	Title: **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);	12 1
API # 15 - 167-23541-0000 Conductor pipe required Nore feet Minimum surface pipe required 200 feet per ALT. Approved by: function 10-7-03	Title: **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.	}
API # 15 - 167-23541-0000 Conductor pipe required None feet Minimum surface pipe required 2000 feet per ALT.	Title: **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please	12 1
API # 15 - 167-23541-0000 Conductor pipe required None feet Minimum surface pipe required 200 feet per ALT. Approved by: 10-7-03	Title: **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	12 1
API # 15 - 167-23541-0000 Conductor pipe required Nore feet Minimum surface pipe required 200 feet per ALT. Approved by: 10-7-09 This authorization expires: 10-7-09	Title: **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water, - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	12 1

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 167-23541-000			
Operator:	Location of Well: County:		
Lease:	feet from N / S Line of Section feet from E / W Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	SecTwpS. R E W		
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)



RECEIVED
KANSAS CORPORATION COMMISSION

OCT 0 7 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Russell KS 67665 Russell KS 67665 Russell KS 67665 Russell KS 67665 Russell Russell KS 67665 Russell			···	· · · · · · · · · · · · · · · · · · ·	
Phone Number: 785-483-4975 Phone Number: 785-483-4975 Pit Location (QQQQ): Pit Location (QQQQQ): Pit Location (QQQQ): Pit Location (QQQQQ): Pit Location (QQQQQ): Pit Location (QQQQQ): Pit Location (QQQQQQ): Pit Location (QQQQQQQQQQQQ): Pit Location (QQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQ	Operator Name: Brungardt Oil & Leasing, Inc.		License Number: 3956		
se Name & Well No.: Berens Brothers 2 Pit Location (QQQQ): a of Pit. Emergency Pit Bum Pit Pit Is: Proposed Existing Seetling Pit Drilling Pit Pit capacity: Pit capacity: Your Knower Pit Haul-Off Pit Pupply API No or Year Drilled) Pit capacity: 2,000 (bbls) Pit capacity: 2,000 (bbls) Russall County	Operator Address: P.O. Box 871			Russell KS 6766	
Depth from ground level? Depth for ground level to deepest point: Depth for ground level to the last integrity, including any special monitoring. Pits monitored 24 hours a day while drilling. Haul all free water off. Depth of water well within one-mile of pit works producing wells on lease: Depth of water well within produced daily: Interproduced dail	Contact Person: Gary L. Brungardt		Phone Number: 785-483-4975		
Emergency Pit	Lease Name & Well No.: Berens Brot	hers 2		Pit Location (QQQQ):	
Settling Pit	Type of Pit:				
Work over Pit	Emergency Pit Burn Pit	Proposed Existing			
Work over Pit	Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
The pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: mg/s (For Emergency Pits and Settling Pits only) The bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Drilling Mud Artificial Liner? How is the pit lined if a plastic liner is not used? Drilling Mud Artificial Liner? How is the pit lined if a plastic liner is not used? Drilling Mud Artificial Liner? How is the pit lined if a plastic liner is not used? Drilling Mud Artificial Liner? How is the pit lined if a plastic liner is not used? Drilling Mud Artificial Liner? How is the pit lined if a plastic liner is not used? Drilling Mud Artificial Liner? How is the pit lined if a plastic liner is not used? Drilling Mud No Pit Depth from ground level to deepest point: 5 (feet) No Pit Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Pits monitored 24 hours a day while drilling. Haul all free water off. Depth to shallowest fresh water 160 C Feet. Source of information: 4(1000) C Feet. Source of information: 4(1000) C Feet. Source of information: 4(1000) C F	Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	i .	(bble)	Feet from East / West Line of Secti	
The bottom below ground level? Artificial Liner? Yes No Drilling Mud To Length (feet) To Width (feet) Depth from ground level to deepest point: Depth is lined give a brief description of the liner erial, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Pits monitored 24 hours a day while drilling. Haul all free water off. Depth to shallowest freeh water water well within one-mile of pit Source of information: 4(1000000000000000000000000000000000000	Is the pit located in a Sensitive Ground Water			Coun	
Yes No	Is the bottom below around level?	Artificial Liner?			
Depth from ground level to deepest point: Depth from ground level to deepest point: Depth from ground level to deepest point: Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Pits monitored 24 hours a day while drilling. Haul all free water off. Depth to shallowest fresh water	y		No	· '	
Depth from ground level to deepest point: Example Depth from ground level to deepest point: Depth from ground level to deepest point: Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	Pit dimensions (all but working pits):	O Length (fe	et) 70		
liner integrity, including any special monitoring.	Depth fr	om ground level to de	epest point:	5 (feet) No Pit	
Pits monitored 24 hours a day while drilling. Haul all free water off. Depth to shallowest fresh water	material, thickness and installation procedure. liner integrity, in Pits monitor				
Source of information: Kigwa Source of information: Kigwa					
Type of material utilized in drilling/workover: Drilling Mud Number of producing wells on lease: Type of material utilized in drilling/workover: Drilling Mud Number of working pits to be utilized: Abandonment procedure: Haul free water off. Allow pits to dry then backfill. Drill pits must be closed within 365 days of spud date. RECEIVE I hereby certify that the above statements are true and correct to the best of my knowledge and belief. OCT 0 7 20 Signature of Applicant or Agent KCC OFFICE USE ONLY Steel Pit RFAC RFAS	Source of in		Source of infor	urce of information: Kiowa	
Number of producing wells on lease: Number of working pits to be utilized:			σ,	.	
Abandonment procedure: Haul free water off. Allow pits to dry then backfill. Drill pits must be closed within 365 days of spud date. RECEIVED IN The pits that the above statements are true and correct to the best of my knowledge and belief. OCT 0 7 20 LOCAS Signature of Applicant or Agent WICHITA, KS KCC OFFICE USE ONLY Steel Pit REAC REAS				_	
then backfill. Drill pits must be closed within 365 days of spud date. RECEIVED I hereby certify that the above statements are true and correct to the best of my knowledge and belief. OCT 0 7 20 LOCAL Signature of Applicant or Agent KCC OFFICE USE ONLY Steel Pit REAC REAS	i i			ming plus to be dimeed	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. OCT 0 7 20 Conservation of Signature of Applicant or Agent REAC REAS	Barrels of fluid produced daily:		Abandonment		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. OCT 0 7 20 OCT 0 7 20 CONSERVATION DIN WICHITA, KS KCC OFFICE USE ONLY Steel Pit RFAC RFAS			Drill pits must l	NECEN	
CONSERVATION DIVIDATE Signature of Applicant or Agent WICHITA, KS KCC OFFICE USE ONLY Steel Pit RFAC RFAS	I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS	10/1./ 08	_	H., >		
	bate		♂ ^s	ignature of Applicant or Agent WICHITA,	
e Received: 16/7/08 Permit Number: Permit Date: 10/1/08 Lease Inspection: Yes & No		КСС	OFFICE USE O	NLY Steel Pit RFAC RFAS	
	Date Received: 18/7/08 Permit Num	ber:	Perm	it Date: 10/7/08 Lease Inspection: Yes L No	