For KCC Use: Effective Date: District # SGA? Yes VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: 10 16 08	Spot Description:
month day year	c sw sw - Sec 28 Twp 4 S. R. 39 TEXW
34081	(0/0/0/0) 660 feet from N / X S Line of Section
PERATOR: License#ame: Fairfield Energy	660 feet from E / X W Line of Section
ddress 1: 1155 Kelly Johnson Blvd. Suite 304	Is SECTION: Regular Irregular?
ddress 2:	
ity: Colorado Springs State: C Zip: 80922 +	(Note: Locate well on the Section Plat on reverse side) County: Cheyenne
ontact Person: Mike Simpson	Lease Name: Sullivan/Sheriff , Dalton Well #: 22-8
none: 719-477-3322	Field Name: Cherry Creek Niobrara 6as Area
ONTRACTOR License# 34081	
AYTHAUTOT), LICETISC#	Is this a Prorated / Spaced Field? Yes No
ame: Fairlieid Energy	Target Formation(s): Niobrara
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 4000 Ft Ground Surface Elevation: 3515 feet MSL
Oil Enh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 270
Other:	Depth to bottom of usable water: 270
If OWWO: old well information as follows:	Surface Pipe by Alternate:
	Length of Surface Pipe Planned to be set: 326+
Operator: N/A	Length of Conductor Pipe (if any): N/A
Well Name: N/A	Projected Total Depth: 1450
Original Completion Date: N/A Original Total Depth: N/A	Formation at Total Depth: Codell
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth: N/A	DWR Permit #: 1-203-15
ottom Hole Location: N/A CC DKT #: NA	(Note: Apply for Permit with DWR
CC DK1 #:	Will Cores be taken?
	If Yes, proposed zone: N/A
4-	RECEIVED
·	FIDAVIT KANSAS CORPORATION COMM
ne undersigned hereby affirms that the drilling, completion and eventual pl	FIDAVIT KANSAS CORPORATION COMM ugging of this well will comply with K.S.A. 55 et. seq.
he undersigned hereby affirms that the drilling, completion and eventual pli is agreed that the following minimum requirements will be met:	FIDAVIT KANSAS CORPORATION COMM
he undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008
the undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 h drilling rig; CONSERVATION DIVISION
he undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ripavit will comply with K.S.A. 55 et. seq. CCT 0 8 2008 h drilling rig: CONSERVATION DIVISION BY CONSERVATION BY CONSERVATION DIVISION BY CONSERVATION BY CONSERV
he undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 h drilling rig; CONSERVATION DIVISION BY CONSERVATION BY CONSERVATION DIVISION BY CONSERVATION BY
ne undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging.	ugging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 h drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be selichita, KS te underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
ne undersigned hereby affirms that the drilling, completion and eventual pli is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis- 5. The appropriate district office will be notified before well is either plug- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shall be selichITA, KS the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
he undersigned hereby affirms that the drilling, completion and eventual plice is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the set is the appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Shall be selected by circulating cement to the top; in all cases surface pipe shall be selected. KS te underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dise. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be	ugging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 In drilling rig; CONSERVATION DIVISION To by circulating cement to the top; in all cases surface pipe shall be seliCHITA, KS the underlying formation. It is diffice on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,897 C which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dise. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be	was a corporation community and the sequence of the sequence o
ne undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the management of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disestant of the appropriate district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the statements made herein are true and correct to the statements.	was a corporation community of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION OF the conclusion of the top; in all cases surface pipe shall be selichita, KS are underlying formation. It is different to the top; in all cases surface pipe shall be selichita, KS are underlying formation. It is different to plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,897 C which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of thy moviledge and belief.
ne undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the dis. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order "must be completed within 30 days of the spud date or the well shall be	was a corporation community of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 In drilling rig: CONSERVATION DIVISION of the complete
ne undersigned hereby affirms that the drilling, completion and eventual plicities agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be sufficiently be posted on each and the district office will be sufficiently be a minimum of 20 feet into the sufficient office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the analyse of the sufficient of the well shall be completed within 30 days of the spud date or the well shall be necessary certify that the statements made herein are true and correct to the sate: Signature of Operator or Agent:	was a corporation come consistency of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION of the construction
he undersigned hereby affirms that the drilling, completion and eventual plicits agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug; 5. The appropriate district office will be notified before well is either plug; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order through the completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the late: Signature of Operator or Agent:	ugging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 In drilling rig; CONSERVATION DIVISION It by circulating cement to the top; in all cases surface pipe shall be selichita, KS the underlying formation. In drilling rig; CONSERVATION DIVISION In all cases surface pipe shall be selichita, KS the underlying formation. In all cases surface pipe shall be selichita, KS the underlying formation. In all cases, in all cases surface pipe shall be selichita, KS the underlying formation. It is underlying formation
he undersigned hereby affirms that the drilling, completion and eventual plicits agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the disection of the well is drived the disection of the state of the well is either plug of the appropriate district office will be notified before well is either plug of the analyse of the spud date or the well shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the late: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 023 - 2/142 - 0000	ugging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 In drilling rig; CONSERVATION DIVISION It by circulating cement to the top; in all cases surface pipe shall be selichita, KS are underlying formation. In thick office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and unable water to surface within 120 DAYS of spud date. 133,897 C which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of thy moviedge and belief. CEO. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the discounty of the well is dry hole, an agreement between the operator and the discounty of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the late: Signature of Operator or Agent: Signature of Operator or Agent:	ugging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 In drilling rig; CONSERVATION DIVISION It by circulating cement to the top; in all cases surface pipe shall be setichita, KS the underlying formation. It interest office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,897 C which applies to the KCC District 3 area, alternate II cementing a plugged. It all cases, NOTIFY district office prior to any cementing. Dest of my moviledge and belief. CEO. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
he undersigned hereby affirms that the drilling, completion and eventual plicits agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the disection of the well is drived in the disection of the surface of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order when the surface within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the late: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 233 - 2/1/42 - 2000 Conductor pipe required	ugging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 In drilling rig; CONSERVATION DIVISION To by circulating cement to the top; in all cases surface pipe shall be setichita, KS are underlying formation. It into office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,89 C which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of thy moviedge and belief. CEO. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CPA) after plugging is completed (within 60 days):
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the complete district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the late: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O23 - 2/1/42 - OOO Conductor pipe required	was a corporation community and this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 In drilling rig: CONSERVATION DIVISION of the complete complet
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the disc. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the late: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 23 - 21/42 - 2000 Conductor pipe required	ugging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 In drilling rig; CONSERVATION DIVISION It by circulating cement to the top; in all cases surface pipe shall be selichita, KS the underlying formation. In thick office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and in the selichitan production casing is cemented in; and unable water to surface within 120 DAYS of spud date. 133,897 C which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of thy production form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
he undersigned hereby affirms that the drilling, completion and eventual plicits agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eact. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order would be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the late: Signature of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O23 - 2/1/42 - OOO Conductor pipe required	was a corporation community and this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION of the confliction of the
he undersigned hereby affirms that the drilling, completion and eventual plicits agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the late: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O23 - 2/1/42 - OOD Conductor pipe required	ugging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2008 In drilling rig; CONSERVATION DIVISION It by circulating cement to the top; in all cases surface pipe shall be seliCHITA, KS the underlying formation. It into office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,897 C which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of thy providedge and belief. CEO. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidate district office will be notified before well is either plug to pursuant to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the late: Signature of Operator or Agent:	ANSAS CORPORATION COMMUnicipal Complete Will comply with K.S.A. 55 et. seq. OCT 08 2008 In drilling rig: CONSERVATION DIVISION of the complete Conservation DIVISION of the conservation of the complete Conservation DIVISION of the conservation

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 023 -21/42-000	Location of Well: County: Cheyenne			
Operator: Fairfield Energy Lease: Sullivan/Sheriff , Dalton	660	feet from N / S Line of Section		
Well Number: 22-8	660	feet from E / X W Line of Section		
Field: Cherry Creek Niobrara bas Area	Sec. <u>28</u> Twp. <u>4</u>	S. R. <u>39</u> E 🔀 W		
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _c sw	ls Section: Regular or	Irregular		
		well from nearest corner boundary.		
PLA	AT .			

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

RECEIVED KANSAS CORPORATION (*)		 		 		•••••	
OCT 0 8 2008		 ,		 : :	•••••		: :
CONSERVATION DIVISA WICHITA, KS		 ******	*******	 			
E	EXAMPLE						
1980		 		 			
3390'		 		 			
		 	,	 	6.6.0)	9
; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	SEWARD (

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Fairfield Energy		License Number: 34081				
Operator Address: 1155 Kelly Johns	on Blvd. Suite	Colorado Springs C 80922				
Contact Person: Mike Simpson		Phone Number: 719-477-3322				
Lease Name & Well No.: Sullivan/Sheriff, Dalton 22-8			Pit Location (QQQQ):			
Type of Pit:	Pit is:	, , , , , , , , , , , , , , , , , , , ,	CSW			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 28 Twp. 4 R. 39 East West			
Settling Pit	If Existing, date co	onstructed:	660 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	120	(bbls)	Cheyenne County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: 800 mg/l			
	A stifficial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
is the bottom below ground level? Yes No	Artificial Liner?	No	gel			
Pit dimensions (all but working pits):	8 Length (fe	et)4	Width (feet) N/A: Steel Pits			
	om ground level to de					
If the pit is lined give a brief description of the material, thickness and installation procedure		edures for periodic maintenance and determining including any special monitoring.				
6mm plastic Visual che			ck			
			270			
Distance to nearest water well within one-mile	e of pit	owest fresh water				
<i>N/A</i> feet Depth of water well	feet	mation: ured X well owner electric log KDWR sover and Haul-Off Pits ONLY: at utilized in drilling/workover:				
Emergency, Settling and Burn Pits ONLY:		over and Haul-Off Pits ONLY:				
Producing Formation:		an delinzed in drinking/workdoor.				
Number of producing wells on lease:		rking pits to be utilized:				
Barrels of fluid produced daily:		procedure: Air Dry and fill in				
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	procedure: Air Dry and fill in be closed within 365 days of spud date. RECEIVED				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION						
OCT 0 8 2008						
Date Signature of Applicant or Agent CONSERVATION DIVISION WICHITALKS						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 10/8/08 Permit Num	nber:	Perm	nit Date: 10/8/08 Lease Inspection: Yes No			