### For KCC Use: SGA?

## Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 10 20 2008	Spot Description:
month day year	- se _ ne Sec. 33 Twp. 27 S. R. 19 XE W
OPERATOR: License#	2.990 feet from   N / X   S Line of Section
Name: MSG Resources , Inc	leet from \(\times \) L / \(\times \) W Life of Section
Address 1: 975 1400 Street	ls SECTION: Regular Irregular?
Address 2:	(Note: Locale well on the Section Plat on reverse side)
City: lola State: Ks Zip: 66749 +	County: Neosho
Contact Person: Michael E. Brown Phone: 620-365-7247 620-365-0638 cell	Lease Name: Alma Meyer Well #: msg3
i iloito.	Field Name: Humboldt-Chanute
CONTRACTOR: License# 33374	Is this a Prorated / Spaced Field?
Name: L & S Well Service	Target Formation(s): bartlesville
Well Drilled For: Well Class: / Type Equipment:	Nearest Lease or unit boundary line (in footage): 350
Noil Enh Rec Ninfield Mud Rotary	Ground Surface Elevation: 935 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water: 20017/50
	Surface Pipe by Alternate: 11 11 12
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set.
Operator:	Length of Conductor Pipe (if any): na
Well Name:	Projected Total Depth: 750
Original Completion Date: Original Total Depth:	Formation at Total Depth: upper bartlesville
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
<b>—</b> —	Well X Farm Pond Other:
If Yes, true vertical depth:  Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR Will Cores be taken?
	If Yes, proposed zone:RECEIVED
	VANIOAD COROOT
AEC	KANSAS CORPORATION COMMISSION
AFF	KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq. OCT 0 9 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq. OCT 0 9 2008  CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq. OCT 0 9 2008  CONSERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq. OCT 0 9 2008  CONSERVATION DIVISION  WICHITA, KS  Y circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	CONSERVATION COMMISSION:  CONSERVATION DIVISION  WICHITA, KS  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	CONSERVATION DIVISION  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	CONSERVATION DIVISION  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	CONSERVATION DIVISION  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	CONSERVATION COMMISSION:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq. OCT 0 9 2008  CONSERVATION DIVISION  WICHITA, KS  yy circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	CONSERVATION COMMISSION:  Griging of this well will comply with K.S.A. 55 et. seq. OCT 0 9 2008  CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Get office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	CONSERVATION COMMISSION:  Griging of this well will comply with K.S.A. 55 et. seq. OCT 0 9 2008  CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Get office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	CONSERVATION DIVISION  Grilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because of the statements of the operator of Agent:  Signature of Operator or Agent:	CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Title:  Title:  Title:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the because of the spud to the statements of the spud to the spud to the statements of the spud to the spud to the statements of the spud to the spud to the statements of the spud to the spu	CONSERVATION DIVISION  Grilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements of Operator or Agent:  Signature of Operator or Agent:  **The variation of the complete that the statements of Operator or Agent:**  **The variation of the variation of the complete that the statements of Operator or Agent:**  **The variation of the variation of t	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq. OCT 0 9 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the because of the spud to the statements of the spud to the spud to the statements of the spud to the spud to the statements of the spud to the spud to the statements of the spud to the spu	CONSERVATION DIVISION  Grilling rig;  Y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the because of the completed within 30 days of the spud date or the well shall because of the spud date or the spud date or the spud date or the spud date	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq. OCT 0 9 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  Perfect of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the because of the completed within 30 days of the spud date or the well shall because of the spud date or the spud date or the spud date or the spud date	CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the between the complete of the spud date or appropriate to the between the complete of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the well shall be the post of the spud date or the post of the spu	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq. OCT 0 9 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the because of the completed within 30 days of the spud date or the well shall because of the spud date or the spud date or the spud date or the spud date	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq. OCT 09 2008  CONSERVATION DIVISION  WICHITA, KS  y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be  Signature of Operator or Agent:  **Por KCC Use ONLY**  API # 15 - 133 - 27508-0000  Conductor pipe required	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq. OCT 0 9 2008  CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  act office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be  Signature of Operator or Agent:  **Por KCC Use ONLY**  API # 15 - 133 - 27508-0000  Conductor pipe required	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq. OCT 09 2008  CONSERVATION DIVISION  WICHITA, KS  y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27508-000	
Operator: MSG Resources , Inc	Location of Well: County: Neosho
Lease: Alma Meyer	2,990 feet from N / X S Line of Section
Well Number: msg3	520 feet from Z E / W Line of Section
Field: Humboldt-Chanute	Sec. 33 Twp. 27 S. R. 19 🔀 E 🗌 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: se ne	
	if Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: MSG Resources , Inc		License Number: 32595		
Operator Address: 975 1400 Street		lola Ks 66749		
Contact Person: Michael E. Brown		Phone Number: 620-365-7247 620-365-0638 cell		
Lease Name & Well No.: Alma Meyer msg3		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW 52 12	
Emergency Pit Burn Pit	Proposed Existing		Sec. 33 Twp. 27 R. 19 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		2,990 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit canacity:		520 Feet from East / West Line of Section	
(II WE Supply AFT NO. OF Teal Diffied)	80	(bbls)	Neosho	County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	3
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits a  How is the pit lined if a plastic lin	
Yes No	Yes X	No	NATIVE CLAY	
Pit dimensions (all but working pits):1	5 Length (fe	eet) 6	Width (feet)	N/A: Steel Pits
Depth fro	om ground level to de	eepest point:	6 (feet)	No Pit
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance an neluding any special monitonis	INTERPORATION COMMISSION
	•	<b>g</b> ,		_
			·	OCT 0 9 2008
			CON	NSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mile	e of pit		west fresh water 2 (	WICHITA, KS
Distance to nearest water well within one-mile るっと。 none feet Depth of water well	•	Source of infor	west fresh water 2 (	WICHITA, KS
2762	•	Source of informeasu	west fresh water @ [	WICHITA, KS
a 7んる none feet Depth of water well	೨೦೦ feet	Source of informeasu  Drilling, Work  Type of materia	west fresh water	WICHITA, KS  Lectric log KDWR  The water
none a つくら feet Depth of water well Emergency, Settling and Burn Pits ONLY:	କ୍ଷି ଓ ଠ feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor	west fresh watere mation:  Ired well owner e  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: fresh  king pits to be utilized:1	WICHITA, KS  Lifeet.  Lectric log KDWR
none feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:	କ୍ଷି ଓ ଠ feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor	west fresh water	WICHITA, KS  Lifeet.  Lectric log KDWR
nonefeetDepth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	od o feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment	west fresh watere mation:  Ired well owner e  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: fresh  king pits to be utilized:1	WICHITA, KS  Lectric log KDWR  N water  ater evaporates
none feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?	spilled fluids to	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must l	west fresh water e mation:  ared well owner e e over and Haul-Off Pits ONLY:  al utilized in drilling/workover: fresh king pits to be utilized: 1  procedure: fill in pit when with the pits of spud of the closed within 365 days of spu	WICHITA, KS  Lectric log KDWR  N water  ater evaporates
none feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	spilled fluids to	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must l	west fresh water e mation:  ared well owner e e over and Haul-Off Pits ONLY:  al utilized in drilling/workover: fresh king pits to be utilized: 1  procedure: fill in pit when with the pits of spud of the closed within 365 days of spu	WICHITA, KS  Lectric log KDWR  N water  ater evaporates
none feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?	spilled fluids to	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must incorrect to the best	west fresh watere mation:  ared well ownere e over and Haul-Off Pits ONLY:  al utilized in drilling/workover: fresh king pits to be utilized:1  procedure: fill in pit when with the closed within 365 days of spud of the closed withi	WICHITA, KS  Lectric log KDWR  N water  ater evaporates
none feet Depth of water well	spilled fluids to	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must incorrect to the best	west fresh water e mation:  ared well owner e e over and Haul-Off Pits ONLY:  al utilized in drilling/workover: fresh king pits to be utilized: 1  procedure: fill in pit when with the pits of spud of the closed within 365 days of spu	WICHITA, KS  Lectric log KDWR  N water  ater evaporates
none feet Depth of water well	spilled fluids to	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must incorrect to the best	west fresh watere mation:  Ired well ownere  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: fresh king pits to be utilized:1  procedure: fill in pit when with the closed within 365 days of spud of the fry knowledge and belief.	WICHITA, KS  Lectric log KDWR  N water  ater evaporates



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 10, 2008

MSG Resources, Inc. 975 1400 St Iola, KS 66749

RE:

**Drilling Pit Application** 

Alma Meyer Lease Well No. msg 3

NE/4 Sec. 33-27S-19E Neosho County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Havnes

Environmental Protection and Remediation Department

cc: File