# For KCC Use: /O-18 OP Effective Date: /O-18 OP District # No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

must be approved by KCC live (	5) days phor to commencing well	
Expected Spud Date: September 17 2008	Spot Description:	
month day year	SE SW NE Sec. 10 Twp. 32 S. R. 7 XE W	
33711	(0/d.drd) 2,310 feet from N / S Line of Section	
OPERATOR: License# Name: B-C Steel, LLC	1,650 feet from E / W Line of Section	
Name: B-0 Steel, LLC Address 1: 209 North Fry Street	Is SECTION: Regular Irregular?	
	<u> </u>	
Address 2:         State:         Ks         Zip:         66783         +	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Bert Carlson	County: Cowley	
Phone: 620-285-6064 or 620, 496-6746	Lease Name: Beamer Well #: 2 School Creek North	
CONTRACTOR: License# 30567 V Name: _Rig 6 Drilling	Is this a Prorated / Spaced Field?	
Name:	Target Formation(s): Cleveland	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330	
	Ground Surface Elevation: 1382.80 feet MSL	
Gas Storage Pool Ext Air Rotary	Water well within one-quarter mile:	
Disposal Wildcat Cable	Public water supply well within one mile: Yes X No	
Seismic; # of Holes Other	Depth to bottom of fresh water: 150	
Other:	Depth to bottom of usable water: 280	
If OWWO: old well information as follows:	Surface Pipe by Alternate:	
	Length of Surface Pipe Planned to be set: 300 Ft	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 2500ft	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cleveland	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well Sparm Pond Other:	
·	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DIVR 1 1)	/
Bottom Hole Location:  KCC DKT #:	(Note: Apply for Permit with DWR )	_
VOC DIET	Will Cores be taken? Yes ⊠No	
		_
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  RECEIVE	ט
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  RECEIVE KANSAS CORPORATION	D co
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.	D co
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  RECEIVE KANSAS CORPORATION	co
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 20	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 20	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 20  drilling rig:  or circulating cement to the top; in all cases surface pipe shall be set WICHITA, KS	co )()
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 20  drilling rig:  circulating cement to the top; in all cases surface pipe shall be set with the complex of the co	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 20  irilling rig;  vicirculating cement to the top; in all cases surface pipe shall be set with the set with the complying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in;	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the distriction of the di	Will Cores be taken?  If Yes, proposed zone:  DAVIT ging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 20  Arrilling rig; CONSERVATION DR Underlying formation.  Conservation DR WICHITA, KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	co )()
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the distriction of the di	Will Cores be taken?  If Yes, proposed zone:    Pavit   Receive	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted.	Will Cores be taken?  If Yes, proposed zone:  PAVIT  SEP 1 1 20  Arilling rig:  Ariculating cement to the top; in all cases surface pipe shall be set WICHITA, KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the plugge of the spud date or the well shall be processed in the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements minimum of the statements are true and correct to the statements	Will Cores be taken?  If Yes, proposed zone:  PAVIT  SEP 1 1 20  Arilling rig:  Ariculating cement to the top; in all cases surface pipe shall be set WICHITA, KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.	co )()
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted.	Will Cores be taken?  If Yes, proposed zone:  PAVIT  SEP 1 1 20  Arilling rig:  Ariculating cement to the top; in all cases surface pipe shall be set WICHITA, KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.	co )()
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the plugge of the spud date or the well shall be processed in the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements minimum of the statements are true and correct to the statements	Will Cores be taken?  If Yes, proposed zone:    PAVIT   RECEIVE	co )()
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition of the distriction of the dist	Will Cores be taken?  If Yes, proposed zone:    Part	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition of the distriction of the dist	Will Cores be taken?  If Yes, proposed zone:    Conservation of this well will comply with K.S.A. 55 et. seq.	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  Thereby certify that the statements made herein are true and correct to the because of the complete of the plate.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O.35 - 24/3 I V-OOOO	Will Cores be taken?  If Yes, proposed zone:    PAVIT   RECEIVE	co )()
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office <i>prior</i> to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the because of the complete of the placed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O.35 - 24/3 I V-OOOO  Conductor pipe required.	Will Cores be taken?  If Yes, proposed zone:    PAVIT   RECEIVE	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the appropriate district office prior as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge.  1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  2. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  3. The minimum district office will be notified before well is either plugge.  3. The minimum district office will be notified before well is	Will Cores be taken?  If Yes, proposed zone:    PAVIT   RECEIVE	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the intention of all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the best of the spud shall be provided by	Will Cores be taken?  If Yes, proposed zone:    Pack   Pac	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the appropriate district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the appropriate district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the spud date or the well shall be provided by that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements are true and correct to the beginning that the statements are true and correct to the beginning that the statement of the provided	Will Cores be taken?  If Yes, proposed zone:    PAVIT   RECEIVE	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the intention of all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the best of the spud shall be provided by	Will Cores be taken?  If Yes, proposed zone:    RECEIVE KANSAS CORPORATION	00 008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the appropriate district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the appropriate district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the spud date or the well shall be provided by that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements are true and correct to the beginning that the statements are true and correct to the beginning that the statement of the provided	Will Cores be taken?  If Yes, proposed zone:    Pack   Pac	co )()

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 035 - 24316-0000	
Operator: B-C Steel, LLC	Location of Well: County: Cowley
Lease: Beamer	2,310 feet from N / S Line of Section
Well Number: 2	1,650 feet from X E / W Line of Section
Field: School Creek North	Sec. 10 Twp. 32 S. R. 7 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: SE _ SE _ SW _ NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

					_		
: .						;	
		•					-
1		•				-	_
	•				•		•
1	•				•		-
				:			-
				: .			
						•	
			,				
				!			
							- i
	-	•				•	1
					•	•	
					•		
					•		
		•		1		•	1 1
	•	•			•		
		,			•		· i
				1			
				i			
					•		. [
		,	,	: .	•		
							. 1
		-					. !
	•				-	•	
	•	•			•	•	* 1
					•		· 1
							. 1
		•					. 1
	•				-	-	
				i			3
							1
1				i			
1		•					1
	•			:	-	•	:
				:	•		
	,			,	•		,
			,				
							. 1
:		•			. •	•	. 1
	•				-		-
					-	•	• 1
							1
							-
				•			
							_
							-
				,			
		_					
					· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
	•	; :				· · · · · · · · · · · · · · · · · · ·	
					********		······································
-							
:							
:							
: !							
: :							
: :			***************************************				
: : :							
: :							
·							
:				,,,,,			
				,,,,,			
				,,,,,			
				,,,,,,,,,,,			
				,,,,,,,,,,			
				,,,,,,,,,,			

RECEIVED KANSAS CORPORATION COMMISSIO

SEP 1 1 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: B-C Steel, LLC		License Number: 33711				
Operator Address: 209 North Fry	Street	-	Yates Center Ks 66783			
Contact Person: Bert Carlson			Phone Number: 620-285-6064			
Lease Name & Well No.: Beamer 2			Pit Location (QQQQ):			
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits):	Pit is:    Proposed	No Peet) . 10 Repeat point:	SE SE SW NE  Sec. 10 Twp. 32 R. 7			
MUD  Distance to nearest water well within one-mile	e of pit	Depth to shallo	SEP 1 1 2008  CONSERVATION DIVISION WICHITA, KS  WEST fresh water4			
n/a feet Depth of water well feet		measured  well owner electric log  KDWR				
		_	Drilling, Workover and Haul-Off Pits ONLY:			
i i		Type of material utilized in drilling/workover: Drilling MUD				
Number of producing wells on lease:		Number of working pits to be utilized: 2  Abandonment procedure: Remove Fluids and Back Fill				
Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No		9.				
I hereby certify that the above state		•				
1	ments are true and o	correct to the bes	t of my knowledge and belief.			
9-9-08 Date	ments are true and o	correct to the bes	t of my knowledge and belief.  Gignature of Applicant or Agent			
9-9-08 Date	Ao.	correct to the bes	Signature of Applicant or Agent			



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 13, 2008

Bert Carlson B-C Steel, LLC 209 North Fry Street Yates Center KS 66783

Re:

**Drilling Pit Application** 

Beamer Lease Well No. 2

NE/4 10-32S-7E

Cowley County, Kansas

Dear Mr. Carlson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and **lined with bentonite**. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Joselle Rains

Department of Environmental Protection and Remediation

CC:

Jeff Klock

File

# -SOLAR-

### **On-Line Filing Is Here!**

Licensed operators can now file Notice of Intent to Drill-(form C-1) and Application for Surface Pit-(form CDP-1) online at:

<a href="https://solar.kgs.ku.edu/">https://solar.kgs.ku.edu/</a>

The SOLAR website is a joint venture of the Kansas Corporation Commission, Kansas Geological Survey and the Kansas Department of Revenue to provide electronic reporting and permitting of oil and gas activity in Kansas.

Currently there are 230 operators utilizing the SOLAR program. During the month of July, 61% of intents received were filed using SOLAR.

In the near future ACO-1's (Well Completion forms), GG-1's and GG-1a's (Gas Gathering forms), U3-C's (Annual Injection Report) and a well inventory database will be included in the SOLAR program.

For more information on how to get started log on to:

http://kcc.ks.gov/conservation/forms/
and complete the master electronic filing certificate.
Click on the FAQ section for basic answers.

If you experience any complications please contact Anny Banks with the KCC at 316-337-6200.

### -COMING FALL 2008-

The KCC will accept paperless copies of electric logs via email!