For KCC Use: Effective Date: District # SGA2 Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected South Date: 10-2-08	Spot Description:	
Expected Spud Date:	SESWNW Sec. 8 Twp. 28 S	. R. 5 ☐ E 🗙 W
5214 V	(a/a/a/a) 2,310 feet from N	
OPERATOR: License#		W Line of Section
Name: Lario Oil & Gas Company	Is SECTION: X Regular Irregular?	KV THIS OF COOLIGI
Address 1: 301 S. Market		
Address 2:	(Note: Locate well on the Section Plat on re	verse side)
City: State: NS Zip: 07202 + Contact Person: Jay Schweikert	County: Kingman	1_0
Phone: 316-265-5611	Lease Name: Dalton A	Well #: 1-8
	Field Name: Dewey	
CONTRACTOR: License# 5929	Is this a Prorated / Spaced Field?	Yes No
Name: Duke Drilling	Target Formation(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):	
☐ Enh Rec	Ground Surface Elevation:1403.5	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'	
Other:	Depth to bottom of usable water:	
	Surface Pipe by Alternate: XII III	
If OWWO: old well information as follows:	Length of Sunace i lipe i lastice to be set.	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 4,100'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Kinderhook	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	1
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR	
ROODKI #.		
	Will Cores be taken?	Yes No
	Will Cores be taken? If Yes, proposed zone:	
	If Yes, proposed zone:	RECEIVED
	If Yes, proposed zone:KANSAS	RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:KANSAS	RECEIVED S CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:KANSAS	RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: IDAVIT KANSAS ging of this well will comply with K.S.A. 55 et. seq.	RECEIVED S CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig:	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 13. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: DAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. drilling rig; Comply with the top; in all cases surface pipe a underlying formation.	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION SHALL MICHAEL KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe is underlying formation. In office on plug length and placement is necessary prior	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION SHALL MICHAEL KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in;	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall MCCLETA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. In to office on plug length and placement is necessary prior of or production casing is cemented in; If yes, proposed zone: If Yes, proposed zo	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall MCGUTA, KS To plugging; of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior of or production casing is cemented in; If yes, proposed zone: IT Yes, proposed zone: If Yes, proposed zone	RECEIVED S CORPORATION COMMISSION SEP 25 2008 CONSERVATION DIVISION Shall MCGLTA, KS or to plugging; S of spud date. ate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided the plugged of the spud date or the well shall be provided the plugged of the spud date or the spud date o	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS IS 3,891-C, which applies to the KCC District 3 area, alternating plugged. In all cases, NOTIFY district office prior to any	RECEIVED S CORPORATION COMMISSION SEP 25 2008 CONSERVATION DIVISION Shall MCGLTA, KS or to plugging; S of spud date. ate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS IS. 891-C, which applies to the KCC District 3 area, alternated in all cases, NOTIFY district office prior to any less of my knowledge and belief.	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall MCGETA, KS In to plugging; It of spud date. Sete II cementing by cernenting.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided that the plugged of the spud date or the well shall be provided the plugged of the spud date or the well shall be provided the plugged of the spud date or the spud date o	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS IS. 891-C, which applies to the KCC District 3 area, alternated in all cases, NOTIFY district office prior to any less of my knowledge and belief.	RECEIVED S CORPORATION COMMISSION SEP 25 2008 CONSERVATION DIVISION Shall MCGLTA, KS or to plugging; S of spud date. ate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 13. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS IST SAS SAS SAS SAS SAS SAS SAS SAS SAS S	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall MCGETA, KS In to plugging; It of spud date. Sete II cementing by cernenting.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 13. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS ISI,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any less of my knowledge and belief. Title: Operation Operation	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall MCCLETA, KS In to plugging; S of spud date. ate II cementing by cernenting. Ons Engineer
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 13. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. It has be completed. 9-24-08 Signature of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS IST SAS SAS SAS SAS SAS SAS SAS SAS SAS S	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall BECETA, KS In to plugging; It of spud date. Lete II cementing Ly cementing. Lons Engineer Little Commission Little C
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 13. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the properties of the state of the plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cempted. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. It has be generated by that the statements made herein are true and correct to the best of the spud date. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O95 - 22172 - O00	If Yes, proposed zone: IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior, and or production casing is cemented in; from below any usable water to surface within 120 DAYS ISI,891-C, which applies to the KCC District 3 area, alternately applies to the KCC District 3 area, alterna	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall BECETA, KS In to plugging; It of spud date. Lete II cementing Ly cementing. Lons Engineer Little Commission Little C
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of intent to drill <i>shall be</i> posted on each of the state of the state of the spud as posted on each of the state of	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. In office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS ISBN 1-C, which applies to the KCC District 3 area, alternated by the complete of the complete of the complete of the cases. NOTIFY district office prior to any less of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked.	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall WEGHTA, KS In to plugging; S of spud date. The li cementing by cernenting. The plugging of the li cementing of the li cementing. The plugging of the li cementing of the li cementing. The plugging of the license of
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of the spud as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the operator and the district of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cempted. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements of the spud date or Agent: For KCC Use ONLY API # 15 - O95 22172 COOD Conductor pipe required 1900 feet per ALT. In the statement of the spud determined feet per ALT. In the statement of the spud determined feet per ALT. In the statement of the spud determined feet per ALT. In the statement of the spud determined feet per ALT.	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. It office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS ISBN 1-C, which applies to the KCC District 3 area, alternated by the complete of the prior to any less of my knowledge and belief. It is a Completion Form ACO-1 within 120 days of spud of the completion Form ACO-1 within 120 days of	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall WEGHTA, KS In to plugging; S of spud date. Late II cementing Ly cementing. Lons Engineer Li; Lidate; Lorders; Lorders; Lorders; Lorders or re-entry; Lited (within 60 days); Lorders or company commissions of the commission
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 1. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the spud state of the spud date or the well shall be placed by the spud state of the spud state of the spud state of the spud state or the well shall be placed by the spud state of the spud state or the well shall be placed by the spud state of the spud state or the well shall be placed by the spud state of the spud state or the well shall be placed by the spud state of the spud state or the well shall be placed by the spud state of the spud state or the spud state of the spud s	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. It office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS ISB3,891-C, which applies to the KCC District 3 area, alternated by the complete of the prior to any less of my knowledge and belief. It is a Completion Form ACO-1 within 120 days of spud of the completion Form ACO-1 within 120 days	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall WEGHTA, KS In to plugging; S of spud date. Late II cementing Ly cementing. Ly ce
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state which well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be placed. For KCC Use ONLY API # 15 - O95 - 22172 - OCCOUNTY AP	IDAVIT KANSAS ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. ct office on plug length and placement is necessary prior, and or production casing is cemented in; from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternated by the complete of the complete of the complete of the cases, NOTIFY district office prior to any less of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of the complete of	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall WEGHTA, KS In to plugging; S of spud date. Late II cementing Ly cementing. Ly ce
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 1. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the spud state of the spud date or the well shall be placed by the spud state of the spud state of the spud state of the spud state or the well shall be placed by the spud state of the spud state or the well shall be placed by the spud state of the spud state or the well shall be placed by the spud state of the spud state or the well shall be placed by the spud state of the spud state or the well shall be placed by the spud state of the spud state or the spud state of the spud s	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior, and or production casing is cemented in; from below any usable water to surface within 120 DAYS Ist of my knowledge and belief. Ittle: Operation	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall WEGHTA, KS In to plugging; S of spud date. Late II cementing Ly cementing. Ly ce
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an another to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the strong half the well is dry hole, an agreement between the operator and the distriction of the strong that the state of the well before well is either plugge for the appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior, and or production casing is cemented in; from below any usable water to surface within 120 DAYS IST. September 120 DAYS Ist of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of the properties of the properti	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall WEGHTA, KS In to plugging; S of spud date. Late II cementing Ly cementing. Ly ce
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an anount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the surface will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the spud date or the well shall be placed. For KCC Use ONLY API # 15 - O95 - 22172 - COOD Conductor pipe required	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe is underlying formation. Ict office on plug length and placement is necessary prior, and or production casing is cemented in; from below any usable water to surface within 120 DAYS Ist of my knowledge and belief. Ittle: Operation	RECEIVED S CORPORATION COMMISSION SEP 2 5 2008 CONSERVATION DIVISION Shall WEGHTA, KS In to plugging; S of spud date. Late II cementing Ly cementing. Ly ce

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 095-22/72-0000	
Operator: Lario Oil & Gas Company	Location of Well: County: Kingman
Lease: Dalton A	2,310 feet from N / S Line of Section
Well Number: 1-8	990 feet from E / X W Line of Section
Field: Dewey	Sec. 8 Twp. 28 S. R. 5 E 🛛 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE _ SW _ NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

				
Operator Name: Lario Oil & Gas Company		License Number: 5214		
Operator Address: 301 S. Market			Wichita KS 67202	
Contact Person: Jay Schweikert			Phone Number: 316-265-5611	
Lease Name & Well No.: Dalton A	1-8		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SE_SW_NW_</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 8 Twp. 28 R. 5 East West	
Settling Pit 🔀 Drilling Pit	If Existing, date constructed:		2,310 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from East / West Line of Section	
(if WP Supply API No. or Year Drilled)	7,100	(bbls)	Kingman County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l	
	A-16-1-1112		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner? Yes X	No	How is the pit lined if a plastic liner is not used? Bentonite	
Pit dimensions (all but working pits):	00 Length (fe	et) 100	Width (feet) N/A: Steel Pits	
• • • •	rom ground level to de	·	4 (feet) No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure		•	edures for periodic maintenance and determining including any special monitoring.	
Distance to nearest water well within one-mile	e of pit		west fresh water 16 feet.	
Source of infor				
Emergency, Settling and Burn Pits ONLY: Drilling, Work		over and Haul-Off Pits ONLY:		
Producing Formation: Type of material		al utilized in drilling/workover: Bentonite Mud		
' 3		king pits to be utilized: 2		
Barrels of fluid produced daily: Abandonment procedure: Allow for evaporation. Fill in and copits.				
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must t	be closed within 365 days of spud date. RECEIVED	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISS				
9-24-08 Date		gnys	SEP 2 5 2008 Conservation Division Wichita, ks	
KCC OFFICE USE ONLY Steel Pit ☐ RFAC → RFAS				
Date Received: Permit Num	ber:	Permi	it Date: 10/00/08 Lease Inspection: X Yes No	



Kathleen Sebelius, Governor Brian J. Moline, Chair Michael C. Moffet, Commissioner Robert E. Krehbiel, Commissioner

October 10, 2008

Lario Oil & Gas Co. 301 S. Market Wichita, KS 67202

Re:

Drilling Pit Application

Dalton A Lease Well No. 1-8 NW/4 Sec. 08-28S-05W Kingman County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and <u>all pits must be lined with bentonite</u>. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes
Kathy Haynes

Environmental Protection and Remediation Department

cc: File

-SOLAR-

On-Line Filing Is Here!

Licensed operators can now file Notice of Intent to Drill-(form C-1) and Application for Surface Pit-(form CDP-1) online at:

https://solar.kgs.ku.edu/

The SOLAR website is a joint venture of the Kansas Corporation Commission, Kansas Geological Survey and the Kansas Department of Revenue to provide electronic reporting and permitting of oil and gas activity in Kansas.

Currently there are 230 operators utilizing the SOLAR program. During the month of July, 61% of intents received were filed using SOLAR.

In the near future ACO-1's (Well Completion forms), GG-1's and GG-1a's (Gas Gathering forms), U3-C's (Annual Injection Report) and a well inventory database will be included in the SOLAR program.

For more information on how to get started log on to:

http://kcc.ks.gov/conservation/forms/
and complete the master electronic filing certificate.

Click on the FAQ section for basic answers.

If you experience any complications please contact Amy Banks with the KCC at 316-337-6200.

-COMING FALL 2008-

The KCC will accept paperless copies of electric logs via email!