For KCC Use:	10-20-08
Effective Date:	10000
District #	3,
SGA? TYPE	™ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (
Expected Spud Date: October 20, 2008	Spot Description: 37.241192 -95.909733	
month day year	SW _ SW _ SW _ SW _ Sec. 20 _ Twp. 32 _ S. R. 14 _ XE \ W	
33365 ✓	(a/a/a/o) 115 feet from N / X S Line of Section	
OPERATOR: License# Name: Layne Energy Operating, LLC	165 feet from E / W Line of Section	1
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: Regular Irregular?	
Address 2:	_ _	
City: Mission Woods State: KS Zip: 66205 + 2001	(Note: Locate well on the Section Plat on reverse side) County: Montgomery	
Contact Person: Timothy H. Wright	Lease Name: Oliver SWD Well #: 13-20	
Phone: 913-748-3960	Field Name: Cherokee Basin Coal	
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?	
Name: Thomton Air	Target Formation(s): Arbuckle Disposal	
Mall Office Transferred	Nearest Lease or unit boundary line (in footage): 115'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 835 feet MSL	
Oil Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:	
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'	
Other:	Depth to bottom of usable water:	_
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40"	_
Operator:	Length of Conductor Pipe (if any): None	_
Well Name:	Projected Total Depth: _2200'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	_
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:	
If Yes, true vertical depth:	DWR Permit #:	_
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?)
NOO DKI #.	Will Cores be taken? Yes No If Yes, proposed zone:	
	If Yes, proposed zone:	
AFFII	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM-	
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COM Sing of this well will comply with K.S.A. 55 et. seq.	 Missioi
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM-	 Missioi
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COM OCT 1 5 2008	Mission
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COM OCT 1 5 2008	Mission
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus as the set of	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM OCT 15 2008 Irilling rig; Circulating cement to the top; in all cases surface pipe shall be WICHITA, KS anderlying formation.	Mission
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM CONSERVATION DIVISION Circulating cement to the top; in all cases surface pipe shall be with the top; in all cases surface pi	Mission
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM OCT 15 2008 Irilling rig; or circulating cement to the top; in all cases surface pipe shall be with the complex conderlying formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;	Mission
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented in	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM CONSERVATION DIVISION Controllating cement to the top; in all cases surface pipe shall be witchita, KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	Mission
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM CONSERVATION DIVISION Office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	Mission
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Cr pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	If Yes, proposed zone: PAVIT Ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION COMMITTER SHALL BE SH	Mission
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each did. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the did. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented in the completed within 30 days of the spud date or the well shall be provided by the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the complete of the date of the sum of the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the complete of the spud date or the spud dat	DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COM Irilling rig; circulating cement to the top; in all cases surface pipe shall be with tax inderlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.	Mission
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each did. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the did. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented in the completed within 30 days of the spud date or the well shall be provided by the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the completed within 30 days of the spud date or the well shall be provided as the complete of the date of the sum of the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the well shall be provided as the complete of the spud date or the complete of the spud date or the spud dat	If Yes, proposed zone: PAVIT Ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION COMMITTER SHALL BE SH	Mission
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best	DAVIT ging of this well will comply with K.S.A. 55 et. seq. OCT 15 2008 Irilling rig; circulating cement to the top; in all cases surface pipe shall be with the top with th	
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: October 13, 2008 Signature of Operator or Agent:	DAVIT ging of this well will comply with K.S.A. 55 et. seq. CCT 15 2008 Trilling rig: Conservation Division of conclusion of c	Mission
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: October 13, 2008 Signature of Operator or Agent:	If Yes, proposed zone: PAVIT Sing of this well will comply with K.S.A. 55 et. seq. OCT 15 2008 Irilling rig; Conservation Division and control of the top; in all cases surface pipe shall be witchtra, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:	MISSION
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: October 13, 2008 Signature of Operator or Agent:	If Yes, proposed zone: PAVIT Sing of this well will comply with K.S.A. 55 et. seq. OCT 15 2008 Irilling rig; Conservation Division and control of the top; in all cases surface pipe shall be witchtra, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:	
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: October 13, 2008 Signature of Operator or Agent:	DAVIT ging of this well will comply with K.S.A. 55 et. seq. OCT 15 2008 Irilling rig; circulating cement to the top; in all cases surface pipe shall be with tax inderlying formation. It office on plug length and placement is necessary prior to plugging; do production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	MISSION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: October 13, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 318 OP - OCO Conductor pipe required	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM OCT 15 2008 Irilling rig; Conservation Division Conservation	
The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented in the completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best pate. 6. October 13, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3180P - 0000 Conductor pipe required	DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COM Conservation Com Conservation Com Conservation Com Conservation Division Conservation Conservation Conservation Conservation Conservation Conservation Conservation Division Conservation Conservation Conservation	MISSION
The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented in the completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best pate. 6. October 13, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3180P - 0000 Conductor pipe required	DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COM Conservation Com Conservation Com Conservation Division Conservation Conservation Conservation Conservation Conservation Conservation Conservation Conservation Conservation Conservation Conservation Division Conservation Conservation Division Conservation Division Conservatio	
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: October 13, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 318 OP - OCO Conductor pipe required	DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COM Conservation Com Conservation Com Conservation Division Conservation Conservation Division Conservation Division Conservation Conservation Division Conservation Division Conservation Divi	
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: October 13, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3180P - OOO Conductor pipe required	DAVIT Ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Circulating cement to the top; in all cases surface pipe shall be WiCHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: October 13, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3180P - 000 Conductor pipe required	DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COM Conservation Com Conservation Com Conservation Division Conservation Conservation Division Conservation Division Conservation Conservation Division Conservation Division Conservation Divi	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 - 31808-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Montgomery
Lease: Oliver SWD	115 feet from N / X S Line of Section
Well Number: 13-20	165 feet from E / X W Line of Section
Field: Cherokee Basin Coal	Sec. 20 Twp. 32 S. R. 14 Z E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SW - SW - SW - SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	······			 	
	•••••	,	 	 	
	,,,,,,,,		 	 	
165′			 	 	.,.,
165 ' -9 115	,				

RECEIVED KANSAS CORPORATION COMMISSION

OCT 15 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).


Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Ope	erating, LLC		License Number: 33365			
Operator Address: 1900 Shawnee Mission Parkway		Mission Woods KS 66205				
Contact Person: Timothy H. Wrig	ht		Phone Number: 913-748-3960			
Lease Name & Well No.: Oliver SWI) 13-2	20	Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW SW SW SW			
Emergency Pit Burn Pit	Proposed Existing		Sec. 20 Twp. 32 R. 14 East West			
Settling Pit X Drilling Pit	If Existing, date constructed:		115 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		165 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)		(bbls)	Montgomery County			
Is the pit located in a Sensitive Ground Water	Area? Yes Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	Yes X No		self-sealing			
Pit dimensions (all but working pits):3	D Length (feet	t)20	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to deep	pest point:	3 (feet) No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure.			edures for periodic maintenance and determining including any special monitoring.			
l ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		•	owest fresh waterfeet.			
none feet Depth of water well feet measu						
· · · · · · · · · · · · · · · · · · ·		cover and Haul-Off Pits ONLY:				
Producing Formation: Type of materia		al utilized in drilling/workover: fresh water mud				
Number of producing wells on lease: Number of worl		rking pits to be utilized:2				
Barrels of fluid produced daily: Abandonment		donment procedure: Let evaporate until dry, then backfill and restore				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		ist be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISS						
	N	1 - Q	OCT 15 2008			
October 13, 2008 Date			CONSERVATION DIVISION			
Date			WICHITA, KS			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 10/15/08 Permit Numb	per:	Permi	it Date: 10/15/05 Lease Inspection: Yes XNo			





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.