For KCC Use:	10-22-08
Effective Date:	10000
District #	1/
SGA? Yes	▼ _{No}

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

wust de approved by NCC live (
Expected Spud Date: December 8th, 2008	Spot Description:	
month day year	NW - SE - NW - Sec. 23 Twp. 29 S. R. 33 E	₹lw
32787	(0/0/0/0) 1,417 feet from N / S Line of Se	_
OPERATOR: License# Name: Kansas Natural Gas Operating, Inc.	1,323 feet from E / X W Line of Se	
Address 1: P.O. Box 815	Is SECTION: Regular Irregular?	
Address 2:	<u> </u>	
City: Sublette State: KS Zip: 67877 +	(Nate: Locate well on the Section Plat on reverse side) County: Haskell	
Contact Person: Steve Lehning	Lease Name: Wright Well #: 2-3	
Phone: 620-675-8185	Field Name: Hugoton-Chase Series	
CONTRACTOR: License# 33784		7
CONTRACTOR: License# 33/84 Name: Trinidad Drilling - LLC	Is this a Prorated / Spaced Field?	_l⊿o
Ivalile.	Target Formation(s): Hugoton- Chase	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1323' FWL	
Oil Enh Rec Infield Mud Rotary		MSL,
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	No
Disposal Wildcat Cable		≤ No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 600'	
Other:	Depth to bottom of usable water:	4. 44
If OWWO: old well information as follows:	Surface Pipe by Alternate: XII III	
II OVVVVO: Oid well information as follows.	Length of Surface Pipe Planned to be set: 750 820 min.	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth:	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Chase Formation	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other: Hauled Fresh Water	
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:	
	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	∑]Nó
NOC DRT #.	If Yes, proposed zone:	
	If Yes, proposed zone:RECEI	VED
PRORATEO : SPACEO: HULOTON PANOMA AFFIL	If Yes, proposed zone: RECEI DAVIT KANSAS CORPORATI	VED
PROPATEO : Spaceo: HULOTON-PANOMA AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg	If Yes, proposed zone: RECEI DAVIT KANSAS CORPORAYI ging of this well will comply with K.S.A. 55 et. seq.	VED ON COMMISSION
PROPATEO SPACEO: HULOTON PANOMA AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEI DAVIT KANSAS CORPORATI	VED ON COMMISSION
PROPATEO : Spaces: HULOTON PANOMA AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: RECEI DAVIT KANSAS CORPORATE ging of this well will comply with K.S.A. 55 et. seq. OCT 17	VED ION COMMISSION 2008
PROPATEO : SPACEO: HULOTOW-PANIMA AFFICE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drill shall shall be posted on each drill shall sha	If Yes, proposed zone: RECEI DAVIT Sing of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; CONSERVATIO	VED ION COMMISSION 2008 NDIVISION
PROPATEO : Spaces: HULOTON PANOMA AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: RECEI DAVIT KANSAS CORPORATE ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; circulating cement to the top; in all cases surface pipe shall be self/ichitA	VED ION COMMISSION 2008 NDIVISION
PROPATEO : Spaceo: HULOTOW-PANIMA AFFICE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drill. 3. The minimum amount of surface pipe as specified below shall be set by	If Yes, proposed zone: RECEI DAVIT KANSAS CORPORATE ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; circulating cement to the top; in all cases surface pipe shall be self-ICHITA underlying formation.	VED ION COMMISSION 2008 NDIVISION
PROPATEO SPACEO: HULOTON PANOMA AFFIL The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged.	If Yes, proposed zone: RECEI DAVIT KANSAS CORPORATE ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; CONSERVATIO recirculating cement to the top; in all cases surface pipe shall be self-ICHITA underlying formation. at office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;	VED ION COMMISSION 2008 NDIVISION
PROPERTED SPACED: HULOTON PANOMA AFFILE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for the state of the stat	If Yes, proposed zone: RECEI DAVIT KANSAS CORPORATI ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; circulating cement to the top; in all cases surface pipe shall be selNiCHITA underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	VED ION COMMISSION 2008 NDIVISION
PROPERTED SPACED: HULOTON PANOMA AFFILE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	If Yes, proposed zone: RECEI DAVIT KANSAS CORPORATI ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; conservation conderlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	VED ION COMMISSION 2008 NDIVISION
PROPATEO SPACEO: HULOTON-PANOMA AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged.	RECEI DAVIT RANSAS CORPORATE ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; conservation circulating cement to the top; in all cases surface pipe shall be self-ICHITA underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.	VED ION COMMISSION 2008 NDIVISION
PROPERTED SPACED: HULOTON PANOMA AFFILE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	RECEI DAVIT RANSAS CORPORATE ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; conservation circulating cement to the top; in all cases surface pipe shall be self-ICHITA underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.	VED ION COMMISSION 2008 NDIVISION
PROPERTED SPACED: HULOTON PANOMA AFFILE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pled.	RECEI DAVIT RANSAS CORPORATI ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; CONSERVATIO reirculating cement to the top; in all cases surface pipe shall be self/ICHITA underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.	VED ION COMMISSION 2008 NDIVISION
PROPATEO SPACEO: HULOTON-PANOMA AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged.	If Yes, proposed zone: RECEI RANSAS CORPORATI ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; conservation reirculating cement to the top; in all cases surface pipe shall be self/ICHITA underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Supt.	VED ION COMMISSION 2008 N DIVISION N, KS
PROPARTEO * SPACEO: HULOTON-PANIMA AFFICE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl I hereby certify that the statements made herein are true and correct to the best pate: 10-15-08 Signature of Operator or Agent:	If Yes, proposed zone: RECEI RANSAS CORPORATI ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; CONSERVATIO reirculating cement to the top; in all cases surface pipe shall be self-ICHITA underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: SUAT. Remember to:	VED ION COMMISSION 2008 NDIVISION
PROPARTEO 1 SPACEO: HULOTOW-PANIMA AFFICE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the distriction of the surface district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best pate: Date: 10-15-08 Signature of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: RECEI RANSAS CORPORATI ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; conservation reirculating cement to the top; in all cases surface pipe shall be self/ICHITA underlying formation. It office on plug length and placement is necessary prior to plugging; door production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Supt. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	VED ION COMMISSION 2008 N DIVISION N, KS
PROPARTEO : Spaceo: Huborow-Panima AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pled thereby certify that the statements made herein are true and correct to the best pate: 10-15-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O81-21845-COOD	If Yes, proposed zone: RECEI RANSAS CORPORATI ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; conservation reirculating cement to the top; in all cases surface pipe shall be selfichtra anderlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	VED ION COMMISSION 2008 N DIVISION KS
PROPARTEO : SPACEO: HULOTOW-PANIMA The undersigned hereby affirms that the drilling, completion and eventual pluggilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the distriction of the surface district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be placed by the completed within 30 days of the spud date or the well shall be placed by the spud date or the statements made herein are true and correct to the best pate: 10-15-08 Signature of Operator or Agent: For KCC Use ONLY API #15- 081-21845-0000 Conductor pipe required Now feet	If Yes, proposed zone: RECEI RANSAS CORPORATI ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; CONSERVATIO recirculating cement to the top; in all cases surface pipe shall be self/ICHITA underlying formation. at office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. at of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	VED ION COMMISSION 2008 N DIVISION N, KS
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl. hereby certify that the statements made herein are true and correct to the best plate: 10-15-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O81-21845-0000 Conductor pipe required Feet	If Yes, proposed zone: RECEI CANSAS CORPORATI ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; CONSERVATIO recirculating cement to the top; in all cases surface pipe shall be self-ICHITA underlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	VED JON COMMISSION 2008 N DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl. hereby certify that the statements made herein are true and correct to the best plate: 10 - 15 - 08	If Yes, proposed zone: RECEI RANSAS CORPORATI ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; CONSERVATIO recirculating cement to the top; in all cases surface pipe shall be self/ICHITA underlying formation. at office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. at of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	VED JON COMMISSION 2008 N DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl. hereby certify that the statements made herein are true and correct to the best pate: 10 - 15 - 08	If Yes, proposed zone: RECEI DAVIT RANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; CONSERVATIO recirculating cement to the top; in all cases surface pipe shall be self-ICHITA underlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	VED JON COMMISSION 2008 N DIVISION KS
PROPARTEO : Spaceo: Huborow-Panima AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the distric 5. The appropriate district office will be notified before well is either plugged for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plus be thereby certify that the statements made herein are true and correct to the best pate: 10-15-08 Signature of Operator or Agent: For KCC Use ONLY API #15- 081-21845-0000 Conductor pipe required Nove feet Minimum surface pipe required feet Approved by: Lumino 17-09 This authorization expires: 10-17-09	If Yes, proposed zone: RECEI DAVIT RANSAS CORPORATI ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; CONSERVATIO recirculating cement to the top; in all cases surface pipe shall be self-ICHITA underlying formation. It office on plug length and placement is necessary prior to plugging; door production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.	VED JON COMMISSION 2008 N DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl. hereby certify that the statements made herein are true and correct to the best pate: 10 - 15 - 08	If Yes, proposed zone: RECEI DAVIT RANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; CONSERVATIO recirculating cement to the top; in all cases surface pipe shall be self-ICHITA underlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	VED JON COMMISSION 2008 N DIVISION KS
PROPARTEO : Spaceo: Huborow-Panima AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the distric 5. The appropriate district office will be notified before well is either plugged for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plus be thereby certify that the statements made herein are true and correct to the best pate: 10-15-08 Signature of Operator or Agent: For KCC Use ONLY API #15- 081-21845-0000 Conductor pipe required Nove feet Minimum surface pipe required feet Approved by: Lumino 17-09 This authorization expires: 10-17-09	RECEI DAVIT Ging of this well will comply with K.S.A. 55 et. seq. OCT 17 Irilling rig; CONSERVATIO recirculating cement to the top; in all cases surface pipe shall be self/ICHITA underlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	VED JON COMMISSION 2008 N DIVISION KS 23 29 33


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - New Well - (Infield) /5-081-2/845-000	
Operator: Kansas Natural Gas Operating, Inc.	Location of Well: County: Haskell
Lease: Wright Well Number: 2-3	1,417 feet from N / S Line of Section
	1,323 feet from E / X W Line of Section
Field: Hugoton-Chase Series	Sec. <u>23 Twp. 29</u> S. R. <u>33</u> E 🔀 W
Number of Acres attributable to well: 640 QTR/QTR/QTR/QTR of acreage: NW - SE - NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED KANSAS CORPORATION COMMISSION

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

OCT 17 2008

CONSERVATION DIVISION WICHITA, KS

PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL

Kansas Corporation Commission, Conservation Division Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202 /5-081-21845-000

API NU	BER 1	5- <u>\</u>		1 - In	field		LOCATION	OF 1	WELL: COUNTY Hackell	,
OPERATOR Kansas Natural Gas Operating, Inc				1417 feet from south north line of section						
WELL NO	IMBER	2-3					1323_ f	eet	from east west line o	f section
FIELD _	Hu	goton	-Chase	Format	tion				(E) DC	200
QTR/QTI	R/QTR	OF AC	REAGE .	_NW	O WELL SE - 1		IS SECTION OF SECTION	ON		EGULAR L FROM e below) SESW
(Show t	he lo	catio	n of th	e well	and shade	attri	butable ac	rea	ge for prorated or space	d wells).
					t lease o			`	; and show footage to th	e nearest
commo	n Bour	ce su	pply w		<u> </u>	(HASKE	ELL COUNT	Y)		
		_				•	•			
			F	•		•	•	1		ļ.
			[]				• • • • • • •		Unit comprised of a	11 of
	ļ	•	A	•		•	•		Sec. 23-29S-33 West	RECEIVED
		•	#	•	• ,	•	•	1	Total of 640 Acre ga	SAS CORPORATION COMMISSION
	<!--329</del-->	·FW	.		• • • • • • • • • • • • • • • • • • •	••	-			007 / 5 - 1
		:	•		:		•			OCT 17 2008
	• • • •		• • • • • • • • • • • • • • • • • • •			• • • • •	• • • • • • •			CONSERVATION DIVISION WICHITA, KS
		•	•			•	•			7
W				——· 7	ــــــــــــــــــــــــــــــــــــــ			E	EXAMPLE .	
		•	•	•	ı :	•	•			
		•	•		l ['] .		⁻	}	1980 1980)
		•	•	•			•	1	i . ⊞ ⊞	İ
		•	•	•			•		10	
		• • • •		• • • • • •		• • •				
		•	•	•	•	•	•		3390'	1
,		•	•	•	•		•			
,	••••						•	1		
		•	•	•		•	•			
	L				<u></u>			j	SEWARD CO.	
Tì	ne unde	ersign	ed her	_	5 Lifies as	S	uperinten	den	t (t	itle) for
Vana	oo No	 1	C C)			i	آه. ا	, a duly authorized agent	. that all
informa	ition	Bhown	hereon	nerari is tru	e and cor	rect to	o the best	of	my knowledge and belief,	that all
acreage	clai	med a	ttribu	table to	o the wel	ll name	d herein	is h	eld by production from	that well
					r an allo whicheve:			igne	d to the well upon the	filing of
						Signat	ure	St	ver M. Schning, SUPT.	
Subscri	bed a	nd swo	orn to l	befor e r	me on this	B/	15 th day of		ver M. Schning, Supr.	2008
							Kia	· -)	Notary Bublic	
My Comm	nissio	n exp	ires _	May	8,2010			ſ	FORM CG-	8 (12/94)
				The parties of	À.	KRAIG L. GR MOTARY PUB STATE OF KAN LODE EXP. S				

15-081-218450000




ROBINSON SERVICES

Oil Field & Construction Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499



Kansas Natural Gas, Inc.

Haskell County, KS

COUNTY

OPERATOR

s100708-v

PLAT NO.

23 29s <u>33w</u>

LEASE NAME 1417' FNL - 1323' FWL

LOCATION SPOT

Wright #2-3


1" =1000" SCALE: . Oct. 3rd, 2008 DATE STAKED: Burt W. MEASURED BY: Gabe Q. DRAWN BY: Steve L. & Gary U. AUTHORIZED BY:_

This drawing does not constitute a monumented survey or a land survey plat This drawing is for construction purposes only

GR. ELEVATION: 2932.3'

Directions: From 1 mile SW of Sublette, Ks at the intersection of Hwy 83 & Hwy 56 - Now go 2 miles North on Hwy 83 -Now go 2 miles West on 170th Rd to the SW corner of section 23-29s-33w - Now go 0.8 mile North on Rd KK to ingress East into - Now go 0.3 mile East to pivot - Now go 150' South through sprinkler irrigated growing wheat into staked location.

Final ingress must be verified with land owner or Kansas Natural Gas. Inc.



RECEIVED KANSAS CORPORATION COMMISSION

OCT 17 2008

CONSERVATION DIVISION WICHITA, KS

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			· · · · · · · · · · · · · · · · · · ·				
Operator Name: Kansas Natural Gas	Operating, Inc	License Number: 32787					
Operator Address: P. O. Box 815	Sublette, KS	67877					
Contact Person: Steve Lehning			Phone Number: 620-675-8185				
Lease Name & Well No.: Wright 2-3			Pit Location (QQQQ):				
Type of Pit:	Pit is:		NW SE NW 1/4				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 23 Twp. 29 R. 33 East West				
Settling Pit Drilling Pit	If Existing, date of	onstructed:	1,407 / 417 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1,300 1323 Feet from East / West Line of Section				
(if vir Supply Ar i rio. or real bridge)	500	(bbls)	Haskell County County				
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: N/A mg/l				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?				
Yes No	Yes X	No	Gel-Mud				
Pit dimensions (all but working pits):	70 Length (fe	eet)10	Width (feet) N/A: Steel Pits				
Depth fo	rom ground level to de	eepest point:	6 (feet) No Pit				
If the pit is lined give a brief description of the		Describe proce	edures for periodic maintenance and determining RECEIVED) Ommissii			
material, thickness and installation procedure	€.	i					
NA		NA	OCT 1 7 200	J8			
			CONSERVATION DIV WICHITA, KS	ISION			
Distance to nearest water well within one-mile	e of pit		west fresh water600feet.				
1200 feet Depth of water well	7/7 NA feet	Source of information: measured X well owner electric log KDWR C					
Emergency, Settling and Burn Pits ONLY:		I =	over and Haul-Off Pits ONLY:	رار ال			
Producing Formation:		Type of materia	at utilized in drilling/workover: Fresh water - Drilling Mud	7			
Number of producing wells on lease:		ľ	king pits to be utilized:1	N			
Barrels of fluid produced daily:		Abandonment	procedure: Evaporate till dry. Backfill and spread manure over location.	8			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above state	ements are true and o	correct to the best	of my knowledge and belief.	1842-020			
		A	4	Č			
OCTORER 15 TH 2008 Date	<u></u>	<i>مالد</i> s	uen M. Sehning Supr. ignature of Applicant or Agent				
***************************************	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS				
Date Received: 10/17/d8Permit Num	ber:	Permi	t Date: 10/17/08 Lease Inspection: Yes \No				