### For KCC Use: Effective Date: 10~25~08 District # 4

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION NOTICE OF INTENT TO DRILL

## Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

	All blanks must be Filled e (5) days prior to commencing well
Expected Spud Date: November 5, 2008 month day year	Spot Description:
•	C - E/2 - NW - SW Sec. 27 Twp. 6 S. R. 21 EXW
OPERATOR: License#	feet from   N / X   S Line of Section
ame: Clipper Energy, LLC	1,080 Feet from E / W Line of Section
ddress 1: 3838 Oak Law #1310	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity: Dallas State: TX Zip: 75219 +	County: Graham
ontact Person: Bill Robinson	Lease Name: Russell Well #: 1
hone:	Field Name: w/c
ONTRACTOR: License#32564	Is this a Prorated / Spaced Field?
ame: Best Energy Services, Inc.	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1080
	Ground Surface Elevation: feet MSL
	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 190
Other:	Depth to bottom of usable water: 1180
	Surface Pipe by Alternate: IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200
Operator:	Length of Conductor Pipe (if any): na
Well Name:	Projected Total Depth: 3900
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other: truck
Yes, true vertical depth:	
	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR
ottom Hole Location:	
ottom Hole Location:	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes No  If Yes, proposed zone:
ottom Hole Location:	(Note: Apply for Permit with DWR ☐)  Will Cores be taken? ☐ Yes ☒ No  If Yes, proposed zone: ☐ RECEIVE.
ottom Hole Location:CC DKT #:	(Note: Apply for Permit with DWR ☐)  Will Cores be taken? ☐ Yes ☒ No  If Yes, proposed zone: ☐ RECEIVEL  KANSAS CORPORATION COM
ottom Hole Location:	(Note: Apply for Permit with DWR )  Will Cores be taken?
ottom Hole Location:	(Note: Apply for Permit with DWR ☐)  Will Cores be taken? ☐ Yes ☒ No  If Yes, proposed zone: ☐ RECEIVEL  KANSAS CORPORATION COM
AFF the undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	(Note: Apply for Permit with DWR )  Will Cores be taken?
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each	Will Cores be taken?  If Yes, proposed zone:  RECEIVEL  KANSAS CORPORATION COM  OCT 2 0 2008  CONSERVATION DIVISIO
AFF The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set in the content of	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be With Hita. KS.
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  RECEIVEL  KANSAS CORPORATION COM  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be Will Hita. KS  (Note: Apply for Permit with DWR  PYES NO  RECEIVEL  KANSAS CORPORATION COM  CONSERVATION DIVISION  CONSERVATION DIVISION  By circulating cement to the top; in all cases surface pipe shall be Will Hita. KS  By underlying formation.
AFF  the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dist to The appropriate district office will be notified before well is either plugg.	Will Cores be taken?  If Yes, proposed zone:  RECEIVEL  KANSAS CORPORATION COM  OCT 2 0 2008  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be self-HITA, KS are underlying formation.  Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dist to the appropriate district office will be notified before well is either plugg for an ALTERNATE II COMPLETION, production pipe shall be cemented.	(Note: Apply for Permit with DWR )  Will Cores be taken?
AFF  the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dist of the surface pipe and the district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  The production casing is cemented in;  of from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  RECEIVEL  KANSAS CORPORATION COM  Gridling rig;  by circulating cement to the top; in all cases surface pipe shall be SeCHITA, KS and corporation.  In drilling formation.  In order of the complete of the top; in all cases surface pipe shall be secCHITA, KS are underlying formation.  In order of the complete of the top; in all cases surface pipe shall be secCHITA, KS are underlying formation.  In order of the complete of the top; in all cases surface pipe shall be secCHITA, KS are underlying formation.  In order of the complete of the top; in all cases surface pipe shall be secCHITA, KS are underlying formation.  In order of the complete of the top; in all cases within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the between the correct to the both control of the statements made herein are true and correct to the between the correct to the both control of the statements made herein are true and correct to the both control of the statements made herein are true and correct to the both control of the statements made herein are true and correct to the both control of the statements made herein are true and correct to the both control of the statements made herein are true and correct to the both control of the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements.	(Note: Apply for Permit with DWR   Yes   No   Yes   No   If Yes, proposed zone:   RECEIVEL   KANSAS CORPORATION COME   KANSAS CORPORATION COME   CONSERVATION DIVISION   CONSE
AFF  the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and correct to the b	Will Cores be taken?  If Yes, proposed zone:  RECEIVEL  KANSAS CORPORATION COMM  OCT 2 0 2008  CONSERVATION DIVISION  and drilling rig;  by circulating cement to the top; in all cases surface pipe shall be septimized or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> I through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and correct to the b	Will Cores be taken?  If Yes, proposed zone:  RECEIVEL  KANSAS CORPORATION COMM  To drilling rig;  by circulating cement to the top; in all cases surface pipe shall be with HITA, KS and corporation.  In drilling rig;  To conservation division below in a plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and or production casing is cemented in; and or production casing is cemented in; and placement is necessary prior to plugging; ged or production casing is cemented in; and placement in the KCC district 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Agent  Title:
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bate:  Signature of Operator or Agent:  **For KCC Use ONLY**	Will Cores be taken?  If Yes, proposed zone:  RECEIVE  KANSAS CORPORATION COMM  To drilling rig;  by circulating cement to the top; in all cases surface pipe shall be self-HITA, Ks and underlying formation.  Trict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Agent  Title:
AFF the undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and correct to the b ate:  10/15/08  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVEL  KANSAS CORPORATION COMM  Graphy of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  By circulating cement to the top; in all cases surface pipe shall be set HITA, KS et underlying formation.  Trict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing eplugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of soud date;
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the botate:  10/15/08  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - DL 5 - 23498 -00-DD	Will Cores be taken?  If Yes, proposed zone:  RECEIVEL  KANSAS CORPORATION COMM  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set HITA, KS are underlying formation.  In drilling rig; production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the botate:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - DL5 - 23498 -00 - DD  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  RECEIVEL  KANSAS CORPORATION COMM  RECEIVEL  KANSAS CORPORATION COMM  CONSERVATION DIVISION  CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the botate:    10/15/08	Will Cores be taken?  If Yes, proposed zone:  RECEIVEL KANSAS CORPORATION COMM  RECEIVEL KANSAS CORPORATION COMM  Graph of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  CONSERVATION
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the behalf that the statements made herein are true and correct to the behalf that the statement of the plus of the spud date of the spud correct to the behalf that the statement of the spud correct to the behalf that the statement of the statement of the spud correct to the behalf that the statement of the spud correct to the space of the s	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COM  RECIVED  KANSAS CORPORATION COM  OCT 20 2008  CONSERVATION DIVISION  CONSERVATIO
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bate:    Signature of Operator or Agent:   Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  RECIVED  KANSAS CORPORATION COMM  CONSERVATION DIVISION
AFF the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bate:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - DLo 5 - 23498 -00 - DD  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COM  RECEIVED  KANSAS CORPORATION COM  GOT 2 0 2008  CONSERVATION DIVISION  CONSERVATION COMMISSION  CONSER
AFF the undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> I through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the b hereby certify that the statements made herein are true and correct to the b hereby certify that the statements made herein are frue and correct to the b hereby certify that the statement of Operator or Agent:  For KCC Use ONLY  API # 15 - DL 5 - 23498 - 00 - 00  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  RECIVED  KANSAS CORPORATION COMM  CONSERVATION DIVISION

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065- 23498-00-00				
Operator: Clipper Energy, LLC	Location of Well: County: Graham			
Lease: Russell	1,980 feet from N / X S Line of Section			
Well Number: 1	1,080 feet from E / X W Line of Section			
Field: w/c	Sec. <u>27</u> Twp. <u>6</u> S. R. <u>21</u> E X W			
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:  C - E/2 - NW - SW	Is Section: Regular or Irregular			
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW			


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	:	:			-	
4114141		14114111	-1117311			
*******	; ; ; ; ; ; ; ;	•				
	 			*******	41-1	
		<u>:</u> 2	1			
	1080	<u>.</u>				
-	1980		:			
		.,,,,,,,,				
	<b>l</b> :					

RECEIVED KANSAS CORPORATION COMMISSION

OCT 2 0 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-t April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Clipper Energy, LLC		License Number: 33979					
Operator Address: 3838 Oak Law #1310		Dallas	TX	75219			
Contact Person: Bill Robinson		Phone Number: 214-220-1080					
Lease Name & Well No.: Russell	1		Pit Lecation (QQQQ):				
Type of Pit:	Pit is:		C _ E/2 _ NW _ SW _ Sec 27 _ Twp 6 _ R 21 East _ West				
Emergency Pit Burn Pit	Proposed	Existing					
Settling Pit Drilling Pit	If Existing, date constructed:		,980 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		1,080 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)		(bbls)	Graham		County		
Is the pit located in a Sensitive Ground Water	Area? Yes 🔀	JNo .	Chloride concentration:		-		
La the bottom below many design	Artificial Liner?		(For Emergency Pits and Se				
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Bentonite				
Pit dimensions (all but working pits):	DO Length (fe	100	Width (feet)	N/A: Steel	l Pits		
	om ground level to de		5 (feet)	No Pit			
If the pit is lined give a brief description of the		1	res for periodic maintenance and de	ermining			
material, thickness and installation procedure.							
			•				
			:				
		5 11 1 1 1	190 90				
		Depth to shallowest fresh water 190 90 feet. Source of information:					
4058 feet Depth of water well 125 feet			easured well owner electric log KDWR				
		1	rkover and Haul-Off Pits ONLY:				
		ial utilized in drilling/workover: Chemical Mud					
			of working pits to be utilized:3  ment procedure: backfilled after evaporation				
		cedure: Dackinicu arter cva	MINISTRA				
Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes  No  Drill pits must		t be closed within 365 days of spud date.					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMON					N COMPercial		
	_			OCT 20	2008		
10-15-08		3-2-	- C	<del>Onservatio</del> n			
Date Signatu			ature of Applicant or Agent	WICHITA.	Ks		
KCC OFFICE USE ONLY			Y Steel Pit RF	C RFA	.s 🔲		
Date Received: 10/20/08 Permit Number:Permit			Date: 10/80/08 Lease inspec	tion: Yes	. ∠No		