For KCC Use:

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date: November 1, 2008	Spot Description:
month day year	SE SW Sec. 36 Twp. 29 S. R. 32 EXW
ODERATOR: Ligargett 33856	(0/0/0/0) 700 foot from [N] / [V] S. Line of Section
OFERATOR, License#	700 feet from N / X S Line of Section 2,230 feet from E / X W Line of Section
Name: WHITE EXPLORATION, INC. Address 1: 2400 N. Woodlawn, Suite 115	Is SECTION: Regular Irregular?
	is SECTION: [*] Regular [ ] Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Kenneth S. White	County: Haskell
Phone: 316-682-6300	Lease Name: Phoenix Farms Well #: #2
	Field Name: wildcat
CONTRACTOR: License#_ 30606	Is this a Prorated / Spaced Field?
Name: Murfin Drilling Company, Inc.	Target Formation(s): Morrow, Mississippi
/ Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 410
✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	Ground Surface Elevation: 2880 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal ➤ Wildcat Cable	Public water supply well within one mile:
Seismic # of Holes Other	Depth to bottom of fresh water: 550
Other:	Depth to bottom of usable water: 680
	Surface Pipe by Alternate: 🗶 I 📗 II
If OWWO: old well information as follows;	Length of Surface Pipe Planned to be set: 1800'
Operator:	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth; 5800'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Not known at this time
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes ▼ No ✓
	If Yes, proposed zone:
	RECEIVED
AFF	IDAVIT KANSAS CORPORATION CO
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	IDAVIT  RANSAS CORPORATION CO  Iging of this well will comply with K.S.A. 55 et. seg.
	IDAVIT  RANSAS CORPORATION CO  Iging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	IDAVIT  RANSAS CORPORATION CO  Iging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  OCT 2 1 200
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  OCT 2 1 200  drilling rig;  CONSERVATION DIVIS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	pging of this well will comply with K.S.A. 55 et. seq.  OCT 2 1 200  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHITA, KS underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set with K.S. A. So et. Seq.  CONSERVATION DIVIS  WICHITA, KS underlying formation.  ict office on plug length and placement is necessary prior to plugging:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugger.	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WICHITA, KS underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugges for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set wiCHITA, KS underlying formation.  id of production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugges for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WICHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the beson that the statements made herein are true and correct to the beson to the spud date or the well shall be 1.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the spud date.	drilling rig;  or conservation of this well will comply with K.S.A. 55 et, seq.  Conservation divisions of this well will comply with K.S.A. 55 et, seq.  Conservation divisions of the top; in all cases surface pipe shall be set within and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 est of my knowledge and belief.  President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date:  October 20, 2008  Signature of Operator or Agent:	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set wiCHITA, KS underlying formation. id of plug length and placement is necessary prior to plugging; id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. set of my knowledge and belief.  President  Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed Date:  October 20, 2008  Signature of Operator or Agent:  For KCC Use ONLY	drilling rig;  conservation do conservation conservation conservation conservation conservation do conservation.  conservation division de conservation do con
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be be a completed. Signature of Operator or Agent:  Date: October 20, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OSI - OISH-ON-ON-ON-ON-ON-ON-ON-ON-ON-ON-ON-ON-ON-	drilling rig;  drilling rig;  drilling rig;  v circulating cement to the top; in all cases surface pipe shall be set with the set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  38,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  18st of my knowledge and belief.  18 President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed Date:  October 20, 2008  Signature of Operator or Agent:  For KCC Use ONLY	drilling rig;  conservation do drilling rig;  drilling rig;  v circulating cement to the top; in all cases surface pipe shall be set within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  1st of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the spud between the correct to the best of the spud between the correct to the best of the spud between the correct to the best of the spud between the correct to the best of the spud between the correct to the best of the spud between the correct to the best of the spud between the correct to the best of the spud between the correct to the best of the spud between the correct to the spud between the operator of the spud between the operator of the spud between the correct to the spud between the operator of the spud between the district to the spud between the operator of the spud between the operator of the spud between the operator of the spud between the correct to the spud between the operator of the spud b	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 of my knowledge and belief.  16 President  17 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days).
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a thereby certify that the statements made herein are true and correct to the best of the conductor pipe required    Signature of Operator or Agent:   Supplied   Supplied	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 of my knowledge and belief.  16 President  17 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days).
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certified between the shall be	drilling rig;  conservation down district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging ireport (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best part of the complete of the complete of the production pipe required feet per ALT. The lift Approved by:    For KCC Use ONLY	drilling rig;  conservation down did comply with K.S.A. 55 et. seq.  OCT 2 1 2000  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set WICHITA, KS underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ict of production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Ist of my knowledge and belief.  President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be 1 hereby certified between the shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 of my knowledge and belief.  16 File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  16 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best part of the complete of the complete of the production pipe required feet per ALT. The lift Approved by:    For KCC Use ONLY	drilling rig;  conservation downward or plugging;  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set  wichita, KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  id or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  Ist of my knowledge and belief.  President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry,  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 081- 21849-00-00  Operator: WHITE EXPLORATION, INC.	Location of Well: County: Haskell
Lease: Phoenix Farms  Well Number: #2  Field: wildcat	700   feet from   N / X S Line of Section   2,230   feet from   E / X W Line of Section   Sec. 36   Twp. 29   S. R. 32   E X W
Number of Acres attributable to well:	Is Section: 🗶 Regular or 🔲 Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

2230'								
				_	i		_	
		1	•		I		-	
		:	:	:	1	:	:	:
		:	:		1		:	
			:		1			
				•				
	1				1			
		•		•	i			•
					1			
					*******			
					1			
		•		•	1			•
			•	•	I	•	•	
		•	•	•		•	•	•
		•		•	ı	•	•	•
		•		•	1	•		•
		•	•	•	I	•	•	•
		•		•	I	•	•	•
					I			
					I			
	4	-	•	_	I	•	•	
		•	•	:	I	:	•	:
	1	1	<u> </u>	:	I		:	
	4	:	Ξ	:	I		:	
	1		:		I		:	
	1		1		I		:	
	1				I			
	1	•	:		I			
	1				i			
								•••••
	1				!			
	1			•	I	•		•
	1	•	•	•	l	•		•
	1	•		•	1	•	•	•
		•	•	•	!	•	•	•
		•	•	•	I	•	•	•
		•	•	:		:	•	:
		:	•	:		:	•	:
		:	:	:		:	:	:
		-	•				•	
	1	•	•	:				
	1	:	•			:	•	
		:	•					
	1							
	1	:			1			
	Į.							
		•		•		•		
	1							
		• • • • • • • •						
		•		•		•		•
		•	•	•		•	•	•
		•	•		l	:	•	
	1		-		I	:	•	
	1	•	•	:	l	:	•	
	1	:	•	:	i	:		
	1	•	•	-	I	- '	•	-
	1				1			
	1		-		l -			
	1		•	. —) ~	l~ 1 ← /	•		
	i	•		• 11	I≺ /] `	•		~ ~ IA
	1	•	•	· company		•		1/9
						<u> </u>		$\sim$
		•	•	•		•		1 1
	<b>1</b>	•	•		l	:		~
	٦.	:	:		l			
2700	1	•	- '	•	l	-		`A
902								/ ]
7000					l		;	< 1
27	1				l		. (	3 1
27	1				l		. 21	[ <b>!</b>
	1	•			l		, (	9 1
	I .	•			I	•		· 1
	1	•		•	l		. ~	LÍ
	1			•	l	•	. ,	- 1
<u> </u>	1	•	•	•	l	•		
		•	•		1	:		
	1	•	•		l	-		W
								<del></del>



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
April 2004
Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: WHITE EXPLORA	ATION, INC.		License Number: 33856				
Operator Address: 2400 N. Woodlawn, Suite 115			Wichita	KS 67220			
Contact Person: Kenneth S. White			Phone Number: 316-682-6300				
Lease Name & Well No.: Phoenix Farms #2		Pit Location (QQQQ):					
Type of Pit:	Pit is:		SW NE SE SW				
Emergency Pit Burn Pit	<b>✗</b> Proposed	Existing	Sec. 36 <sub>Twp. 29 R. 32 </sub>	East X West			
Settling Pit	If Existing, date of						
Workover Pit Haul-Off Pit	Pit capacity:		2,230 Feet from East / 🗶	_			
(If WP Supply API No. or Year Drilled)		(bbls)	Haskell	County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settle				
Yes No		No	How is the pit lined if a plastic liner is no Bentonite in drilling mud	it used?			
Pit dimensions (all but working pits):	0 Length (fo	eet)60	Width (feet)	N/A: Steel Pits			
Depth fr	om ground level to d	,	3 (feet)	No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe proce liner integrity, in	edures for periodic maintenance and deternated and special monitoring.	TRICEIVED SAS CORPORATION COMMISSION			
				OCT 2 1 2008			
				CONSERVATION DIVISION			
Distance to nearest water well within one-mile of pit  Depth to shallow Source of inform			owest fresh water 260_ feet.				
Emergency, Settling and Burn Pits ONLY: Drilling, Works			cover and Haul-Off Pits ONLY:				
Producing Formation: Type of material		al utilized in drilling/workover: Chemical mud					
Number of producing wells on lease: Number of work		rking pits to be utilized:					
Barrels of fluid produced daily: Abandonment p			procedure: Allow to dry and backfill				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Prill pits must be closed within 365 days of spud date.			§				
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.				
		1		6			
October 20, 2008		lenne	4,8. White				
Date		<i>]</i> Si	gnature of Applicant or Agent				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS    Date Received: 10/21/08 Permit Number: Permit Date: 10/21/08 Lease Inspection: Yes No							
Date Received: 10/31 08 Permit Numb	per:	Permit	Date: 10/21/08 Lease Inspection	: Yes 🗷 No			