For KCC Use:	10.01.00
Effective Date: _	103608
District #	
SGA? Tyes	[√] _{No}

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well	All Dizirks flust de Filled
Expected Spud Date: October 28 2008 month day year	Spot Description: 22 N & 40 W of	1717 [] []
OPERATOR: License# 8507	N/2 S/2 NW Sec. 10 Twp. 14 (10/10/10) Test from [V] N	
Of Cronotti Electrices	1000	/ S Line of Section
Name: PAXCO, INC.	Is SECTION: Regular Irregular	/ X W Line of Section
Address 1: 8920 Peppertree Circle Address 2:		
City: Wichita State: KS Zin: 67226 +	(Note: Locate well on the Section Plat on re	everse side)
Contact Person: Jay C. Clark	County: ETITS Lease Name: SANDER	
Phone: (316) 634-1714	Field Name:	vven #:
CONTRACTOR: License# 31548	Is this a Prorated / Spaced Field?	Yes X No
Name: Discovery Drilling	Target Formation(s): LKC & Arbuckle	
Well Drilled For: Well Class: Type Equipment:		012
X Oil Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: 2008	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes X No
Disposal Wildcat Cable	Public water supply well within one mile:	X Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180'	
Other:	Depth to bottom of usable water:650 1	
	Surface Pipe by Alternate: I X II	ــــــــــــــــــــــــــــــــــــــ
ilf OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 3550	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
Directional Deviated or Harizontal wallhard?	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes X No If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR	-
	(Note: Apply for Permit with DIVH I	1)
KCC DKT #:	-	
KCC DKT #:	Will Cores be taken?	Yes No
KCC DKT #:	-	Yes No
	Will Cores be taken? If Yes, proposed zone:	Yes No RECEIVED
AFFI	Will Cores be taken? If Yes, proposed zone: DAVIT KAN	Yes No
	Will Cores be taken? If Yes, proposed zone: DAVIT KAN	RECEIVED ISAS CORPORATION COMMIS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: DAVIT KAN	Yes No RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq.	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the or	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe anderlying formation.	Pes No RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WAHITA, ES
AFFI The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit. 4. If the well is dry hole, an agreement between the operator and the district	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe and confice on plug length and placement is necessary prio	Pes No RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WAHITA, ES
AFFI The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the or	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe and confice on plug length and placement is necessary priod or production casing is cemented in;	Pes No RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WAHITA, I'S I't to plugging;
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133	Will Cores be taken? If Yes, proposed zone: DAVIT Sing of this well will comply with K.S.A. 55 et. seq. drilling rig; v circulating cement to the top; in all cases surface pipe and complying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, altern	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION shall be WOHITA, I'S or to plugging; Sof spud date, late II cementing
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternallugged. In all cases, NOTIFY district office prior to an	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION shall be WOHITA, I'S or to plugging; Sof spud date, late II cementing
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternallugged. In all cases, NOTIFY district office prior to an	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION shall be WOHITA, I'S or to plugging; Sof spud date, late II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uniform the standard of	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternal ungged. In all cases, NOTIFY district office prior to an est of my knowledge and belief.	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WAHITA, IS If to plugging; S of spud date, ate II cementing by cementing.
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternal plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief.	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WAHITA, IS If to plugging; S of spud date, ate II cementing by cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the posted on each of the intention of the intent	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; v circulating cement to the top; in all cases surface pipe and comply generation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternative and complete and belief. Agentus A	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION IS and the Walter A. F.S. If to plugging; Sof spud date. In the lightness of the spud date. In the lightness of the spud date. It cementing by cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the posted on each of the intention of the inten	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe and comply grown of the control of	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WAHITA, I'S I't to plugging; Sof spud date. late II cementing by cementing.
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; v circulating cement to the top; in all cases surface pipe and comply generation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternative and complete and belief. Agentus A	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WOHITA, It's If to plugging; Sof spud date, ate II cementing by cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention o	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternal stopping and belief. Agentical Prior to an est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker.	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WOHITA, IS or to plugging; of spud date. late II cementing by cementing. II. III; date; orders; over or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the infimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the other through all unconsolidated materials plus a minimum of 20 feet into the other interpolated is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be produced by that the statements made herein are true and correct to the best pate: 20 Oct. 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: Minimum surface pipe required feet per ALT II XIII	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Dri File Completion Form ACO-1 within 120 days of spud in File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to workers. Submit plugging report (CP-4) after plugging is completed.	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WOHITA, IS If to plugging; Sof spud date, ate II cementing by cementing. IL II; Idate; It orders; Over or re-entry; Sted (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to 0r pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pit hereby certify that the statements made herein are true and correct to the best pate: 20 Oct. 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - SCY - OC - OC - Conductor pipe required	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS, 3,891-C, which applies to the KCC District 3 area, alternated in the cases, NOTIFY district office prior to an est of myknowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Driefle Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting set.	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WOHITA, I'S If to plugging; Sof spud date, ate II cementing by cementing. II; Idate; I orders; Over or re-entry; Ited (within 60 days); It water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Dri File Completion Form ACO-1 within 120 days of spud in File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting set if this permit has expired (See: authorized expiration of	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WOHITA, I'S If to plugging; Sof spud date, ate II cementing by cementing. II; Idate; I orders; Over or re-entry; Ited (within 60 days); It water.
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS, 3,891-C, which applies to the KCC District 3 area, alternated in the cases, NOTIFY district office prior to an est of myknowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Dries in Ele acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is completed this permit has expired (See: authorized expiration of check the box below and return to the address below.	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WOHITA, I'S If to plugging; Sof spud date, ate II cementing by cementing. II; Idate; I orders; Over or re-entry; Ited (within 60 days); It water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill shall be posted at the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the drill shall be posted in the drill shall be posted on the drill shal	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Dri File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting set if this permit has expired (See: authorized expiration of check the box below and return to the address below. Well Not Prilled - Permit Expired.	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WOHITA, I'S If to plugging; Sof spud date, ate II cementing by cementing. II; Idate; I orders; Over or re-entry; Ited (within 60 days); It water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; / circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary priod or production casing is cemented in; from below any usable water to surface within 120 DAYS, 3,891-C, which applies to the KCC District 3 area, alternated in the cases, NOTIFY district office prior to an est of myknowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Dries in Ele acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is completed this permit has expired (See: authorized expiration of check the box below and return to the address below.	RECEIVED ISAS CORPORATION COMMIS OCT 2 1 2008 CONSERVATION DIVISION Shall be WOHITA, I'S If to plugging; Sof spud date, ate II cementing by cementing. II; Idate; I orders; Over or re-entry; Ited (within 60 days); It water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - <u>051 - 25842 -00 -00</u> Operator: <u>PAXCO</u> , <u>INC</u> .	Location of Well: County: Ellis
Lease: SANDER Well Number: 11 Field:	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: X Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

Ellis Co., KS

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Form CDP-1

April 2004 Form must be Typed

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

Submit in Dunlicate

Operator Name: PAXCO, INC.			License Number: 8507	
Operator Address: 8920 Peppertr	ee Circle	Wichita, k	S 67226	
Contact Person: Jay C. Clark			Phone Number: (316) 634 - 1714	
Lease Name & Well No.: SANDER # 11			Pit Location (QQQQ): 22 N & 40 W of	
Type of Pit:	Pit is:		<u>N/2</u> <u>S/2</u> <u>NW</u>	
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 10 Twp. 14S R. 17W East X West	
Settling Pit	If Existing, date of	constructed:	1628 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1,280 Feet from East / X West Line of Section	
Treat Dailed	3000	(bbls)	Ellis County	
Is the pit located in a Sensitive Ground Water	Area? Yes	Z} No	Chloride concentration: mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
∑ Yes	Yes X	No	Clay soil, native and fresh mud.	
Pit dimensions (all but working pits):	Length (fo	eet) 70	Width (feet)N/A: Steel Pits	
	om ground level to d	-	5 (feet)	
Distance to proposit water well within any will	i	Don't do also la	OCT 2 1 2008 CONSERVATION DIVISION WICHTEN	
Distance to nearest water well within one-mile of pit		Source of information:		
		†	redwell ownerelectric logKDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation:		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh Mud		
		Number of working pits to be utilized: 3		
<u>. </u>		Í	ment procedure: Allow liquid contents to	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		evaporate, let cuttings dry and backfill. Drill pits-mast be closed within 365 days of spud date.		
I hereby certify that the above states	ments are true and o	comect to the best	of my knowledge and belief.	
20 October 2008		Ihma		
	KCC (OFFICE USE ON	ILY	
Date Received: 10/21/08 Permit Numb			Date: 10/21/08 Lease Inspection: Yes X No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202