For KCC Use: Effective Date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date: 11-10-2008 month day year 33753 OPERATOR: License# Name: Lockard Petroleum, Inc Address 1: 806 Melanae Ct. Address 2: City: Liberty State: MO Zip: 64068 +	Spot Description: SW NW SE Sec. 5 Twp. 24 S. R. 12 WE W (G/G/G/G) 1,470 feet from N / S Line of Section 2,470 feet from E / W Line of Section Is SECTION: Regular Irregular? (Note: Locate well on the Section Plat on reverse side) County: Greenwood
Contact Person: Gale Schroeder Rhogo: 620-437-6435 or 620-437-2646	Lease Name: Beuchat Well #. 19
Priorie.	Field Name: Seeley Wick
CONTRACTOR: License# 30567	ts this a Prorated / Spaced Field?
Name: Rig 6 Drilling, Inc	Target Formation(s): Cattleman, Mississippian
/ Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 170'
✓ XOil Enh Rec XInfield X Mud Rotary	Ground Surface Elevation: Approx 1045 feet MSL Water well within one-quarter mile: Yes No
Gas Storage Pool Ext. Air Rotary	
Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 100' No
Seismic ; # of Holes Other	Depth to bottom of usable water: 225'
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
	Length of Conductor Pipe (if any): None
Operator:	Projected Total Depth: 1880
Well Name: Original Total Depth: Original Total Depth:	Formation at Total Depth: Mississippian
<u> </u>	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone: RECEIVED
ACE	IDAVIT KANSAS CORPORATION COM
The undersigned hereby affirms that the drilling, completion and eventual plug	A STATE OF THE STA
It is agreed that the following minimum requirements will be met:	OCT 2 2 2008
·	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	drilling rig:
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	by circulating cement to the top; in all cases surface pipe shall be set in the top; in all cases surface pipe shall be set in the top; in all cases surface pipe shall be set in the top; in all cases surface pipe shall be set in the top; in the top of t
I hereby certify that the statements made herein are true and correct to the	est of my knowledge and belief.
Date: 10-20-2008 Signature of Operator or Agent:	L. Schroeder Title: Agent
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API# 15 - 073 -24101-00-00	t - File Accordation From AAAA district 400 design of accord data.
	- File Completion Form ACO-1 within 120 days of spud date; File personal attribution plat according to field progration orders:
Conductor pipe required NONE feet	File acreage attribution plat according to field proration orders;
10000	 File Completion Form ACC-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
Conductor pipe required None feet Minimum surface pipe required 40 feet per ALT. I	- File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
Conductor pipe required None feet Minimum surface pipe required 40 feet per ALT. III Approved by: 10-33-08	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
Conductor pipe required None feet Minimum surface pipe required 40 feet per ALT. I	- File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Conductor pipe required NONC feet Minimum surface pipe required 40 feet per ALT. III Approved by: 11 10 - 33 - 08 This authorization expires: 10 - 33 - 03	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

proposed acreage attribution unit for on wells.	
API NO. 15 - 073-24101-00-00	
Operator: Lockard Petroleum, Inc	Location of Well: County: Greenwood
Lease: Beuchat	1,470 feet from N / X S Line of Section
Well Number: 19	2,470 feet from E / W Line of Section
Field: Seeley Wick	Sec. 5 Twp. 24 S. R. 12 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _ SW _ NW _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lockard Petroleum, Inc			License Number: 33753
Operator Address: 806 Melanae Ct.		Libe	rty,Mo. 64068
Contact Person: Gale Schroeder			Phone Number: 620-437-6435
Lease Name & Well No.: Beuchat #19			Pit Location (QQQQ):
Type of Pit: Pit	is:		SW NW SE
	Proposed	Existing	Sec. 5 Twp. 24 R. 12 East West
	Existing, date co	onstructed:	1,470 Feet from North / South Line of Section
Workover Pit Haul-Off Pit			2,470 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	capacity: 20	(bbls)	Greenwood County
Is the pit located in a Sensitive Ground Water Area	? Yes X		Chloride concentration:mg/l
		<u> </u>	(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Ar No	tificial Liner?	No	How is the pit lined if a plastic liner is not used? Native Mud
50	Length (fe	net\ 10	Width (feet) N/A: Steel Pits
Pit dimensions (all but working pits):		eepest point:	A
material, thickness and installation procedure.		ine megny,	octuding any special monitoring KANSAS CORPORATION OCT 2 2 2
			CONSERVATION [WICHITA, K
Distance to nearest water well within one-mile of p	it		west fresh waterfeet.
		Source of infor	mation:
NA feet Depth of water well	feet	Source of infor	
	feet	Drilling, Work	over and Haul-Off Pits ONLY:
NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:		Drilling, Work	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:		Drilling, Work Type of materia	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud king pits to be utilized: 1
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Drilling, Work Type of materia	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud
Emergency, Settling and Burn Pits ONLY: Producing Formation:		Drilling, Work Type of materia Number of work Abandonment	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud king pits to be utilized: 1
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spills	ed fluids to	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud rking pits to be utilized: 1 procedure: Air dry & backfill be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrets of fluid produced daily: Does the slope from the tank battery allow all spille flow into the pit? Yes No	ed fluids to	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud rking pits to be utilized: 1 procedure: Air dry & backfill be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spille flow into the pit? I hereby certify that the above statement	ed fluids to	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud king pits to be utilized: 1 procedure: Air dry & backfill be closed within 365 days of spud date. It of my knowledge and belief.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spille flow into the pit? I hereby certify that the above statement	ed fluids to	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud rking pits to be utilized: 1 procedure: Air dry & backfill be closed within 365 days of spud date. It of my knowledge and belief.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spille flow into the pit? I hereby certify that the above statement	ed fluids to s are true and c	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud rking pits to be utilized: 1 procedure: Air dry & backfill be closed within 365 days of spud date. It of my knowledge and belief.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spille flow into the pit? I hereby certify that the above statement 10-20-2008 Date	ed fluids to s are true and c	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud rking pits to be utilized: 1 procedure: Air dry & backfill be closed within 365 days of spud date. It of my knowledge and belief.



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 22, 2008

Lockard Petroleum, Inc. 806 Melanae Ct. Liberty, MO 64068

RE:

Drilling Pit Application Beuchat Lease Well No. 19 SE/4 Sec. 05-24S-12E Greenwood County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily.

NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File