KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well	All blattes filest be I filed
Expected Spud Date:11/03/2008	Spot Description:	
month day year	NW SE SE Sec. 14 Twp. 31	s. r. ³³ _
5447		N / X S Line of Section
OPERATOR: License#	1,250 feet from	E / W Line of Section
Address 1: P O Box 2528	Is SECTION: Regular Irregular?	-
Address 2:	(Note: Locate well on the Section Plat	on reverse side)
City: Liberal State: KS Zip: 67880 +	County: Seward	
Contact Person: Jarod Powell	Lease Name: Prater	Well #: 4-14
Phone:620-629-4200	Field Name: Hugoton	
CONTRACTOR: License# 33784 / Name: Trinidad Limited Partnership /	Is this a Prorated / Spaced Field? Target Formation(s): Chase	Yes No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 12	250
	Ground Surface Elevation: 2875.25	feet MSL
	Water well within one-quarter mile:	Yes No
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	Yes No
Seismic; # of Holes Other	Depth to bottom of fresh water: 480	-
Other:	Depth to bottom of usable water:	
	Surface Pipe by Alternate: X	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 700'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 3050	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Council Grove	
irrectional, Deviated or Horizontal wellbore?		
Yes, true vertical depth:	DWR Permit #:	
CC DKT #:	(Note: Apply for Permit with DV	
	Will Cores be taken?	Yes No
Printed & Sand: Hugoton	If Yes, proposed zone:	DEGEN/ED
Provated & Spaced: Hugoton	IDAVIT	RECEIVED XANSAS CORPORATION COMMISS
he undersigned hereby affirms that the drilling, completion and eventual plu		THE SOLIT CONTROL CONTROL
is agreed that the following minimum requirements will be met:	ggmig or the train time comply than the art of the court	OCT 24 2008
Notify the appropriate district office <i>prior</i> to spudding of well;		001 € 1 2000
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface perunderlying formation. rict office on plug length and placement is necessary ed or production casing is cemented in; at from below any usable water to surface within 120 L 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior to	prior to plugging; DAYS of spud date. Iternate II cementing
hereby certify that the statements made herein are true and correct to the b	est of my knowledge and belief.	
Date: 10/23/2008 Signature of Operator or Agent:	Poul Capit	al Assets
	Remember to:	
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to	o Driili;
API # 15 - 175 - 22164 - 00 - 00	- File Completion Form ACO-1 within 120 days of s	pud date;
Conductor pipe required	- File acreage attribution plat according to field pro-	
1 20	- Notify appropriate district office 48 hours prior to v	-
William Bulliago pipo required	 Submit plugging report (CP-4) after plugging is co Obtain written approval before disposing or injection 	· · · · · · · · · · · · · · · · · · ·
in 3/ AQ	If this permit has expired (See: authorized expiration)	
This authorization expires: 10 - 24 - 09	check the box below and return to the address be	
(This authorization void if drilling not started within 12 months of approval date.)	Well Not Drilled - Permit Expired Date:	
Could date: Agent.	Signature of Operator or Agent:	
Spud date: Agent:	: . <u></u>	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 175 - 22164-00-00		
Operator: OXY USA, Inc.	Location of Well: County: Seward	
Lease: Prater	1,250 feet from N / X S Line of Sec	ction
Well Number: 4-14		ction
Field: Hugoton	Sec. 14 Twp. 31 S. R. 33 E X W	
Number of Acres attributable to well: 640 QTR/QTR/QTR/QTR of acreage: NW - SE - SE	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

15-175-22169-00-00

PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL

Kansas Corporation Commission, Conservation Division Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202

API NUMBER	LOCATION OF WELL: COUNTY Seward
OPERATOR OXY USA Inc.	Feet from south / north line of section
LEASE Prater	1250 Feet from east / west line of section
WELL NUMBER 4-14	SECTION 14 TWP 31 (S) RG 33 E \sqrt{W}
FIELD Hugoton	IS SECTION X REGULAR or IRREGULAR
NUMBER OF ACRES ATTRIBUTABLE TO WELL 640	IF SECTION IS IRREGULAR, LOCATE WELL FROM
QTR/QTR/QTR OF ACREAGE NW — SE — SE	NEAREST CORNER BOUNDARY, (check line below)
	Section corner used: NE NW SE SW
(Show the location of the well and shade attributable acreage for pr unit boundary line; and show footage to the nearest common source	
	RECEIVED KANSAS CORPORATION COMMISS
	OCT 24 2008
	CONSERVATION DIVISION
	WICHITA, KS
14	EXAMPLE
Prater GU "B" #1 2729.33' from Prater #4-14 Prater #4-14 1250' FSL, 1250' FEL S-14 T-31S R-33W Seward County	1980 10-1980
	3390'
	- 2216
The undersigned hereby certifies as	Capital Assets (title) for
OXY USA Inc.	(Co.), a duly authorized agent, that all information
shown hereon is true and correct to the best of my knowledge and belie by production from that well and hereby make application for an allowa- test, whichever is later.	able to be assigned to the well upon the filing of this form and the State
Subscribed and sworn to before me on this	day of, 2008
	anta Leterson
My Commission expires Oct. 1, 2009	Notary Public ANITA PETERSON Notary Public - State of Kansas Appt. Expires October 1, 2009 Notary Public

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: OXY USA Inc.		License Number: 5447		
Operator Address: P. O. Box 252	28, Liberal, k	(S 6790	1	
Contact Person: Mike Fink		Phone Number: (620) 624 - 3569		
Lease Name & Well No.: Prater #4-14		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW SE SE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 14 _{Twp.} 31S _{R.} 33 ☐ East ✓ West	
Settling Pit	If Existing, date con	nstructed:	1250 Feet from North / ✓ South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1250 Feet from 🗸 East / 🗌 West Line of Section	
(If WP Supply API No. or Year Drilled)	1870	(bbls)	Seward County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used? Bentonite & Cuttings	
Pit dimensions (all but working pits):	Length (fee	et)70	Width (feet) N/A: Steel Pits	
Depth f	rom ground level to dee	epest point: 5	(feet)	
material, thickness and installation procedure	,		ncluding any special monitoring. KANSAS CORPORATION COM	MISSION
			OCT 2 4 2008 CONSERVATION DIVISION WICHITA, KS	
Distance to nearest water well within one-mil	e of pit		OCT 2 4 2008 CONSERVATION DIVISION WICHITA, KS OWEST fresh water 236 feet.	N
Distance to nearest water well within one-mil		Source of infor	OCT 2 4 2008 CONSERVATION DIVISION WICHITA, KS OWEST fresh water 236 feet.	. 5.
	406 feet	Source of informeasu Drilling, Work	CONSERVATION DIVISION WICHITA, KS owest fresh water feet. rmation: ured well owner electric log KDWR	211-21
Emergency, Settling and Burn Pits ONLY Producing Formation:	406 feet	Source of information measurements Drilling, Work Type of materia	CONSERVATION DIVISION WICHITA, KS owest fresh water feet. rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud	2 15-175-
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	406_feet	Drilling, Work Type of materia	CONSERVATION DIVISION WICHITA, KS Divisest fresh water	= 15-175-221
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	406_feet	Drilling, Work Type of materia	CONSERVATION DIVISION WICHITA, KS owest fresh water feet. rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud	= 15-175-221
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	406_feet	Drilling, Work Type of materi Number of work Abandonment	CONSERVATION DIVISION WICHITA, KS Divisest fresh water	= 15-175-221
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed the slope from the tank battery allowed.	406 feet	Drilling, Work Type of materi Number of wor Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS Division west fresh water feet. Trimation: Lired well owner electric log KDWR Dover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud Trking pits to be utilized: 1 procedure: Evaporation and Backfill be closed within 365 days of spud date.	211-21
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No I hereby certify that the above state 10/23/08	406 feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS owest fresh water feet. rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh Water Mud rking pits to be utilized: 1 procedure: Evaporation and Backfill be closed within 365 days of spud date.	= 15-175-221
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow at flow into the pit? I hereby certify that the above state	406 feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS Division west fresh water feet. Trimation: Lired well owner electric log KDWR Dover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud Trking pits to be utilized: 1 procedure: Evaporation and Backfill be closed within 365 days of spud date.	= 15-175-221
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No I hereby certify that the above state	Hoc feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS Division west fresh water feet. Trimation: Lired well owner electric log KDWR Dover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud Trking pits to be utilized: 1 procedure: Evaporation and Backfill be closed within 365 days of spud date. St of my knowledge and belief.	= 15-175-221