Despening \_

Plug Back

Commingled

5/31/00

Spud Date

Dual Completion

FORM MUST BE TYPED	SIDE ONE ORIGINAL
STATE CORPORATION COMMISSION OF KANSAS	API NO. 15- 167-23,169-0000
OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM ACO-1 WELL HISTORY	CountyRussell
DESCRIPTION OF WELL AND LEASE	NW _ NE _ NW sec. 36 Twp. 13s Rge. 15w X
Operator: License # 32325	400 Feet from S(N)(circle one) Line of Section
Neme: POPP OPERATING, INC.	1675 Feet from E(W) circle one) Line of Section
Address P.O. Box 187	Footages Calculated from Nearest Outside Section Corner: NE, SE, NW or SW (circle one)
City/State/Zip Hoisington, KS 67544	Lease Name   Patterson "A"   Well # 2
Purchaser:	· ·
Operator Contact Person: Rick Popp	Producing Formation <u>LKC &amp; Arbuckle</u>
Phone ( <u>316) 653–2737</u>	Elevation: Ground <u>1883</u> KB <u>1891</u>
Contractor: Name: Discovery Drilling Co., Inc.	□Total Depth 3400 PBTD
License: 31548 SS SF D	Smount of Surface Pipe Set and Cemented at 928.70
Wellsite Geologist: Bob Stolzle	17m
Designate Type of Completion  X New Well Re-Entry Workeyer 20	
X oil swo stow Temp@Abd.	feet depth tow/sx cmt
Dry Other (Core, WSW, Expl., Cathodic, etc.	c) Drilling Fluid Management Plan All   LGR 7/06/0  (Data must be collected from the Reserve Pit)
If Workover/Re-Entry: old well info as follows:	18.000 480
Operator	1 ALLASIA - TARKET 10 UUU

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 |months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS | MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

Operator Name

Dewetering method used Evaporation

| Location of fluid disposal if hauled offsite:

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Luky Popp		
Title President	Date	09-25-00
Subscribed and sworn to before me this 23 19 2000.  Notary Public Donne Cartely	<u>5</u> day of <u>Se</u>	<i>st.</i>
Date Commission Expires 4.20-03		

\_\_\_\_Old Total Depth\_

PBTD

\_ Re-perf. \_

6/5/00

Date Reached TD

Other (SWD or Inj?) Docket No.

NOTARY PUBLIC - State of Kansas DONITA CRUTCHER

My Appt. Exp. 2

Docket No.

Docket No.

\_ Conv. to Inj/SWD \_

6/6/00

Completion Date

	r of Confidentiali	ity Attached
		•
		/eď
	Distribution	
KEC	SWD/Rep	NGPA
KGS	Plug	Other
		(Specify)
		KCC SWD/Rep

Quarter Sec.\_\_\_\_\_Twp.\_\_\_\_S Rng.\_\_\_\_E/W

\_\_\_\_ Docket No.

	3			" SIDE T	NO				•			
Operator Name POP	P OPERATING	INC.	<del> </del>	Lease	• Name	Patter	"A" מר	Vell #	2	Ť		
Sec. <u>36</u> Twp. <u>13s</u>	Rge. 15w		Count	ty	Russell		\$	ŧ				
INSTRUCTIONS: Show interval tested, til hydrostatic pressure if more space is nee	important tops me tool open a s, bottom hole	and base or nd closed, temperature,	flowing	and shut-fi	n pres	sures, whet	her shut-in pr	rea	ched stat	ic leve		
Drill Stem Tests Tak (Attach Additiona		□ <sub>Y••</sub> [	X No		Log	Formatio	en (Top), Depth	and Datum		Sample		
Samples Sent to Geol	□ <sub>Y•s</sub> 2	XI No.	Nam		• •	Top		Datum.				
Cores Taken		□ <sub>Y•s</sub> 8	X) No		hydr peka		928 2 <b>76</b> 6		+963 <del>-</del> 875			
Electric Log Run (Submit Copy.)		∑ <sub>Y••</sub> [	□ No	Heebner 2993' -1102 Lansing Gp 3046' -1155 Arb 3307' -1416								
List All E.Logs Run: Compe	Dual Ind ensation Ne		ensity									
	Report al		G RECORD	X New			production, et	ic.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		Weight Lbs./F		Setting Depth	Type of Cement	# Sacks Used	Type and Addit			
Surface Pipe	12 <del>1</del>	8 5/	<b>′</b> 8	23		928.70 60/40Pc		375	2%Ge18	3%CC		
Production-St	7-7/8-	, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		14-	,	3396	ASC	135		•		
		<b>,</b>										
		Al	JANOITID	. CEMENTING	/SQUEE	ZE RECORD						
Purpose:	Depth Top Bottom	Type of Co	i	* #Sacks U	Sacks Used Type and Percent Addit							
Protect Casing Plug Back TD	3088-90;	common	· j	<b>2</b> 50	i							
X Plug Off Zone	3145-47					<u></u>						
Shots Per Foot	PERFORATION Specify Footag	RECORD - Br	•	• ,,	•		Fracture, Shot, I Kind of Hater	•		ord opth		
4 spf	3070-72		queeze			250 15%		i				
4 spf 4 spf	3088-90 3145-47		queeze queeze			Natural 250 gal 15% MCA/ 1000 15% ISFe						
4 spf	3313-16					Natural						
4 spf	3340-45	set	CIBP @	33333'		Natural						
TUBING RECORD	Size	Set At		Packer At		Liner Run	_ [] Yes [2]	No.				
Date of First, Resum	-7/8"  Production, -23-00	3270' swb or inj.	Produc	none	<u>.</u> □ <sub>F1</sub> ,	owing Eleum	ping Ges Li		er (Expla	in)		
Estimated Production Per 24 Hours		Bbls. 18	Gas	Hof	Water	861s. 1800	Gas-Oil 1%	·		avity 38		
isposition of Gas:	· · · · · · · · · · · · · · · · · · ·	······	NET	HOD OF COM	PLETIO	ĸ	· · · · · · · · · · · · · · · · · · ·	P	roduction			
Vented Sold			J Open I	Hole 🖾 p	erf.	Dually	Comp. Commi	ingled				
(If vented, sub	mit ACQ-18.)	[	] Other	(Specify)								

## ALLIED CEMENTING CO., INC. 4880

SERVICE POINT: REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 SEC. TWP. RANGE CALLED OUT ON LOCATION JOB START JOB FINISH W:50Am. 8.50 AM COUNTY LEASE PHEISON WELL# 2-A LOCATION Balta Rd. Y4N. Syw STUTO OLD OR NEW (Circle one) CONTRACTOR Leiver Well Service **OWNER** Squeeze K.C. DorFs TYPE OF JOB **HOLE SIZE CEMENT** T.D. CASING SIZE 52 AMOUNT ORDERED \_*250 Com* DEPTH TUBING SIZE & 女 **DEPTH DRILL PIPE DEPTH** TOOL DEPTH PRES. MAX COMMON 250 MINIMUM MEAS. LINE **SHOE JOINT** POZMIX CEMENT LEFT IN CSG. 3070 - 3147 (Konses City) CHLORIDE DISPLACEMENT Sond **EQUIPMENT PUMP TRUCK** CEMENTER 1-2 153 HELPER BOD **BULK TRUCK** 44/SK/MIE MILEAGE \_\_\_\_ 160 DRIVER BULK TRUCK. TOTAL \_ **DRIVER** 1961.20 **REMARKS: SERVICE** Press to 1500 Heid-Spot 2 sand. Pulled to 2673. Mixed **DEPTH OF JOB** 2503x. D. spered WBbl. Wished around PUMP TRUCK CHARGE Mag. Staged and squeezed to poopsi. EXTRA FOOTAGE Dayled a Foints. Shetin. MILEAGE @ PLUG @ Derfs: 3070-72; 3088-90, 3145-47 @ @ TOTAL \_ 595 = CHARGE TO: Popp operating **FLOAT EQUIPMENT** \_\_\_\_ STATE \_\_ To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment TOTAL and furnish cementer and helper to assist owner or contractor to do:work as is listed. The above work-was done to satisfaction and supervision of owner agent or TAX\_ contractor. I have read & understand the "TERMS AND TOTAL CHARGE \_\_\_\_\_ CONDITIONS" listed on the reverse side. DISCOUNT \_\_\_\_\_ \_\_ IF PAID IN 30 DAYS SIGNATURE Linky Popp

PRINTED NAME

ALLIED CEMENTING CO., INC. 3575

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 SERVICE POINT: GINAL

DATE 6/1/00	SEC.	TWP.	RANGE ,		CALLED	OUT	01	NLOCATION 2:300.m	JOB START	JOB FINISH 4:050-0		
//		n		~ · ·	^ ^			•	COUNTY	STATE		
LEASE PLATERSON A		<u>Z</u>	LOCATION	1501/	120.	10	142	KE.	K5	115.		
OLD OR NEW (Cir	cle one)		4									
CONTRACTOR (	<b>\</b>	'	12		OWA	JED						
CONTRACTOR TYPE OF JOB			G4		1WO	NEK						
HOLE SIZE 121	s Sace		930		CEN	<b>IENT</b>						
CASING SIZE &			TH 928	,			) R I) F R	ed 32	75 1940 3	3%(1		
TUBING SIZE	<i></i>	DEF			AWIC	0111		<u></u>	2	1/2/00/		
DRILL PIPE		DEP								<u> </u>		
TOOL		DEF										
PRES. MAX			IMUM		COM	IMON_		225	_@ <u>රණ</u>	1428 75		
MEAS. LINE			E JOINT		POZ			150	@ <b>32</b> 5	4875		
CEMENT LEFT IN	CSG.				GEL			7	@ 950	66 50		
PERFS.					CHL	ORIDE			@ <b>28</b>	308 9		
DISPLACEMENT	<u> </u>	SYBPI.						· · · · · · · · · · · · · · · · · · ·	@			
	EOU	IPMENT							_ @			
									_@			
PUMP TRUCK (	TEMENT	ER PEL	1		·				_ @			
	HELPER	Mer							_ @			
BULK TRUCK	TELLI DIC	1061	<i>P</i>			DLINC				39375		
	DRIVER	Dave	,		MIL	EAGE _		44/51	< / mile	7000		
BULK TRUCK					•			•	1			
	ORIVER	Colen							TOTAL	. <u>2784 =</u>		
					•							
	PF	MARKS:		. •	SERVICE							
	KE	VIARRS.						SERVI.	CE	,		
Cemen	+ Cir	culated	9.'		DEP	TH OF	JOB _					
					PUM	IP TRU	ĊK CH	ARGE		580€		
		· · ·			EXT	RA FO	OTAGE	Ξ	_ @			
	7	LANL	0h		•	EAGE		6	_@3 <b>.ºº</b>	78 ==		
					PLU	G <u>&amp; %</u>	501	2 Rubber		969		
		$\subseteq$							_ @			
			<b>&gt;</b> 			<del></del>			_ @	<u> </u>		
$\sim$		$\circ$							TOTAL	- <u>688 = </u>		
CHARGE TO:	200	Cherc	ting							,		
STREET	• •	•	7				10	T OAT FOL	IDMENIT			
				· · ·	-		r	LOAT EQU	IF WIEN I			
CITY	ST	ATE	ZIP_									
									_ @			
								<del></del>				
									_			
To Allied Cement	ing Co.,	Inc.						<del> </del>	_ @			
You are hereby re-	quested t	o rent cem	enting equ	ipment								
and furnish cemer												
contractor to do w	ork as is	listed. Th	e above w	ork was		-	e n -indië ra age	- • - <del></del>				
done to satisfaction		-	•	_					-			
contractor. I have				MS AND	<b></b>	AT 011	4 D.C.T					
CONDITIONS" I	isted on t	he reverse	side.		TOT	AL CHA	AKGE					
	200	$\sim$			DISC	COUNT	·		IF PAI	D IN 30 DAYS		
,	() n.	-/)	1							•		
SIGNATURE 4	Supu	TOPE		-								
		<i>                                     </i>		-1				PRINTI	ED NAME			
									· <b></b>	• ′		

## ALLIED CEMENTING CO., INC. 4878

<b>4</b> 3. (4: <b>1</b> € € €			reat	tai iax					_		114/1
REMIT TO P.O. BO	OX 31 ELL. KAN	NSAS 676	65					SER	VICE	POINT:	se 11
		10/10 0/0			,				_		
DATE 6/6/00	SEC.	TWP.	RANGE	**	CALLED	OUT	ON L	OCATION 20 A.M.		START	JOB FINISH 9-20A.M
LEASE PENTERSON A	WEII#	2	LOCATION	R.14	R.D.	<i>Y</i> <sub>4</sub>	3/10	SINV	cor	INTY S	STATE
OLD OR NEW Cir	-		LOCATION	المكن	<u> </u>	-7 <i>N</i> -	7 2	J LN V	4		<u> </u>
			1						_		
CONTRACTOR	Discou	ery Dr	kg. # I		OWN	NER				<u> </u>	
TYPE OF JOB 13	oduct	rion 5	tring		- 053	e e a a a a a a a a a a a a a a a a a a					
HOLE SIZE 7%			. 3400	,	_	MENT	DDEDE	0 121	٠ ٨ ،	c 1 2-6	in Aila Wa
CASING SIZE	2		PTH . 3396	· · · · · · · · · · · · · · · · · · ·	_ AMC	JUNITO	KDEKE	D_/ <u>3</u> 2	) 17-		70 Gilsonite 10 Gei
TUBING SIZE DRILL PIPE			PTH PTH						(27)	n WF	
rool			PTH		<del></del>				ن د		
PRES. MAX			NIMUM		COM	1MON_			@_		
MEAS. LINE			OE JOINT 2	1.20	POZ				@_		
CEMENT LEFT IN	CSG.		<u> </u>		_ GEL			2	@_	950	1900
PERFS.		21/ -			_	ORIDE		•	_@_		
DISPLACEMENT	<del></del>	214 Bbi	-			FD-2		o sak,	@	7 46	5000
	EQU	IPMENT	1		_	<u>sc</u>	135	35=	_@- @-	82º	<u> 1107≅</u> 260≈
					<del></del>	times!		<i>552</i>		4114	2605
*	CEMENT										
<del></del>	HELPER	/20	^		HAN	IDLING				J 05	141.35
BULK TRUCK	DILIED		<b>.</b>			EAGE_		441	sk /	Dile	100 =
# <i>27</i> 9 I BULK TRUCK	DRIVER	Bir	<i></i>		_				1 1		
	DRIVER									TOTAL	2128-19
					<del></del>						
	RE	MARKS:						SERV	ICE		
. <u></u>		·		<u>.</u>							
Centralizer	500,3	Shoe joù	at, 1,2,5,0	1,7,8		TH OF J					1.0.00
Or Du			<del> </del>		,			RGE			7080=
1056 May	se hole		<del> </del>				TAGE_		@_	3 00	15 00
705 £ 11000	ze noir	<del> </del>	<del> </del>			-			@ - @ -	<u> </u>	5000
Floci	+ 14010	), ,							@_		
		The	ink ber		_				@_		
											V. 18 (1)
			`							TOTAL	114500
CHARGE TO: 📝	OPP O	perati	ng Inc		_					•	
STREET	• •	•	J				FI.	OAT EQU	IIPM	FNT	
						5%		OAI EQU	J11 IVI		
CITY	ST	ATE	ZIP		- <del>'</del>		Shae	7	@		IC_00
					<u></u>		usect		_ @ . @		235 4
			·		丁		ent.	7	_ @ -	60°	420=
						** : C			@_		
To Allied Coment	ina Ca l	lnc.							@_		
To Allied Cementi			nenting equi	nment							*
You are hereby rea and furnish cemer	_			- ,						TOTAL	805 =
contractor to do w											
done to satisfaction									*	~~	
contractor. I have					)				_		
CONDITIONS" li				·= · <b>=</b>	TOT	AL CHA	RGE _			· · · · · · · · · · · · · · · · · · ·	