

15-065-02311-00-00


STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

WELL PLUGGING RECORD

Graham County, Sec. 34 Twp. 10S Rge. 23W (E) (W)

Location as "NE/CNW/SW" or footage from lines SW NW SW
Lease Owner The Texas Company
Lease Name D. G. Schultz Well No. 1
Office Address 614 Bitting Building, Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry
Date well completed September 22 19 54
Application for plugging filed (Verbal 9-22) September 23 19 54
Application for plugging approved (Verbal 9-22) September 27 19 54
Plugging commenced September 22 19 54
Plugging completed September 22 19 54
Reason for abandonment of well or producing formation



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. Eldon Petty
Producing formation Depth to top Bottom Total Depth of Well 3851 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				10-3/4"	347'	0'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

PLUGGED AS FOLLOWS:

3851' to 325' - Heavy Mud
325' - Dry Hole Plug
325' to 300' - 20 Sacks Cement
300' to 35' - Heavy Mud
35' - Dry Hole Plug
35' to Bottom of Cellar - 1/2 Sack
Hulls and 10 Sacks Cement

Name of Plugging Contractor Powell Drilling Company
Address 909 Central Building, Wichita, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
M. C. Harrell (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) M. C. Harrell
614 Bitting Building, Wichita, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 28th day of September, 19 54
H. Howard Tistler
Notary Public.

My commission expires September 20, 1956

PLUGGING
FILE SEC 34 10 23W
BOOK PAGE 65 LINE 44

OCT - 7 1954
10-7-54
CONSERVATION DIVISION
Wichita, Kansas

THE TEXAS COMPANY
Tulsa, Oklahoma

DRILLERS WELL LOG

D. G. Schults No. 1

SW NW SW Section 34-10S-23W

Graham County, Kansas

Commenced R.D. 9/8/54

Elevation:

Completed R.D. 9/22/54

Initial Production: Dry

Total Depth: 3851

Contractor: Powell Drilling Company

Casing Record: 355' 10-3/4" Spiral Weld Surface Casing

STRATA	DEPTH
Surface shale and sand	100'
Shale	165
Shale and Shells	355
Shale	400
Ble Shale	450
Shale & Shells	645
Sandy Shale	930
Hard Sand	960
Shale & Shells	1365
Sandy Shale & Shells	1833
Anhydrite	1867
Shale & Shells	2200
Salt & Shale	2330
Lime & Shale	2735
Shale & Shells	2850
Sandy Shale	2875
Lime & Shale	3090
Shale & Shells	3210
Lime & Shale	3343
Lime	3851 T.D.

I hereby certify that the above is a true and correct log of said well as reflected by the daily drilling reports.

POWELL DRILLING COMPANY

By 

Signed and sworn to in my presence this 24th day of September 1954 by C. M. Powell, partner in the Powell Drilling Company.


NOTARY PUBLIC

My Commission expires February 5, 1958

15-065-02311-00-00

State

LOG OF WELL

FORM PO-214 Sheet 1 (11-53) 25M

D. G. SCHULTZ NO. 1

SHEET 1

OWNER The Texas Company DIVISION Oklahoma DATE MADE October 1, 1954
 DISTRICT Kansas LEASE D. G. Schultz WELL NO. 1
 STATE Kansas COUNTY OR PARISH Graham TWP. 10S RANGE 23W SEC. 34
 LOCATION OF WELL SW NW SW

COMMENCED RIGGING UP 9-8-54 COMMENCED DRILLING 9-8-54 COMPLETED DRILLING 9-23-54
 DAY DRILLER _____ NIGHT DRILLER _____ CONTRACTOR Powell Drig. Co.
 CABLE FROM _____ TO _____ ROTARY FROM 0' TO 3851' COMPANY RIG NO. _____
 TOTAL DEPTH 3851' MEASURED BY M. C. Harrell ELEVATION _____
 KB - 2342
 DP - 2340
 GL - 2338

CASING RECORD

SIZE	WEIGHT	PUT IN WELL		PULLED OUT		LOST IN WELL		SHOES		PACKERS		
		FEET	INS.	FEET	INS.	FEET	INS.	LENGTH	MAKE	KIND	LENGTH	SET AT
10-3/4"	29#	347'										FT.
												FT.
												FT.
												FT.
												FT.
												FT.
												FT.

10-3/4" casing set at 355' with 180 sacks cement and 200# CC. Cement circulated.

WAS CASING CEMENTED? _____ IF SO, HOW MANY SACKS OF CEMENT USED? _____
 LINER: STATE SIZE AND WEIGHT _____ WHERE SET _____ FT. AND INS. BLANK _____ FT. AND INS. PERFORATED _____
 HOW PUT TOGETHER _____ COUPLING _____ FLUSH-JOINT _____ INSERTED _____
 REMARKS: _____

EQUIPMENT RECORD

TUBING				SUCKER RODS			PUMPING OUTFIT
SIZE	WEIGHT	FEET	INS.	FEET	INS.	SIZE AND KIND	DESCRIPTION, KIND, SIZE, ETC.

Completed Plugging 9-23-54

FLOWING, PUMPING, GASSER OR DRY Dry PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____
 IF GAS WELL, OPEN FLOW CAPACITY _____ SHUT IN PRESSURE _____ ROCK PRESSURE _____
 KIND OF SHOT _____ SIZE OF SHOT, QUARTS _____
 NUMBER OF SHELLS _____ SIZE OF SHELLS _____ INCHES, DIAMETER _____
 LENGTH OF SHELLS _____ FEET _____ INCHES _____ TOP OF SHOT _____
 BOTTOM OF SHOT _____ ANCHOR _____ WELL BRIDGED TO _____
 TOTAL DEPTH OF WELL _____ NUMBER OF SHOT _____ PRODUCTION BEFORE SHOT _____ BBLs. PER DAY _____
 PRODUCTION AFTER SHOT _____ BBLs. PER DAY. SHOT FURNISHED BY _____
 NAME OF SHOOTER _____ SHOT INSPECTED _____ BY _____ (COMPANY EMPLOYEE) _____
 COMMENCED DRILLING DEEPER _____ COMPLETED _____ DRILLING DEEPER _____
 TOTAL DEPTH _____ PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____
 REMARKS: _____

10-7-54

D. G. Schultz #1
 Diebolt Pool
 TD 3851'
 Completed Drilling 9-23-54
 Completed Plugging 9-23-54

NOTE: IF WELL WAS DRY, STATE UNDER REMARKS, WHEN, HOW, AND BY WHOM PLUGGED.
 STATE UNDER REMARKS ANYTHING OF INTEREST NOT COVERED IN LOG.
 IF THE SPACE PROVIDED FOR REMARKS IS NOT SUFFICIENT, WRITE ON BOTTOM OF LAST SHEET OF LOG.

PLUGGING
 PER SEC 34 10 23W
 BOOK PAGE 65 LINE 44

TOTAL NUMBER OF SHEETS _____

LOG OF WELL

SHEET No. 2

District **Kansas**

Owner **The Texas Company** Farm **D. G. Schultz**

Well No. **1**

FORMATION	AMOUNT	COLOR	HARD OR SOFT	DEPTH CORES TAKEN	REMARKS
REMARKS:					
9-18-54	Ran DST #1 from 3585-99', open 1 hour, recovered 5' mud, SBHP 30# in 15 minutes.				
9-19-54	Ran DST #2 from 3600-32', open 1 hour, had fair blow, recovered 210' muddy salt water with a few specks oil, SIBHP 610# in 15 minutes.				
9-20-54	Ran DST #3 from 3726-42', open 1 hour, recovered 10' mud, SIBHP zero in 15 minutes.				
9-22-54	Ran DST #4 from 3806-37', open 1 hour, recovered 12' mud, SIBHP zero in 15 minutes.				
9-23-54	Drilled to 3851' in lime. Well dry. Plugged and abandoned.				
TOPS:					
Cimaron Dolomite--1837 Topeka-----3322 Heebner-----3554 Toronto-----3577 Lansing-----3592 Basic Kansas City-3822					