### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 September 1999 Form Must Be Typed


# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

API No. 15 - 059-25311-00-00
County: Franklin
<u>SE_NW_SW</u> Sec. 29 Twp. 15 S. R. 21
1620 feet from S/ N (circle one) Line of Section
4380 feet from (E) W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:  (circle one) NE SE NW SW  Lease Name: Moldenhauer  Paola-Rantoul  Well #: 54
Producing Formation: Squirrel
Elevation: Ground: Kelly Bushing:  Total Depth: 836' Plug Back Total Depth:  Amount of Surface Pipe Set and Cemented at 21' Feet
Multiple Stage Cementing Collar Used?
If yes, show depth setFeet
If Alternate II completion, cement circulated from 21' feet depth to surface w/ 4 sx cmt.
Drilling Fluid Management Plan AI+ // NCC 7-30-08 (Data must be collected from the Reserve Pit)
Chloride content 1500-3000 ppm Fluid volume 80 bbls  Dewatering method used Used on Lease
Location of fluid disposal if hauled offsite:  Operator Name:
Lease Name:         License No.:           Quarter         Sec.         Twp.         S. R.         East         West

Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes,	rules and regulations	promulgated to regulate	the oil and gas inc	dustry have been full	y complied with a	nd the statements
	to the best with the said					

herein are complete and correct to the best	my knowskie
Signature:	risketl
Title: Agent	Date: 7/14/08
Subscribed and sworn to before me this $\underline{\mathcal{H}}$	_day of
20 08	0
Notary Public: J. Tulk	
Date Commission Expires: 5-21-	2011



perator Name: JTC	Oil, Inc.		Lea	ase Name:.	Moldenhaue	r	_ Well #: _54	
	5 S. R. 21	East W		inty: Fran				
sted, time tool oper mperature, fluid red	now important tops and closed, flowin covery, and flow rates surveyed. Attach	g and shut-in presess if gas to surface	sures, whether test, along wit	r shut-in pr	essure reached	d static level, hydr	ostatic pressu	
rill Stem Tests Take (Attach Additional		☐ Yes 🗸	No	Σι	.og Forma	tion (Top), Depth	and Datum	Sample
amples Sent to Geo	•	☐ Yes 🗸	No	Nam	ne		Тор	Datum
ores Taken ectric Log Run (Submit Copy)			No No				KANS	RECEIVED AS CORPORATION COMMIS
st All E. Logs Run:								JUL 1 7 2008
							ı	CONSERVATION DIVISION WICHITA, KS
			ASING RECOR		ew Used	ction etc		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	v	Weight bs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9	7.00"			21'	Portland	4	
Completion	5 5/8"	2.875"			812'	Portland	140	50/50 POZ
						_		
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Ceme		cks Used	JEEZE RECOR		Percent Additive	s
Shots Per Foot		ION RECORD - Brid Footage of Each Inte		rpe		acture, Shot, Cemer Amount and Kind of M		ord Depth
	768.0-784.0	50 Perfs						
	··············	· · · · · · · · · · · · · · · · · · ·						
UBING RECORD	Size	Set At	Packe	er At	Liner Run	Yes No	)	
ate of First, Resumer	d Production, SWD or I	Enhr. Produc	ing Method	Flowin	g Pump	ping Gas L	ift Oth	ner (Explain)
stimated Production Per 24 Hours	Oil	Bbls. Ga	s Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
isposition of Gas	METHOD OF	COMPLETION	<del> </del>	1	Production Inte	erval		
Vented Sold	Used on Lease		n Hole F	Perf.	Dually Comp.	Commingled		



#### **REMIT TO**

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346 Main Office P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

			·		
INVOICE				Invoice #	
Invoice Date: 04	1/30/2008 Terms				Page 1
JTC OIL INC P O BOX 910 LOUISBURG KS ( ) -	6 66053		MOLDENHAUR #54 29-15-21 16022 04/23/08	<b>.</b>	
	.======		=======================================		
Part Number 1124 1118B 4402	Description 50/50 POZ CE PREMIUM GEL 2 1/2" RUBBE	/ BENTONITE	140.00 340.00	Unit Price 9.3000 .1600 21.0000	1302.00
Description 369 80 BBL VACU 495 CEMENT PUMP 495 EQUIPMENT M 510 MIN. BULK D	JUM TRUCK (CEMENT ) MILEAGE (ONE WAY)	•	2.50 1.00 20.00	Unit Price 94.00 875.00 3.45 300.00	235.00 875.00 69.00
		·			
		•		RECEIV KANSAS CORPORATION	4 COWWISSION
				JUL 17 CONSERVATION WICHITA	I DIVISION
Labor: .0	Po Freight:	.00 Tax: .00 Tota .00 Char	93.0 1: 2950.0	57 AR	2950.07
			.===========	* = = = = = = = :	

Signed

Date.

For KCC Use:	4-19-08
Effective Date: _	71100
District #	3
SGA2 DVac	[zdNo

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED KANSAS CORPORATION COMMISSION

Form must be Typed

JUL 1 7 2000 Form must be Signed Follanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

widst be approved by Noo live	CONSERVATION DIVISION
Expected Spud Date:	Spot Description: WICHITA, KS
month day year	SE - NW - SW - Sec. 29 Twp. 15 S. R. 21 XE W
32834 🗸	(QQQQQ) 1,620 feet from N / X S Line of Section
OPERATOR: License#	4,380 feet from XE / W Line of Section
Address 1: P.O. Box 910	Is SECTION: Regular Irregular?
Address 2:	is ocorrow. Expression [ ] megular.
City: Louisburg State: KS Zip: 66053 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tom Cain	County: Franklin
Phone: 913-208-7914	Lease Name: Moldenhauer Well #: 54
	Field Name: Paola-Rantoul
CONTRACTOR: License# 32834	Is this a Prorated / Spaced Field?
Name: JTC Oil Inc.	Target Formation(s): squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'
XOil	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100'
Other:	Depth to bottom of usable water: 200'
	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth: 800
Original Completion Date: Original Total Depth:	Formation at Total Depth: squirrel
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?  Yes No	Well Farm Pond X Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
•	RECEIVED
	DAVII WANGAS COPENDATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	APR 0 4 2008
Notify the appropriate district office <i>prior</i> to spudding of well;	APR 0 7 2000
2. A copy of the approved notice of intent to drill shall be nosted on each of	drilling rig;
3. The minimum amount of surface pipe as specified below shall be set by	y circulating cement to the top; in all cases surface pipe shalf be sewithin KS
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.

4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;

5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;

I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.

6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

API # 15 - 059-25311-0000  Conductor pipe required	For KCC Use ONLY	Remember to:	67
Approved by: 4-14-8  - Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	API # 15 - <u>DS9-25311-0000</u> Conductor pipe required <u>None</u> feet  Minimum surface pipe required 20 feet per ALT I Miles	<ul> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>	15
chock the her heless and return to the eddress heless	Approved by: full 4-14-08	Obtain written approval before disposing or injecting salt water.      If this permit has expired (See: authorized expiration date) please	21
(This authorization void if drilling not started within 12 months of approval date.)  Well Not Drilled - Permit Expired Date:	This authorization expires.	the same of the sa	X
Spud date: Agent: Signature of Operator or Agent: RECEIVED	Spud date: Agent:		<b>\S</b>

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

CCNSOLIDATED OIL WELL SERVICES, INC. P.O. BOX 884, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676 LOCATION Offana KS
FOREMAN Fred Made

# TREATMENT REPORT & FIELD TICKET CEMENT

DATE	CUSTOMER #	WELL N	AME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
4/23/08	4015	molden	avr	54	29	15	21	FR
CUSTOMER -	TA	مب		-		<u> </u>		
MAILING ADDRE		Inc.	······································	-	TRUCK #	DRIVER	TRUCK#	DRIVER
_					206	Fred		
P. 0	Box 91				495	Lasey		
CITY	•	STATE ZI	PCODE	] [	369	Gary		
Louis	burg	KS	66053		510	Brian		
JOB TYPE_La	ng 53 rsy	HOLE SIZE	5/8	HOLE DEPTH	825°	CASING SIZE & W	EIGHT_2 1/8	EUE
CASING DEPTH	1812 d	DRILL PIPE		_ TUBING			OTHER	
SLURRY WEIGH	IT	SLURRY VOL	·	WATER gal/sk		CEMENT LEFT in C	CASING 2/2	Pluc
DISPLACEMENT	4.73BBC	DISPLACEMENT P	SI					
		ing depth						um Gal
Flu	sh. Mi	Ox Pump	143	SKS 50	150 Por	mix Cens	ust w/2	20 Gal
	next to	Surface.	Flus	Lpum	D x 1.5	es clear	. Disal	200
2%	" Rubb.	or Alua '				73 BBLS		
Λ	ssure f		051.	Skat in	Kasing			
					Ø			
					·	4	0 504	0
		• • • • • • • • • • • • • • • • • • • •			7*	Tu	x /V/ac	a.
					<del></del>		· · · · · · · · · · · · · · · · · · ·	
					· · · · · · · · · · · · · · · · · · ·			

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
540 (	1	PUMP CHARGE Coment Pump 495		8750
5406	20 mi	MILEAGE Pump Truck 495		(900
5407	minimum	Ton Mileage 510		300 9
55020	2/2 hrs	Ton Mileage. 510 80BBL Vac Truck 369	235	39
1124	/40 sks	50/50 Pm Mix Coment		1302%
11188	740#	950/50 for M:X Coment		54 40
4402	,	2/2 Rubber Plag		2109
		SubTotal		2256 40
		RECEIVED Tave 6.89	<b>b</b>	93.67
		JUL 1 7 2008		,
		CONSERVATION DIVISION		
			SALES TAX	

AUTHORIZATION Jon Cair was hem

TITLE 221570

TOTAL 2950.