

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Sedgwick County, Sec. 8 Twp. 26 Rge. 2 (E) (W)

Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines

Lease Owner John P. Gaty

Lease Name Phillips Well No. 2

Office Address 6600 E. Central

Character of Well (completed as Oil, Gas or Dry Hole) Dry hole

Date well completed Feb. 17 1950

Application for plugging filed March 13 1950

Application for plugging approved March 13 1950


Plugging commenced March 13 1950

Plugging completed March 14 1950

Reason for abandonment of well or producing formation Dry hole

If a producing well is abandoned, date of last production _____ 19____

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Flat

Name of Conservation Agent who supervised plugging of this well Dwight Lilly

Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 2980 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

2 sacks cement at 2980 to 2960 mudded hole to 160 feet, set Rock bridge to 145 feet. 10 sacks cement to 130 feet mudded hole to cellar rock and 10 sacks cement.

MAY 15 1950
5-15-50
STATE CORPORATION COMMISSION
WICHITA, KANSAS

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to John P. Gaty
Address 6600 E. Central Wichita Kansas

STATE OF Kansas COUNTY OF Sedgwick ss.
(employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Max Howell
210 N. Edgemoor
(Address)

SUBSCRIBED AND SWORN to before me this 12th day of May, 1950
Berenice Kooker
Notary Public.

My commission expires January 12, 1952
22-7877-8 4-49-10M

PLUGGING
FILE SEC-8-T-2-R-23
BOOK PAGE 139 LINE 88

Company: John P. Gaty
 Farm: Phillips #2

Comm: May 14, 1949
 Comp:
 Contractor: Max Howell

Section 8, T 26 S, R 2 E
 SW NE SE (100' N of regular loc.
 Sedgwick County, Kansas
 Cable Tools
 Elevation: 1398'
 Total Depth: 2517'
 Initial Potential:

Casing: 15" @ 87'
 10" @ 1560'
 7" @ 2503'

0-8	Cellar	1050-1053	Lime
-15	Clay	-1056	Red rock
-20	Shale & shells	-1060	Lime
-70	Shale	-1070	Shale
-75	Sandy Shale	-1075	Red rock
-80	Lime	-1085	Lime
-135	Shale	-1095	Shale
-160	Lime	-1108	Shale & shells
-165	Shale	-1111	Red rock
-195	Lime	-1120	Shale
-200	Shale	-1130	Lime sandy
-225	Lime	-1135	Lime hard
-250	Lime & shale	-1160	Shale
-255	Shale	-1165	Lime
-275	Lime	-1195	Shale
-280	Shale	-1200	Lime hard
-290	Lime	-1215	Shale
-335	Shale	-1223	Lime hard
-340	Lime	-1255	Shale
-365	Shale	-1270	Lime
-370	Red rock	-1275	Shale
-395	Lime	-1280	Lime
-410	Shale	-1305	Lime shells & shale
-510	Lime	-1320	Lime
-535	Shale	-1325	Shale
-560	Lime	-1335	Lime
-605	Sandy shale	-1340	Shale
-610	Lime	-1355	Lime
-620	Shale	-1365	Shale
-625	Red rock	-1370	Lime
-635	Lime	-1380	Shale & shells
-655	Shale & shells	-1395	Shale
-665	Lime	-1405	Lime
-675	Shale	-1445	Shale
-680	Lime	-1515	Lime
-690	Shale	-1535	Shale
-715	Lime	-1545	Sandy lime
-720	Shale	-1560	Sand
-740	Lime	-1567	Shale
-780	Shale	-1570	Lime
-795	Lime	-1580	Shale
-835	Shale & lime	-1625	Lime
-845	Shale	-1653	Shale
-855	Lime	-1672	Lime
-870	Shale	-1680	Shale
-890	Lime	-1695	Lime
-895	Shale	-1705	Shale
-920	Lime	-1715	Lime
-925	Shale	-1740	Shale
-930	Lime	-1755	Lime
-940	Shale	-1765	Shale
-945	Lime	1775	Lime
-960	Hard lime	-1780	Shale
-995	Shale	-1790	Shale & shells
-1000	Lime	-1800	Lime
-1025	Shale	-1825	Lime hard
-1030	Lime	-1840	Lime
-1035	Red rock	-1847	Shale
-1040	Lime	-1850	Lime hard
-1050	Shale	-1890	Lime

MAX HOWELL
 1949 MAY 14
 1398'

Caty - Phillips #2

- 1890-1895 Shale
- 1930 Lime
- 1950 Shale & shells
- 1970 Lime
- 1980 Shale
- 1990 Lime hard
- 2015 Shale
- 2025 Sandy lime
- 2075 Shale
- 2085 Shale sandy
- 2125 Shale
- 2140 Lime
- 2175 Shale
- 2205 Lime
- 2295 Shale
- 2375 Lime
- 2385 Shale dark
- 2422 Lime
- 2483 Shale
- 2504 Lime

- 2504=2511 Sand lino measurement
- 2512 Lime
- 2514 Shale
- 2517 Lime

Total Depth 2517'

Top: Kansas City 2490' corr.

5000 acid.

Water Record:

wtr.	⊙	70'
1 BWP _H	⊙	630'
2 BWP _H	⊙	1120-30'
LEW	⊙	1545-60'
1/2 BWP _H	⊙	2235-40'

DEEPENING RECORD

Commenced: January 14, 1950
Completed: February 18, 1950

- 2514-2598 Lime
- 2602 Shale
- 2613 Lime
- 2926 Shale - Occasional lime shell
- 2942 V. C. Shale
- 2943 Sand - Show of green oil 32° gravity
- 2982 White Shale and V. C. Shale
- 2985 Burgess Sand - IFW