

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

OR

FORMATION PLUGGING RECORD

Strike out upper line
when reporting plugging
off formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Sedgwick County, Sec. 33 Twp. 26 Rge. 2 (E) (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines Center NE $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$

Lease Owner H. M. Williams

Lease Name H. M. Gsell Well No. 1

Office Address 701 Bitting Bldg., Wichita, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry

Date well completed October 19 19 42

Application for plugging filed October 23 19 42

Application for plugging approved October 23 19 42


Plugging commenced October 24 19 42

Plugging completed October 28 19 42

Reason for abandonment of well or producing formation All producing formations dry

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes Williams, Plugging Inspector



Locate well correctly on above
Section Plat

Name of Conservation Agent who supervised plugging of this well Williams, Plugging Inspector

Producing formation Depth to top Bottom Total Depth of Well 3253 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS


CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Lime		97	320	10	100	Cemented
Dclomite		3223	3237	7	3224	(Cemented) 2600'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Cement placed in hole with dump bailer from 3253 to 3225. Heavy mud dumped in hole from 3225 to 110. Hole then bridged and cement put in hole with dump bailer to 95'. Mud placed in hole from 95' to 10' and cement from 10' to 0

PLUGGING
FILE SEC 23-T-26-R-2E
BOOK PAGE 54-LINE 3



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to H. M. Williams
Address X 701 Bitting Bldg., Wichita, Kansas

STATE OF Sedgwick COUNTY OF Kansas
H. M. Williams (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.


(Signature) *H. M. Williams*

701 Bitting Bldg., Wichita, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 27 day of November 19 42

My commission expires March 4th, 1944

Bulah Bela
Notary Public.



LEASE OWNER
H. M. Williams
DRILLING CONT.
H. M. Williams

DRILLING BEGAN
July 29, 1942
DRILLING COMP.
Oct. 20, 1942

LOCATION
NE $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$
Sec. 33-26-2E
Sedgwick County


10" Surface casing
100'
7" casing
3224'

Yellow clay	40	green limy shale	3165
lime	42	lime	3175
shale	48	dark gray shale	3223
hard lime	67	dolomite	3237
lime & shale	80	black shale	3252
water sand	84	dolomite (hole full water)	3253
shale	97		
lime	100	Total depth	3253
lime & anhydrite	320		
anhydrite, lime & shale	490		
lime	665		
lime & shale	880		
shale & shells	1255		
lime & shale	1420		
shale & shells	1550		
shale & lime	1625		
shale & shells	1910		
shale & lime	2035		
shale & shells	2075		
dark shale	2105		
lime	2115		
green-gray shale	2125		
lime	2145		
dark shale	2155		
lime	2200		
cherty lime	2215		
dolomitic lime	2220		
lime	2245		
shale	2255		
lime	2314		
shale & lime shells	2360		
shale	2460		
lime	2632		
shale	2642		
lime	2647		
dark shale	2690		
green-gray shale	2710		
sandy shale	2715		
shale	2722		
lime	2730		
shale	2742		
red shale	2745		
shale	2760		
lime	2775		
shale	2790		
lime	2800		
shale	2805		
red shale	2810		
shale	2820		
lime	2845		
shale	2860		
pyritic lime	2863		
shale	2870		
pyritic lime	2877		
shale	2900		
various colored shale	2912		
colored chert	2930		
glaucanitic lime	2937		
chert	2990		
lime	3002		
dolomitic lime	3010		
chert	3030		
green shale	3038		
lime	3105		
green limy shale	3125		
lime	3145		

FORMATION TOPS

Lansing	2105
Kansas City	2460
Mississippi	2912
Viola	3252

Elevation 1385
Dry and abandoned



PLUGGING

FILE SEC 33-T26-R2
BOOK PAGE 54-LINE 3