STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building

WELL PLUGGING RECORD

State Corporation Commission 800 Bitting Building	Sede	wick	Commen	c 33	r 26	(E) (W)
Wichita, Kansas NORTH	Location as "NF	E/CNW¥SW¥" o	r footage from	lines SW	4 NW/4 SE/4	(W)
NONTH	Location as "NE/CNW%SW%" or footage from lines SW/4 NW/4 SE/4 Lease Owner John P. Gaty					
4.	Lease Name	Luening				Well No. 1
	Office Address_					
	Character of W	ell (completed a	us Oil, Gas or			19 51
	Date well comp	oleted our	Sentembe		·	
33	Application for plugging filed September 7, 19 54 Application for plugging approved September 7, 19 54					
	Plugging commenced September 16, 19 54					
	Plugging completed September 17, 19 52 Reason for abandonment of well or producing formation Production too low to					
						too low to
	operate				Comb omb on	7 71
	If a producing	well is abandone	ed, date of last	t production_	September	1, ₁₉ 54
Locate well correctly on above	Was permission menced?		the Conservat	tion Division	or its agents beto	re plugging was com-
Section Plat Name of Conservation Agent who sup-			Durkee			
Producing formation Simpson	D	epth to top	Bottom_		Total Depth of	Well 3359 Feet
Show depth and thickness of all water						
OIL, GAS OR WATER RECOR	DS .					CASING RECORD
						
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
· · · · · · · · · · · · · · · · · · ·					-	
			,			
						· · · · · · · · · · · · · · · · · · ·
<u> </u>	<u> </u>					
Describe in detail the manner in	.)		<u> </u>			
6 sacks cement Sand fill from 6 sacks cement Mudded from top Set rock bridge Mudded to surfa	top of cement at 3159! p of cement to e with 20 sacks	1551 s cement at				
				· · · · · · · · · · · · · · · · · · ·		·
Name of Dhagging Comments	(If additional John P. (description is neces	sary, use BACK o	of this sheet)		
Name of Plugging Contractor		s Dr., Wic	hita. Ka	nsas		
	,					
STATE OF <u>Kansas</u> Earl Wentwort			Sedgwick	wner) or (ow	_, ss.	of the above-described
well, being first duly sworn on oath,						
above-described well as filed and tha	•	d correct. So h	Earl	ppin Cour	t, Wichita,	
SUBSCRIBED AND SWORN TO before	ore me this 20th	Jan-af	Sept.	ember	(Address)	54
SUBSCRIBED AND SWORN TO Defe	ore me mis	day of_		1 "	, (1) × 19 ×	<u> </u>
600		·	>//	undl	2 d Rew	7
My commission expires December	12, 1955			•	Colversion	Notary Public.
. n	, <i>5</i>			07211	954	
J	mi lical	NE	معنى بىر	- 12 - P RESTAVA	T C MOISIVIO	
	PLUGGI	26 R 2E		Vichita, Ka		·
	THE SEC 33T	JNE-22				

c stat W

WELL LOG - Luening #1

OPERATOR:

Mr. J. P. Gaty c/o Beech Aircraft Corp.

Wichita, Kansas

LOCATION:

CSL NW SE

Section 33-26-28

Sedgwick County, Kansas

CONTRACTOR:

Morrison Drilling Company, Inc.

Drawer 712

El Dorado, Kansas

PRODUCTION:

Farm:

Luening

Well No. 1

Date Commenced:

Date Completed:

May 21, 1951 June 2, 1951

Total Depth: 3360 feet

Total Debru:	3300 Teet	and the second second second second
From	To	Formation
20	65	Cement
65	550	Lime & Shale
220	252	Lime & Shale brks.
252	258	Red Bed
258	285	Lime & Shale brks.
285	310	Lime & Shells
310	316	Red Bed
316	350	Lime & Shale
350	410	Lime
410	500	Shale ,
500	535	Shale & Lime strks.
535	655	Lime & Shale
655	705	Lime & Shale brks.
705	735	Shale & Shells
735	780	Lime - Hard
780	870	Shale & Lime strks.
870	950	Shale & Shells
950	1270	Shale & Lime
1270	1400	Shale & Shells
1400	1470	Lime & Shale
1470	1505	Shale
1505	1610	Shale & Lime strks.
1610	1635	Shale
1635	1665	Lime & Shale strks.
1665	1835	Shale & Lime
1835	1846	Shale & Shells
1846	1995	Lime w/shale strks.
1995	2125	Shale & Lime strks.
2125	2240	Shale & Lime
5540	2269	Shale & Lime strks.
2 269	2334	Lime w/shale strks
2334	2365	Lime
2365	5440	Shale & Lime strks.
2440	2485	Shale
2482	2550	K. C. Lime
2550	2646	Lime
2646	2710	Shale
2710	2863	Shale & Shells
2863	2945	Shale
2945	3153	Mississippi Lime
3153	3198	Shale & Lime
3198	3244	Shale
3244	3246	Core #1 - Shale
3246	3255	Core #1 - Sand
3255	3282	Shale & Sand
3282	3292	Brown lime
3595	. 3322	Lime
3322	3360	Shale & Sand
3360		Total Depth.

CABLE TOOL LOG

5080

 $3360 - 68\frac{1}{2}$ - Cemented sand and $$\operatorname{green}$$ shale 3368½- 70½ - Hard cemented sand

3370½ - Top Arbuckle

 $3370\frac{1}{2}$ - 72 - White foss. chert some stain. Some free oil & 1 BW overnight - plug back and

perforated - 3351-55 1 B. O. per hour - 41 gravity

Well Log (Cont.)
Lucning #1

I hereby certify that the foregoing is a true and correct copy of the Well Log for the Luening #1 well drilled for Mr. J. P. Gaty and completed June 2, 1951.

MORRISON DRILLING COMPANY, INC.

C. W. Wilson - Secretary-Treasurer

STATE OF KANSAS

88.

COUNTY OF BUTLER

SUBSCRIBED AND SWORN TO, Before the undersigned, a Notary Public, in and for the County and State aforesaid this 12th day of June, 1951.

Notary Public

My Commission Expires January 10, 1955.