

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 32204
Name: REDLAND RESOURCES, INC.
Address: 6001 NW 23RD STREET
City/State/Zip: OKLAHOMA CITY, OK 73127
Purchaser: ONEOK MIDSTREAM GAS SUPPLY, LLC
Operator Contact Person: ALAN THROWER
Phone: (405) 789-7104
Contractor Name: DUKE DRILLING CO., INC.
License: 5929
Wellsite Geologist: MIKE POLLOK
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
03/09/05 03/18/05 05/26/05
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 033-21427-00-00
County: COMANCHE
C NE Sec. 32 Twp. 32 S. R. 16 East West
1320 feet from S (N) (circle one) Line of Section
1320 feet from E W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: OASIS Well #: 32-1
Field Name: SHIMER
Producing Formation: OSWEGO LIME
Elevation: Ground: 1880 Kelly Bushing: 1893
Total Depth: 5200' Plug Back Total Depth: 5150'
Amount of Surface Pipe Set and Cemented at 268 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx crnt.

Drilling Fluid Management Plan Alt 1 NCR 8-18-08
(Data must be collected from the Reserve Pit)
Chloride content 4000 ppm Fluid volume 280 bbls
Dewatering method used TRUCK HAULING
Location of fluid disposal if hauled offsite:
Operator Name: OIL PRODUCERS
Lease Name: RICH License No.: 8061
Quarter _____ Sec. 22 Twp. 32S S. R. 19 East West
County: COMANCHE Docket No.: D28,178

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Alan Thrower
Title: VICE PRESIDENT Date: AUGUST 31, 2005
Subscribed and sworn to before me this 31st day of August,
20 05.
Notary Public: CINDI J. JONES
Date Commission Expires: _____
Oklahoma County,
Notary Public in and for
State of Oklahoma
Commission # 02018227 Expires 10/30/06

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
SEP 06 2005
KCC WICHITA

Operator Name: REDLAND RESOURCES, INC. Lease Name: OASIS Well #: 32-1
 Sec. 32 Twp. 32 S. R. 16 East West County: COMANCHE

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

**COMPENSATED NEUTRON DENSITY
 DUAL INDUCTION
 MICROLOG**

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
CHASE	2303	-410
TOP PENN	3164	-1271
BS HEEBNER	4084	-2191
LANSING	4256	-2363
STARK SHALE	4591	-2698
CHEROKEE SH	4874	-2981
MISS UNCONFORM	4930	-3037

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
CONDUCTOR	30"	20"	64#	45	GROUT	10	
SURFACE	17.50"	13.375"	54#	268	CLASS A	295	3%cc, 2% GEL
PRODUCTION	12.25"	4.5"	10.50#	5215	CLASS H	175	.5#KOLSEAL, .6% FL160

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2 SPF	5012-5040' - CIBP SET @ 5000'	NO TREATMENT	
2 SPF	4946-4980' - CIBP SET @ 4920'	1500 GAL 15% ACID	SAME
		FRAC W/3800 BBL WTR, 28,000# SAND	SAME
4 SPF	4834-4843'	1500 GAL 15% ACID	SAME

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2.375"	4775'	4775'	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 08/02/05			Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	NONE	400	NONE	400:1	

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled

Production Interval Other (Specify) _____

ALLIED CEMENTING CO., INC. 20414

Federal Tax I.D.# _____

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Medford

DATE <u>3-19-05</u>	SEC. <u>32</u>	TWP. <u>32s</u>	RANGE <u>16W</u>	CALLED OUT <u>7:00am</u>	ON LOCATION <u>12:30pm</u>	JOB START <u>8:19pm</u>	JOB FINISH <u>9:00pm</u>
LEASE <u>OASIS</u>	WELL # <u>32-1</u>	LOCATION <u>BA/ca coline 1607w</u>			COUNTY <u>Omancha</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one) <u>NEW</u>			<u>1s, 1w, 3s, 1E 1/2 S 2E N into</u>				

CONTRACTOR Duke #17

TYPE OF JOB Prod casing

HOLE SIZE 7 7/8 I.D. 5200

CASING SIZE 4 1/2 DEPTH 5214

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 1500 MINIMUM 260

MEAS. LINE _____ SHOE JOINT 33ft

CEMENT LEFT IN CSG. 33ft

PERFS. _____

DISPLACEMENT 83 1/2 bbls 28 Kcl water

OWNER Redland Resources

CEMENT

AMOUNT ORDERED 175 of H Asc, 5# Kcl seal
+ 6 1/2 FL-160, 25 of 60406
250 gal mud clean + 250 gal mud clean
Clu Pro 8 1/2

COMMON	<u>15</u>	A	@	<u>8.30</u>	<u>124.50</u>
POZMIX	<u>10</u>		@	<u>4.50</u>	<u>45.00</u>
GEL	<u>1</u>		@	<u>13.00</u>	<u>13.00</u>
CHLORIDE			@		
ASC	<u>175</u>	H	@	<u>11.80</u>	<u>2065.00</u>
	<u>FR-160</u>	<u>-99</u>	@	<u>8.40</u>	<u>831.60</u>
	<u>mud clean C</u>	<u>250 gal</u>	@	<u>1.25</u>	<u>312.50</u>
	<u>Mud clean</u>	<u>250 gal</u>	@	<u>1.00</u>	<u>250.00</u>
	<u>Kcl Seal</u>	<u>875</u>	@	<u>.60</u>	<u>525.00</u>
	<u>Clu Pro</u>	<u>8 1/2</u>	@	<u>22.90</u>	<u>183.20</u>
			@		
			@		
			@		
HANDLING	<u>253</u>		@	<u>1.50</u>	<u>379.50</u>
MILEAGE	<u>50</u>	<u>x 253</u>	<u>x .055</u>		<u>696.00</u>
TOTAL					<u>5425.30</u>

EQUIPMENT

PUMP TRUCK # 372 CEMENTER Mark HELPER Parin

BULK TRUCK # 356 DRIVER Denny S

BULK TRUCK # _____ DRIVER _____

REMARKS:

Pipe on bottom, break circulation pump 3 fresh 12 bbls flush 3 fresh plug Rot + mouse pump 175 of cement, shut down pump wash pump + lines, release plug start displacement pump @ 35 bbls + bump plug at 100 psi + release pressure + float held

CHARGE TO: Redland Resources

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB 5200'

PUMP TRUCK CHARGE _____ 1440.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 50 @ 4.50 225.00

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

RECEIVED

SEP 06 2005

KCC WICHITA

TOTAL 1665.00

PLUG & FLOAT EQUIPMENT

4 1/2

1- AFU Float shoe	@	<u>200.00</u>	<u>200.00</u>
1- Latch down plug	@	<u>300.00</u>	<u>300.00</u>
6- Turboligers	@	<u>55.00</u>	<u>330.00</u>
	@		
	@		
TOTAL			<u>830.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

**ANY APPLICABLE TAX
WILL BE CHARGED
UPON INVOICING**

SIGNATURE [Signature]

TAX _____

TOTAL CHARGE [Crossed out]

DISCOUNT [Crossed out] IF PAID IN 30 DAYS

[Signature]
PRINTED NAME

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL, CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:** 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. ~~THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.~~

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

ALLIED CEMENTING CO., INC. 20451

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
M.L.

DATE <u>3-9-05</u>	SEC <u>32</u>	TWP <u>32s</u>	RANGE <u>11w</u>	CALLED OUT <u>4:30 pm</u>	ON LOCATION <u>6:00 pm</u>	JOB START <u>5:35 AM</u>	JOB FINISH <u>4:30 pm 3/10</u>
LEASE <u>OASIS</u>	WELL # <u>32-1</u>	LOCATION <u>BA/ Comanche Co. line Tw, 1s,</u>			COUNTY <u>Comanche</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>1w, 3s, 1E, 1/4s to Blue feeders, 2E, n. into</u>				

CONTRACTOR Duke #7
 TYPE OF JOB Conductor
 HOLE SIZE 17 1/2" T.D. 275'
 CASING SIZE 13 7/8" DEPTH 269'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4 1/2" DEPTH 275'
 TOOL Baffle DEPTH 230'
 PRES. MAX _____ MINIMUM 50'
 MEAS. LINE _____ SHOE JOINT 38.54
 CEMENT LEFT IN CSG. 38.54
 PERFS. _____
 DISPLACEMENT 35 1/2 bbl fresh h₂O

OWNER Redland Resources
 CEMENT
 AMOUNT ORDERED 200sx A+3%oc +
2%ocel - 185sx 65 356 + 2%ocel + 1/4" Flo Seal
+ 1% amm chloride. 120sx A+3%oc
 COMMON 320 A @ 8.30 2656.00
 POZMIX _____ @ _____
 GEL 4 @ 13.00 52.00
 CHLORIDE 15 @ 36.00 540.00
 ASC _____ @ _____
Flo-Sweep 1-Box (15') @ 10.00 150.00
ALW 185 @ 7.75 1433.75
Flo Seal 46' @ 1.60 73.60
AM. Chloride 3 @ 31.50 94.50
 HANDLING 538 @ 1.50 807.00
 MILEAGE 50 x 53.8 x .055 1479.50
 TOTAL 7286.35

EQUIPMENT

PUMP TRUCK # 302 CEMENTER Mike Rucker
 HELPER Dwayne West
 BULK TRUCK # 363 DRIVER Larry Goldsbery
 BULK TRUCK # _____ DRIVER _____

REMARKS:

25
5 AM Pipe on bottom break Circ. 5 AM
Start mixing 150sx Class A+3%oc + 2%ocel
@ 1512 weight 300psi. 5 AM Release Plug Start
Disp. @ 6 AM Pump 35 1/2 bbl fresh Pump plug
150-250 shut-in. Cement did not circulate.
Rin 1-inch 6 1/4 AM Pump 85sx 65 356
2%ocel + 1% amm chloride Pump 50sx A+3%oc
4%ocel no circulate. 8 AM Pump 100sx 65 356 + 1/4"
2%ocel + 1% amm chloride 5sx Cottonseed hills. No circ.
11 AM pump 150sx A+3%oc no circ. Pump 10sx 3%oc
Pump 25sx 3%oc Pump 35sx A+3%oc Cement circulate!
 CHARGE TO: Redland Resources

SERVICE

DEPTH OF JOB 269
 PUMP TRUCK CHARGE 6251.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 50 @ 4.50 225.00
 MANIFOLD _____ @ _____

RECEIVED

SEP 06 2005

KCC WICHITA

TOTAL 850.00

PLUG & FLOAT EQUIPMENT

13 3/8" Baffle Plate @ 85.00 85.00
13 3/8" Basket @ 250.00 250.00
13 3/8" Wooden Plug @ 70.00 70.00

TOTAL 405.00

TAX _____
 TOTAL CHARGE ~~7286.35~~
 DISCOUNT ~~3281.35~~ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment
 and furnish cementer and helper to assist owner or
 contractor to do work as is listed. The above work was
 done to satisfaction and supervision of owner agent or
 contractor. I have read & understand the "TERMS AND
 CONDITIONS" listed on the reverse side.

ANY APPLICABLE TAX
 WILL BE CHARGED
 UPON INVOICING

SIGNATURE

[Signature]

Alan U RATIL

PRINTED NAME