

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION


Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

5488	g UKIGINAL
Operator: License # 5488 Name: TWM Production Company	API No. 15 - 150012/198-00-00
	County: Allen
Address: 1150 Highway 39	<u>SW</u> - <u>SW</u> - <u>SW</u> - <u>SW</u> Sec. 22 Twp. 26 S. R. 18 ☑ East ☐ West
City/State/Zip: Chanute, Kansas 66720	5 feet from (S)/ N (circle one) Line of Section
Purchaser: CMI	feet from F / W (circle one) Line of Section
Operator Contact Person: Michael Or Carol Wimsett	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 431-4137	(circle one) NE SE NW SW
Contractor: Name: W & W Production Company	Lease Name: DICE Well #: F-8
License: 5491 RECEIVE	Field Name: Humboldt/Chanute
Wellsite Geologist: NONE MAY 1 6 203	Producing Formation: BARTLESVILLE
Designate Type of Completion:	Elevation: Ground: Kelly Bushing: 1997
New Well Re-Entry Workover CC WICH	
→ Oil SWD Temp. Abd.	Amount of Surface Pipe Set and Cemented at 20' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 775
Operator:	feet depth to SURFACE w/ 110 sx cmt.
Well Name:	Drilling Fluid Management Plan AI+ NCR 7-24-08
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	·
Other (SWD or Enhr.?) Docket No	Operator Name:
3/28/05 4/04/05 04/06/05	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec TwpS. R 🗌 East 🗌 West
·	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with t Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3- und geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulationerein are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signature: and Winnett	KCC Office Use ONLY
Title: OFFICE MANAGER Date: 05/11/05	Letter of Confidentiality Received
Subscribed and sworn to before me, this Bay of MIO	If Denied, Yes Date:
20 0 5	Wireline Log Received
T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Geologist Report Received
Notary Public: Please of the Company	UIC Distribution
Date Commission/Expirés:	





X

ORIGINAL

Operator Name: TW	M Production Cor	npany		Leas	se Name: I	DICE		. Well #: <u>.F-8</u>			
	S. R. 18				ty: Allen						
INSTRUCTIONS: S tested, time tool ope temperature, fluid red Electric Wireline Log	n and closed, flowing covery, and flow rate	g and shut- s if gas to	in pressures, surface test, a	whether : long with	shut-in pre	ssure reached	static level, hydros	static pressur	es, botton	n hole	
Drill Stem Tests Taken ☐ Yes ✓ No (Attach Additional Sheets)			Log Formation (To		ion (Top), Depth ar	op), Depth and Datum		Sample			
Samples Sent to Geological Survey			Yes No		Nam	e		Тор	D	atum	
Cores Taken Electric Log Run (Submit Copy)		Y€									
List All E. Logs Run:											
WELL LOG A	ND ELECTRI	CLOG	ENCLOSI) Ne	ew Used					
		Repor				ermediate, produc	ction, etc.		<u> </u>		
Purpose of String	Size Hole Drilled		e Casing (In O.D.)		eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used		nd Percent Iditives	
SURFACE		7"				20'	Portland	5		-	
CASING		2-7/8"				775	PORTLAND	110	GEL		
			ADDITIONAL	CEMEN	TING / SQL	JEEZE RECORI					
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туре	of Cement		ks Used			ercent Additive	§		
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set Type Specify Footage of Each Interval Perforated						Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
2								ACKS SAND			
2 776'TO 782' MAY 1.6 2005 FRAC WITH 40 SACKS SAND 78											
TUBING RECORD	Size	Set At		Packer	At	Liner Run					
	7/8"	775					Yes No				
Date of First, Resumer 04/07/-5	d Production, SWD or I	inhr.	Producing Meti	nod	Flowin	g 📝 Pump	ing 🗍 Ĝas Lift	[] Oth	iet (Explain)		
Estimated Production Per 24 Hours	Oil 4	Bbls.	Ģas	Mcf	Wate	er E	3bls. G	as-Oil Ratio		Gravity	
Disposition of Gas	METHOD OF COMPLETION Production Interval										
Vented Sold	Used on Lease ubmit ACO-18.)		Open Hole Other (Speci	√ Pe	erf. 🔲 C	Dually Comp.	Commingled				

W & W PRODUCTION COMPANY 1150 HIGHWAY 39 CHANUTE, KANSAS 66720 PHONE: 620-431-4137

MAY 11, 2005

TWM PRODUCTION COMPANY 1150 HIGHWAY 39 CHANUTE, KANSAS 66720

REF: DICE #F-8 15-00120198-00-00 5' S LINE, 5115 S EAST (SE CORNER)

APRIL 10, 2005 CEMENT LONG STRING WITH 110 SACKS OF CEMENT

2 - SACKS OF GEL

RECEIVED KANSAS CORPORATION COMMISSION

NOV 2 6 2007

CONSERVATION DIVISION WICHITA, KS