RECEIVED 0CT 0 3 2005 KCC WICHITA

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIG: "AL

Operator: License # _32639	API No. 15 - 163-23474-00-00
Name: CORAL PRODUCTION CORP.	County: ROOKS
Address: 1600 STOUT ST, SUITE 1500	C_SE_NE_SE_Sec. 1 Twp. 10 S. R. 19 East West
City/State/Zip: DENVER, CO 80202	1470 feet from S/ N (circle one) Line of Section
Purchaser: NCRA	330 feet from F / W (circle one) Line of Section
Operator Contact Person: JIM WEBER	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 623-3573	(circle one) NE (SE) NW SW .
Contractor: Name: SCHECK OIL OPERATION	Lease Name: VEATCH Well #: 1
License: 9292	Field Name: VOHS NE
Wellsite Geologist: TIM LAUER	Producing Formation: LANSING
Designate Type of Completion:	Elevation: Ground: 2192' Kelly Bushing: 2199'
New Well Re-Entry Workover	Total Depth: 3754' Plug Back Total Depth:
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 235 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☑ Yes ☐ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set 1619 Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1619'
Operator:	feet depth to SURFACE w/ 400 sx cmt.
Well Name:	am and a second of the second
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan AH. II SB 8-20-08 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 5000 ppm Fluid volume 360 bbls
Plug Back Plug Back Total Depth	Dewatering method used_ALLOWED TO DRY & BACKFILL
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Location of fluid disposal if flauled offsite.
Other (SWD or Enhr.?) Docket No	Operator Name:
8/4/05 8/12/05 9/19/05	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
	·
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulations are complete and correct to the best of my prowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: K. Web	KCC Office Use ONLY
Title: RRESIDENT Date: 9/28/05	Letter of Confidentiality Received
Subscribed and sworn to before methis 28 day of	If Denied, Yes Date:
20.05. (1.2)	Wireline Log Received
- Torres / Man 1	Geologist Report Received
Notary Public:	UIC Distribution
Date Commission Expires: 21113009	OBLIC OF
	OF COLO

Operator Name: CORAL PRODUCTION CORP.			Leas	Lease Name: VEATCH Well #: 1				· 		
Sec. 1 Twp. 10 S. R. 19 East West				nty: ROO					·····	
tested, time tool ope temperature, fluid re	Show important tops and closed, flowing and closed, flowing covery, and flow rate gs surveyed. Attach	g and shut s if gas to	-in pressures, surface test, a	whether long with	shut-in pre	essure reached	static level, hydro	static pressur	es, botto	m hole
Drill Stem Tests Taken (Attach Additional Sheets)				✓ Log Formation (Top), Dept			h and Datum Sample			
Samples Sent to Ge	ological Survey	□ Y	es 🗹 No		Name HEEBNER					Datum -1173
Cores Taken Yes No				TORONTO			3396'		-1196	
Electric Log Run (Submit Copy)		V	es 🖸 No		LANSING			3413'		-1213
List All E. Logs Run:				BKC	; BUCKLE		3641' 3752'		-1441 -1552	
	TION LOG 375 JTRON 3754'-(3754'-3100'		FACE							
		Reno	CASING			ew 🔽 Used ermediate, product	ion etc			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used		and Percent
SURFACE	12 1/4"	8 5/8" 1		23		235'	СОММ	150	3% C	C, 2% GEL
PRODUCTION	N 7 7/8"	5 1/2" l	5 1/2" USED			3754'	ASC	125	2% GEL	
	·									
		,	ADDITIONAL	CEMEN	TING / SQL	JEEZE RECORD		·		Y
Purpose: Perforate	Depth Top Bottom	Туре	of Cement	#Sac	#Sacks Used Type and Percent Additives			3		
Protect Casing Plug Back TD Plug Off Zone	<u>✓ Protect Casing</u> Plug Back TD 0-1619' 60/40 POZ		POZ	400 6% GEL, 1/4 LB/SK F			4 LB/SK FLO	LO SEAL		
rag on zone										
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type)e	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
2 3469'-3471'; 3474'-3478'; 3496'-3498'						500 GAL 15% MUD ACID; 500 GAL 20% HCL 3471-3498				
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,										
								····		
TUBING RECORD 2	Size 7/8"	Set At 3613'		Packer	r At	Liner Run	Yes V No			
Date of First, Resumer	rd Production, SWD or E	Enhr.	Producing Met	nod	Flowing	g 📝 Pumpir	ng 🔲 Gas Lift	Oth	er (Explain	n)
Estimated Production Per 24 Hours	0il 37	Bbls.	Gas	Mcf	Wate	er Bi	bls. G	as-Oil Ratio		Gravity 35
Disposition of Gas	METHOD OF (COMPLETIC	DN	l	<u></u>	Production Inter	val			
Vented Sold	Used on Lease		Open Hole	₽ Pe	erf. 🔲 [Dually Comp.	Commingled	Par-	<u> </u>	
(ii voittou, Oi			Other (Speci	TY)			<u></u>		CEIV	
								በርፐ	N 2 2	nns

KCC WICHITA

ALLIED CEMENTING CO., INC. 22112

REMIT TO P.O. I		NSAS 676	65		SER	VICE POINT: Rubs	rel		
DATE \$2/3-05	SEC	TWP.	RANGE / 9	CALLED OUT	ON LOCATION	JOB START	JOB FINISH		
LEASE (NOTCH) OLD OR NEW (C			LOCATION P.	1/24 115		COUNTY	STATE		
	Bry 3	3		OWNER					
HOLE SIZE	19/31	<i>Г.</i> БС Т.D		CEMENT					
CASING SIZE,	4		PTH /6/9	AMOUNT O	BDEBED				
TUBING SIZE			PTH		400sh 60/10 67061				
DRILL PIPE		DE	PTH	- 4	Flo		_		
TOOL			PTH		<i>a</i> .				
PRES. MAX MEAS. LINE			NIMUM	COMMON_	240	@ 8.70	2,088.0		
CEMENT LEFT IN	J CSG	SHO	DE JOINT	POZMIX _	160	_@_ <i>4.70</i> _	752 00		
PERFS.	1 C30.			GEL _	24	_@ <u>/U.00</u>	33600		
DISPLACEMENT		9 3 BI	2/1	CHLORIDE ASC		_@			
		JIPMENT			07/07 - 1-RD 45	_@ _@ /.70	170.00		
					ECEIVED	@			
	CEMENT		(1)	00	CT 0 3 2005	_@			
	HELPER		len	- KC	C WICHITA	_ @ @			
BULK TRUCK	DRIVER				~ AAI CHIIN	_			
BULK TRUCK	DRIVER		Ful Yes			_			
'C) /3	DRIVER	6	Eiger Gaj			@			
			<i>v.</i> /	HANDLING		@ 1.60	678.40		
	***			MILEAGE _	64/5k/mile		1,272 00		
Jt.#69	REN	MARKS:				TOTAL	5, 296.4		
DI T	10	1/10		-					
P.U. Too			To/		SERVI	CE			
	•			DEDTH OF I	∩P				
Cent y	IO st	In Cola	1-6	DEFIN OF JO	OB K CHARGE		745 "		
pump plug	inf B	bls of c	Jato	EXTRA FOO	TAGE	<u></u>	183.00		
	1 "			NATE TO A COLD		- @			
Classif	fid C	- FC		— MANIFOLD		@			
·	>	Ori	. /2			@			
CHARGE TO:	OKBI	PROC	I. Ce.				•		
STREET						TOTAL	785 00		
CITY	STA	NTE	ZIP						
		١.			PLUG & FLOAT	EQUIPMEN	Γ		
						@			
_		,				@			
To Allied Cementi	ng Co., Ir	nc.				@			
You are hereby red	quested to	rent cem	enting equipmen	nt ———					
and furnish cemen	ter and he	elper to as	sist owner or			.@			
contractor to do w	ork as is l	listed. The	e above work wa	as					
done to satisfaction	n and sup	ervision o	f owner agent or	r		TOTAL			
contractor. I have	read & ur	nderstand	the "TERMS AI	ND	,				
CONDITIONS" lis	sieu on th	e reverse	side.						
		c		TOTAL CHAR	RGE				
		$1) \land$		DISCOUNT _		IF DAIF	1N 30 D AVC		
) <u> </u>	VII				— u rail	MY JU DAIS		
SIGNATURE	TOKE.		1			/			
— — //	W. I.	- 100 (7)					•		

ALLIED CEMENTING CO., INC.

REMIT TO P.O. BOX 31 SERVICE POINT: **RUSSELL, KANSAS 67665** P-13-05 TWP. RANGE CALLED OUT ON LOCATION JOB START JOB FINISH DATE 8-12-05 10:30 Am 10 19 8.00 Pm COUNTY LEASEURAKH LOCATION Pulle 4 w is OLD OR NEW (Circle one) CONTRACTOR Big 3 **OWNER** TYPE OF JOB **HOLE SIZE** T.D. 3フンタ **CEMENT** CASING SIZE 5 DEPTH AMOUNT ORDERED **TUBING SIZE DEPTH** 125 B. ASC 500 gal WF12 DRILL PIPE **DEPTH** TOOL **DEPTH** PRES. MAX **MINIMUM** COMMON MEAS. LINE POZMIX ____ SHOE JOINT CEMENT LEFT IN CSG. GEL @ 14.00 PERFS. **CHLORIDE** @ DISPLACEMENT 92bbs @ 1075 1,343.75 **EQUIPMENT** 500 901 WERZ @ 1.00 500 00 PUMP TRUCK Bill CEMENTER_ # 3 45 Glen RECEIVED **HELPER** BULK TRUCK OCT 0 3 2005 2/3 Gung DRIVER **BULK TRUCK** KCC WICHITA @ 396 DRIVER BRiga 128 HANDLING___ @ 1.60 204.80 MILEAGE 64/5/ mile **REMARKS:** TOTAL 2, 474. 53 3757 **SERVICE DEPTH OF JOB** of Flush , Follow up 125th Cent 1,320.00 PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE __ @ 5 Us @ _ MANIFOLD_ @ @ CHARGE TO: COFAL PROJ. Co. TOTAL 1, 570 00 STREET _ STATE_ _ZIP_ PLUG & FLOAT EQUIPMENT D.U. Tool 300 00 8/15/05 6-Centestreps @ 5000 280.00 To Allied Cementing Co., Inc. 2-BASKer @ 140.00 You are hereby requested to rent cementing equipment Guide Shee @ 160.00 Insent and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or TOTAL 4/2 75 00 contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side. TOTAL CHARGE ____ DISCOUNT _ — IF PAID IN 30 DAYS

PRINTED NAME

ALLIED CEMENTING CO., INC. 21468

RUSSELL, KANSAS 67665	SE	RVICE POINT:
DATE 8/5/05 SEC. TWP. RANGE	CALLED OUT ON LOCATION 10:30 an 12:30 q	JOB START JOB FINISH
LEASE Ventral WELL# / LOCATION Plaine		COUNTY STATE
OLD OR NEW (Circle one)		
TYPE OF JOB Surface Job	OWNER	AUG 1 6 2005
HOLE SIZE 10 3/4 T.D. 245	CEMENT	CORAL PRODUCTION CORP.
CASING SIZE 838 13# DEPTH 245	AMOUNT ORDERED <u>5</u>	0 Con 3% CC
TUBING SIZE DEPTH	2% 6-11	•
DRILL PIPE DEPTH		
TOOL DEPTH		_
PRES. MAX MINIMUM	COMMON <i>150</i>	<u> </u>
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG.	POZMIX	
PERFS.	GEL 3	@ 14.00 42.00
DISPLACEMENT /4 /3	CHLORIDE	@_ <u>38.00</u> 190.00
	ASC	
EQUIPMENT		@
	RECEIVED	@ @
PUMPTRUCK CEMENTER Shane	OCT OR ROLL	
# 366 HELPER Fred	OCT 0 3 2005	
BULK TRUCK	KCC WICHITA	
# 282 DRIVER Brian	- NOO MOUNT	@
BULK TRUCK	-	@
# DRIVER	HANDLING 158	@ 1.60 252.80
,	MILEAGE 64/515/MI	11 474.00
REMARKS:	,	TOTAL 2,263.80
		30112
	SERV	ICE
prent (ic	DEPTH OF JOB	
	PUMP TRUCK CHARGE	670.00
	EXTRA FOOTAGE	
	EXTRA FOOTAGE	@ 5.00 250.00
	MANIFOLD	7
CHARGE TO: Coral Production Corpor	Att's	
STREET		TOTAL 920 00
		TOTAL 740 -
CITYSTATEZIP	+ -	TOTAL
CITYSTATEZIP	PLUG & FLOA	AT EQUIPMENT
CITYSTATEZIP	PLUG & FLOA	
CITYSTATEZIP	PLUG & FLOA	AT EQUIPMENT
CITYSTATEZIP	PLUG & FLOA	
	PLUG & FLOA	AT EQUIPMENT
	PLUG & FLOA	AT EQUIPMENT
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment	PLUG & FLOA	AT EQUIPMENT
	PLUG & FLOA	AT EQUIPMENT @
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was	PLUG & FLOA	AT EQUIPMENT @ @ ### \$55,00
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or	PLUG & FLOA	AT EQUIPMENT @
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	PLUG & FLOA	TOTAL _55.00
To Allied Cementing Co., Inc. You'are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	TAX	TOTAL 55.00
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.	TAXTOTAL CHARGE	TOTAL 55.00
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	TAXTOTAL CHARGE	TOTAL 55.00
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.	TAXTOTAL CHARGE	TOTAL 55.00
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.	TAXTOTAL CHARGE	TOTAL 55.00