Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 4787	API No. 15 - 051-25768-00-00
Name: TDI, Inc	County: Ellis
Address: 1310 Bison Road	50'E_SW_SE_SE_Sec. 22 Twp. 14 S. R. 16 East V West
City/State/Zip: Hays, Kansas 67601	330' feet from S / N (circle one) Line of Section
Purchaser:	940'feet from (E) / W (circle one) Line of Section
Operator Contact Person: Tom Denning	Footages Calculated from Nearest Outside Section Corner:
Phone: (_785) _628-2593	(circle one) NE (SE) NW SW
Contractor: Name: Royal Drilling, Inc	Lease Name: Tholen Well #: 10
License: 33905	Field Name: Dreiling
Wellsite Geologist: Herb Deines	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 1890' Kelly Bushing: 1895'
New Weil Re-Entry Workover	Total Depth: 3500' Plug Back Total Depth:
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 223 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
✓ Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 26,000 ppm Fluid volume 900 bbls
Plug BackPlug Back Total Depth	Dewatering method used remove fluid and let pit evaporate
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No.	Operator Name: TDI, Inc
6/27/2008 7/2/2008	Lease Name: Dreiling B License No.: 4787
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter SW Sec. 221' Twp. 14S S. R. 16 East West VEDnty: Ellis Docket No.: D-25,112 TION COMMISSION
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a GONSERVA	the Aches Corporation Commission, 130 S. Market - Room 2078, Wichita, et or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. CONDINISIP equested in writing and submitted with the form (see rule 82-3-140) Sologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: 4th	KCC Office Use ONLY
Title: President Date: 5/19/08	Letter of Confidentiality Received
Subscribed and sworn to before me this 19 day of 1900	If Denied, Yes Date:
20 08.	Wireline Log Received
20 00 1 10 Na 19/	Geologist Report Received
Notary Public: A MACL WA	UIC Distribution
Date Commission Expires: NOTARY PUBLIC - State of Kansas VICKIE COLE	

Operator Name: TDI,	Inc			Leas	e Name:	i poleu		Well #: _10	- L	
Sec. 22 Twp. 14		Eas	t [₹] West	Соцп	ty: Ellis					
INSTRUCTIONS: She tested, time tool open temperature, fluid reco Electric Wireline Logs	and closed, flowin	g and shu es if gas to	t-in pressures, surface test, a	whether salong with	shut-in pr	essure reached	static level, hyd	rostatic pressu	res, botton	n hole
Drill Stem Tests Taken (Attach Additional S		₹] \	es []No		ΣL	.og Format	ion (Top), Depth	and Datum	s	Sample
Samples Sent to Geol		[] Y	es 🗸 No		Nam Anhy			Тор 971')atum 921'
Cores Taken	,	[] }			i	o Lime		2610'		718'
Electric Log Run		<u> </u>	===		Tope			2858'		966'
(Submit Copy)					Heet			3080'		188'
ist All E. Logs Run:								3101'		209'
					Toro		•	3130'		238'
Radiation Gua						sing/ KC		3360'		468'
Microresistivity					Base					
			·		Arbu			3389'	- I 	497'
		Reno		RECORD		ew [] Used ermediate, produc	ction etc			
Purpose of String	Size Hole	Si	ze Casing	We	eight	Setting	Type of	# Sacks		ind Percent
Surface	Drilled 12 1/4"	8 5/8"	t (In O.D.)	23#	s. / Ft.	Depth 223'	Cement	Used 150sx		Iditives
Juliace	12 1/4	8 3/8		23#		223	common	ISUSX	3%cal 2	.% gei
		ļ		-						
		<u> </u>				 				
			ADDITIONAL	CEMENT	ING / SQ	JEEZE RECOR	D			
Purpose:	Depth Top Bottom	Туре	of Cement	#Sack	s Used		Type and	Percent Additive	s	
Perforate Protect Casing Plug Back TD										
Plug Off Zone										
	DEDEADAT	ON DECO	D. Pridas Birr	an Cat/Tun		Apid Es	acture Chat Come	nt Causero Dose		
Shots Per Foot			RD - Bridge Plu Each Interval Pe		e 		acture, Shot, Ceme mount and Kind of I		ora	Depth
						KANSAS C	RECEIVED ORPORATION CO	MMISSION		
						Α	UG 2 1 2001	8		
						CON	ISERVATION DIVIS WICHITA, KS	SION		
TUBING RECORD	Size	Set At		Packer	At	Liner Run .	Yes N	0		
Date of First, Resumerd	Production, SWD or I	Enhr.	Producing Met	thod	Flowing	g []Pump	ing Gas L	_ift	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate			Gas-Oil Ratio		Gravity
Disposition of Gas	METHOD OF (COMPLETION)N	1		Production Inte	rval	7 A. T.		
,					∡ □ .					
Vented Sold (If vented, Sub	Used on Lease mit ACO-18.)		Open Hole Other (Spec	Per	<u>[_</u> j l	Dually Comp.	Commingled			

REMITTO PO BOX 31 SERVICE POINT: 🚣 👉 RUSSELL KANSAS 67.665 JOB START JOB FINISH OLD OR NEW (Circle one). CONTRACTOR 77642 TYPE OF JOB A LELAL F HOLE SIZE Z JOO Z AMOUNT ORDERED 2350% TUBING:SIZE DEPTH DRIEL PIPE 4/2 XH DEPTH3380 · DEPTH MINIMUM COMMON CEMENT LEFT IN CSG. . . . DISPEACEMENT: +: EQUIPMENT PUMPTRUCK CEMENTER 27 Their g BULK TRUCK #392 BULK TRUCK REMARKS: SERVICĒ. 21.0380 25 da J. 1000 25 da DEPTH OF JOB 3380 420'"/00 AX 275 40 ex PUMPTRUCK CHARGE EXTRA FOOTAGE @ TOTAL AUG 2 1 2008 @ To Allied Cementing Co., LLC You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL SALES TAX (If Any). TERMS AND CONDITIONS" listed on the reverse side TOTAL CHARGES. PRINTED NAMEX 1/0 DISCOUNT

REMITTO PO BOX 31 RUSSELL I	SANSAS 67665	SE	RVICE POINT
DATE 7 3 00 2	2 14 16	3:001M 6:00M	JOBSTART JOBFINISH GOOD 93000 COUNTY STATE
DEASE TWO WELL OLD OR NEW (Circle on	COA MAN TO THE COAL ASSESSMENT OF THE PARTY	Chen 3 south 14 W	Ella Kansus.
CONTRACTOR TYPE OF 10B 5	M. Plug	OWNER - Z7 - 27 - 27 - 27 - 27 - 27 - 27 - 27	<u>`</u>
HOLESIZE 726 CASING SIZE LUBING SIZE	TD 3500 DEPTH DEPTH	CEMENT AMOUNT ORDERED 23	
DRIEL PIPE 4//2.X H TOOL PRES MAX MEAS LINE	DEPTH 3350 DEPTH MINIMUM SHOE JOINT	GOMMON	
CEMENT LEET IN CSG PERFS DISPLACEMENT	SHEEROHNI	GEE 7 CHEORIDE	<u>@</u>
E0	QUIPMENT	ASC SEAL	
PUMPTRUCK GEMEN 1/5/ : HELPE BULK-TRUCK	NTER 31 The long R. Shilen Darro		@ @:
<i>392</i> drive BULK TRUCK DRIVE	R <i>Javid Surgenier</i> R	HANDLING	
Section 18	EMARKS:	MILEAGE	TGTAL:
THE PLAN STREET CONTRACTOR STREET, STR	5 ax	SERV	ICE.
		DEPTH OF JOB <u>3380</u> PUMP TRUCK CHARGE EXTRA FOOTAGE	
	<u>nx in natholo</u> as in mousehole.		
HARGE TO <u>J 21</u> TREET <u>13/0 B</u>			@
TREE 13/0 CA TY Haya S	iatë <i>Kandaa</i> zip <i>6760</i>		TEOUPMENT
		KANSAS CORPORATION COMMISSI AUG 2 1 2008	@
	to rent cementing equipmen	t CONSERVATION DIVISION	@
ontractor to do work as	helper(s) to assist owner or is listed. The above work wa upervision of owner agent or	S	- TOTAL
STORY OF THE STORY	id understand the "GENERA ONS" listed on the reverse sign	CONTROL OF THE CONTRO	Mary Called the State of the St
RINTED NAME X / / C	19 Kusig. 19	DISCOUNT	在影響。在新聞的古典社会主義企業
IGNATURE 🔏 🕠 💪	<u>Carlo (Estamolaria).</u> T	- Strank you	

RUSSELL KANS	AS:67665	SERVICE POINT <u>Z ルムレイ</u>	
DATE 7 5 08 22	WP. RANGE	CALLED OUT: ON LOCATION JOB START JOB FIR	VISH.
GEASE Tholes WELL# //	LOCATION Was	En 3 aut // COUNTY STATE	201
OLDOR NEW (Circle one)			
CONTRACTOR FOR A LANGE OF JOB;	Plug .	OWNER 7 21 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
HOLE SIZE 7/2 CASING SIZE	DEPTH	CEMENT AMOUNT ORDERED 235 40 47	66
EUBINGSIZE DRIELTIPE 4/2 XH	DEPTH DEPTH3380	W History van AK	
TOOL PRESIMAX	DEPTH MINIMUM	COMMON	44.1 76.1
MEAS LINE: CEMENT LEFTIN CSG.	SHOE JOINT	POZMIX	
PERFS: * DISPLACEMENT		CHLORIDE @ ASC @	
-EQUIP!	MENT	<u>[120:5EA] </u>	e see
PUMPTRUCK CEMENTER: #/8/ HELPER	Lactor Down	<u> </u>	igija.
BULK TRUCK		@	e Çili Se
#34 DRIVER 278 BULK-TRUCK #: DRIVER	ved Duryensein	@ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @	
Polynomia de la companya de la compa		HANDLING* @ MILEAGE	
REMA	RKS:	T@TAL	esta qui d
12 3380 25 ax 22 1000 25 ax	THE THE PART OF THE PARTY OF TH	SERVICE	
32 420 700 ex	EU PARTICIPAT DE	DEPTH OF JOB <u>3380</u> PUMP TRUCK CHARGE	
55 40 10 w		EXTRAFOOTAGE @	
and the control of th	in mousehole:	MANIFOLD @@	
ng gallog and and デタル			
thargeto-THD street <u>13/0-Biogr</u> eury Hays State	Rd.	TOTAL	
ity Haya state	<u>Kansas zip 6760/</u>	PLUG & FLOAT EQUIPMENT	erii. A da
		RECEIVED @	
To Allied Cementing Co., LLC You are hereby requested to re	nt cementing equipment	KANSAS CORPORATION COMMO @	€ 14
and furnish cementer and helpe contractor to do work as is liste		AUG 2 1 2008 [@]	
lone to satisfaction and superv contractor. I have read and und		CONSERVATION DIVISION TOTAL WICHITA, KS	
TERMS AND CONDITIONS"		SALES TAX (If Any)	
RINTED NAME X / Sug	Busy	DISCOUNT IF PAID IN 30 D	AÝS
		Takangan dan sayar da ka ka ka ka sa	
IGNATURE <u>X 7 / 2 / 2</u>	V. D. C.	- Thank you	

RUSSELL, KANSAS 67665 DATE 6-29-08 SEC TWP RANGE LEASE HOLE WELL TO LOCATION COLOR OF TWO SECURITIES OF TWO SECURITIES OF THE PROPERTY OF TWO SECURITIES O	6:00 PM 6:30 PM
CONTRACTOR ROYAL DRIG, KIG#/ TMEE OF 10B C m en + SURFACE HOLESIZE /2 /4 T.D. 2.23' CASING SIZE 8 58 DEPTH 2.23 FUBING SIZE DEPTH DRILLPIPE DEPTH TOOL DEPTH	CEMENT AMOUNT ORDERED 150 SK Com.
PRES MAX MINIMUM MEAS TINE SHOE JOINT CEMENT LEFT IN GSG: 15 PERFS: DISPLACEMENT EQUIPMENT BUMP TRUCK CEMENTER	GOMMON @
# 398 HELPER 5024 BULK TRUCK # 345 DRIVER DOUG BUEK TRUCK # DRIVER REMARKS:	## ## ## ## ## ## ## ## ## ## ## ## ##
ACULTE	SERVICE DEPTH OF JOB PUMP TRUCK CHARGE EXTRA-FOOTAGE MILEAGE MANIFOLD @
CHARGE TO TEAT. OIL TAIC. STREET. STATE ZIP	@ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @
To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	(a) (ii) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.	SALES TAX (If Any) TO RECEIVARIES SAS CORPORATION COMMISSION TO PAUD IN 30 DAYS AUG 2 1 2008

	CANSAS 67665		SERVICE POINT
	2 TWP RANGE		TION JOBISTART, JOB FINISH
LEASE AHOLEN CIRCLE on	# 10 LOCATION (A	Jalker 3s 4w N	THEOLOGY ISLAND
CONTRACTOR KO	(al DALG, RIGS	#/OWNER	
TYPE OF JOB C M Z HOLE SIZE 72 4 CASING SIZE 8 78	TD 22 DEPTH 22	ment in the property of the Control of Section (Control of the Control of Con	50 SK Com
TUBING SIZE DRILL PIPE TOOL	DEPTH	3	25 C.C. 25 GeL
PRES MAX MEAS LINE	DEPTH MINIMUM SHOE JOINT	COMMONPOZMIX	<u>14 (Ø).</u> (Ø
CEMENT LEFT IN @SG.: PERFS : DISPLACEMENT	15	GEL CHEORIDE	@ <i>&</i>
THE RESERVE OF THE PROPERTY OF	OUPMENT	iZ ASC	
	TER CALLENY		
BULKTRUCK # 345 DRIVE	_/_/	SEC OF FIRST DESCRIPTION OF THE SECOND PROPERTY OF THE SECOND PROPER	
BÚĽK TRÚCK # *** DRÍVEI	$rac{\sigma}{2}$	HANDLING	@ :
R	EMARKS:	MILEAGE **	TOTAL
		SE	RVICE
		DEPTH OF JOB PUMP TRUCK CHARGE	
Statement of 1	ZEAT CARCUL	EXTRA FOOTAGE MILEAGE	
		MANIFOLD 1	
THARGETO T.D.I. STREET	Oil Inc.		TOTAL
ZITY S	TATE ZIP	PLUG & FL	OAT EQUIPMENT
			<u> </u>
To Allied Cementing Co.,		RECEIVED KANSAS CORPORATION COMMIS	de la companya del companya del companya de la comp
and furnish cementer and	to rent cementing equipme helper(s) to assist owner of s listed. The above work y	T AUG 2 1 /UUS	
lone to satisfaction and si	pervision of owner agent d understand the "GENER	OT WICHTA KS	TOTAL #
TERMS AND CONDITION	INS" listed on the reverse		
RINTED NAME 1200	g Burlig :		IF PÄIDIN 30 DAYS
IGNATURE A	y Buj		

REMITTO PO BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT
DATE (0-3/-00 2A 145 16 w	CALLED OUT ON LOCATION JOB START, JOB FINISH
ELEASE ALCATION WELL# 10 LOCATION WALK	(eR: 3.5 4W NIHT) COUNTY STATE HOUSES
CONTRACTOR HOYAL DALG, RIGHT	¿ OWNER
HOLE SIZE /2 /4 TD 223' CASING SIZE 8 98 DEPTH 223' TUBING SIZE DEPTH DRILLEPIPE DEPTH	CEMENT AMOUNT ORDERED 450 SK Com.
TOOL: PRES: MAX MINIMUM MEAS: LINE: CEMENT LEFT IN CSG: /5	COMMON: @ POZMIX @ GEL @
PERFS DISPLACEMENT	CHLORIDE @ ASC @ @ G
PUMPTRUCK GEMENTER (5/20) # 398 HELPER 5/200	
BUCKTRUCK # 5 45 DRIVER D BUCKTRUCK # 6 4 5 DRIVER	© (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
REMARKS:	HANDLING @ MILEAGE
	SERVICE
EMENT (RCULTED)	DEPTH OF JOB REGEIVED PUMP TRUCK CHARGE KANSAS CORPORATION COLOR SSION MILEAGE MANIFOLD: AUG 2 1 2008
phargeto <u>TAZ Oil Zac. : .</u> Treet	© CONSERVATION DIVISION WICHITA, KS TOTAL
<u>ITY STATE</u> ZIP	PLUG & FLOAT EQUIPMENT
To Allied Cementing Co., LLC Collare hereby requested to rent cementing equipment indsfurnish cementer and helper(s) to assist owner or	
ontractor to do work as is listed. The above work was one to satisfaction and supervision of owner agent or ontractor. I have read and understand the "GENERAL ERMS AND CONDITIONS" listed on the reverse side.	TOTAL SALES:TAX:(If Any)
rinted name 2003 East of the Constitute of the C	FOTAL CHARGES IF PAID IN 30 DAYS
IGNATURE AND SOLL	