ORIGINAL

Geologist Report Received

UIC Distribution

Form ACO-1 September 1999 Form must be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #32309	API NO. 15- 081-21748-0000
Name: Presco Western, LLC	County Haskell
Address 5665 FLATIRON PARKWAY	<u>sw - se - se - sw Sec. 19 Twp. 30 S.R. 33 </u>
City/State/Zip BOULDER CO 80301	252 Feet from SN (circle one) Line of Section
Purchaser: <u>High Sierra Crude (oil)/BP (gas)</u>	2,250 Feet from EW (circle one) Line of Section
Operator Contact Person: Randy M. Verret	Footages Calculated from Nearest Outside Section Corner:
Phone (303), 305-1163	(circle one) NE SE NW (SW)
Contractor: Name: Trinidad Drilling RECEIVED NAMES ON RECEIVED NAMES OF TRINIDAD NAM	Lease Name SWLVIU Well # P12
License: 33784 . CORPORATION	Field Name Victory
License: 33784 . CORPORATION Applicable WANSAS CORPORATION ON KS	Producing Formation Lansing
Wellsite Geologist: Not Applicable WANTON ONUSION Designate Type of Completion CONSERVATION ONUSION CONSERVATION ONUSION	Elevation: Ground 2,961' Kelley Bushing 2,973'
x_ New Well Re-Entry Workover	Total Depth 4,400 Plug Back Total Depth
SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 1,752 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes X No
Dry Other (Core, WSW, Expl., Cathodic, etc.)	If yes, show depth setFeet
If Workover/Reentry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:	Drilling Fluid Management Plan AI+ 1 NCR 8-6-08
Original Comp. Date Original Total Depth	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 2,000 ppm Fluid volume 4,000 bbls
Plug Back	Dewatering method used <u>Air Evaporation</u>
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name
Other (SWD or Enhr?) Docket No.	Lease Name License No
7/16/2007 7/23/2007 8/6/2007	Quarter Sec Twp S R E [] W
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	County Docket No
Kansas 67202, within 120 days of the spud date, recompletion, wo Information on side two of this form will be held confidential for a per 82-3-107 for confidentiality in excess of 12 months). One copy of all CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with	rith the Kansas Corporation Commission, 130 S. MarkeT - Room 2078, Wichita, rkover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. riod of 12 months if requested in writing and submitted with the form (see rule I wireline logs and geologist well report shall be attached with this form. ALL th all plugged wells. Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	gulate the oil and gas industry have been fully complied with and the statements
Signature / leli llouash	/ KCC Office Use ONLY
Title Regulatory Assistant	2372000 Letter of Confidentiality Attached
Subscribed and sworn to before me this 23rd day of Vuly 20 08	If Denied, Yes Date: Wireline Log Received

2 - 2 MF Commission Expires 02/12/2011

Date Commission Expires

Side Two

Operator Name Presco Western, LLC					Lease Name SWLVLU				Well # P12		
Sec. <u>19</u> Twp. <u>30</u>	_ S.R. <u>33</u>	☐ East	X West	Coun	ty <u>F</u>	askell					
INSTRUCTIONS: Sho tested, time tool open a temperature, fluid reco Electric Wireline Logs s	and closed, flowi	ng and shut- rates if gas	in pressure to surface	es, whether st e during test	nut-in	pressure read	hed static level,	hydrostatic	pressures,	bottom hole	
Drill Stem Tests Taken Yes X No (Attach Additional Sheets.)		[X	🔀 Log Formation (T		Formation (Top),	op), Depth and Datums Samp		Sample			
Samples Sent to Geolog	ical Survey	X Yes	□ No	Nar	Name		Top Date		atum		
Cores Taken		☐ Yes	X No			٠					
Electric Log Run (Submit Copy.)		X Yes	Yes No		Heebner 4,048 Lansing 4,152		••				
List All E.Logs Run:					•	, j.			•		
Dual Induction Log	g, Compensat	ed Neutror	Log				y 1 1				
						. 1	3				
	Repor		RECORD	X New		sed ate, production	on, etc.			W.	
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		Weight Lbs./Ft.		Setting Depth	Type of Cement	# Sacks Used		nd Percent litives	
Surface	12 1/4	8 5/8		23.0		1,755'	Lite/classc	575/150	3%CC		
Production	7 7/8	5 1/2		15.5		4,360'	ASC/Lite	100/150	2%gel/	10%sa/1/4f	
	<u> </u>	•						l			
Purpose	Depth			· · · · · ·		EZE RECORI					
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom	Туре о	f Cement	#Sacks \	Jsed ———		Type and P	ercent Addit	ives		
Shots Per Foot	Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Sqeeze Record (Amount and Kind of Material Used) Depth					
4	4,152 - 4,156' Lansing					36 bbls acid/40 bbls flush					
4	4,174 - 4,180' Lansing					24 bbls acid/30 bbls flush					
TUBING RECORD	Size 2-7/8"	Set At 4,266		Packer At		Liner Run	☐ Yes 🛛] No			
Date of First, Resumed	Production, SV	VD or Enhr.	Produ	cing Method		<u></u>					
1/11/2008				Flowing	XP	umping G	as Lift Ot	her (Explain))		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf _{j.}	Wate	Bbls.	Gas-Oil	Ratio		Gravity	
,	9		·		2	7.公二	-0-		37.	5	
Disposition of Gas:		OF COMPLET				; ;	Production Inte	rval			
Used on Lease ☐ Open Hole ☐ Perforation ☐ Dually Comp. ☐ Commingled ☐											
(If vented, submit A	4CO-18.)		Other ((Specify)	` √ 05	10 3/20 ·	<u>*</u>				
				inst file.	tings	ary kannaksion	g t	•			

ALLIEU CEMENTING CO., INC.

25263

DATE 7/17/27	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH				
WLVLU /2	1.7	1 700	12/		5/-240	COUNTY	STATE				
EASE	WELL#	P 17	LOCATION Ser 7	15.1 / 2 K	2 1 N/5	Here's -11	Kr				
OLD OR NEW (Cir	cle one)	and the second				I was the same of the	200 July = 17 S 160				
CONTRACTOR	7	Some /		OWNER 5							
TYPE OF JOB	y er 7	Freta		OWNER		A A COMP					
HOLE SIZE	, K		OF PORT	CEMENT			that production				
CASING SIZE		DE	PTH /> ₹ \$	AMOUNT (
TUBING SIZE	¥.		PTH	The second secon	5 575 at 1 34 37 as 50 as						
ORILL PIPE TOOL		1.5	PTH PTH	- 1500	Charles a k 3	The state of the s					
PRES. MAX // =			PIH NIMUM / Ś - ""	COMMON	"Ise" The "	@ 15.4/2	2710.0				
MEAS. LINE	y Wie Weile		OEJOINT Z	POZMIX		@ <i>(), ":</i> @					
CEMENT LEFT IN	CSG.			GEL	an make the same	@					
PERFS.			***	2017年2月1日 · 大声: 大连 65 - 10 10 11 11 11 11 11 11 11 11 11 11 11	7.4/5/20	· @ 4/.60	1119 4				
DISPLACEMENT	110,71	PPL		ASC		0					
		JIPMENT		· Lynne	of security and a second secon	_@_ <i>\<\$</i>	1 (1 (2) (1 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)				
				SION F.	<u>/</u>	<u>~@_2,-~</u>	2.95%				
PUMP TRUCK (CEMENT	ER 🐠	CONSERVED COMM				THE CART				
# ⁴ 2; 1	IELPER	and storm of	RECORATION	8	PART OF THE STATE	@					
BULK TRUCK		4.50	GECOM NA PO	012 11 11 11 11	Water Commen	_					
BULK TRUCK	JKIVER	u & property	m. We "us	W.		@	jeve zak				
SOLK INCCK	RIVER	tran	CMSERVATION	W		@ <u></u>					
		-485 A-1		*** *** *** *** **** **** **** **** ****		_(@_ <u>-);-(?,)</u>					
		MADZO		· · · · · MILEAGE :	79/400	TOTAL TIME	20 119. 5				
	, KE	MARKS:	The second second			TOTAL					
	A TOTAL STATE OF THE STATE OF T			ii							
	ronz	<u> </u>	12 5 753 1 12 mg 1 12 mg		SERVI : SERVI	CE					
			and Mary se	DEPTH OF	TOP:						
			714/19 10 27	As the second of the second of the second	IUB CK:CHARGE:		16/0.00				
				EXTRA FO	。 《大學學學學學學學學學學學學學學學學學學學學學學學學學學學學學學學	@					
				2. 18 10 10 10 10 10 10 10 10 10 10 10 10 10	Total Control of the	The state of the s	THOUSE				
				- MANIFOLL	1 H. S.	@	. Grant de				
				Waiting	Time 6.17 H	<u> </u>	- 12 ms				
						_@	interviewe				
CHARGE TO: 💯	ere de	MARK.									
TREET						TOTAL					
		ATT	771								
ery	'si	ATE	LL ZIP		.PLUG & FLOAT	EQUIPMEN	\mathbf{T}				
海河 "一种"的					a a compression of the compressi						
		V-10-45		TO THE THE	11/2-21/6	@	10000				
		4 34		184 W. Carlot Studies at 1 Contract Studies and India	18. 18 18 18 18 18 18 18 18 18 18 18 18 18	The state of the s	250.0				
To Allied Cement	ng Co	Inc.		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	with the state of		.550 c				
	1400	and the state of the section	nenting equipment		and the second	THE RESERVE ASSESSMENT OF THE PARTY OF THE P	ガンマス・マンド 大 ち 大 ない				
and⊮furnish"cemer	iter and l	nelperato a	issistiowner or 🕷 🤫	The Marie L	4						
1、 2、 2、 2、 2、 2、 2、 2、 2、 2、 2、 2、 2、 2、	*CO.57	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	he above work was								
4 4 4 4 5 5 5 6 5 6 5 6 5 6 5 6 5 6 5 6	The second of th	[27] A. C. A. M. Martin, Phys. Lett. B 50, 120 (1997).	of owner agent or			**: TOTAL					
The state of the s	the Latter State of the		d the "TERMS AN	D. TAX							
CONDITIONS" li	sted on t	he reverse	e side.		Alles Arthritis	n de la companya de La companya de la co	Tribbacker.				
		17.4.5%		TOTAL CHA	ARGE :	The state of the s					
The state of the s	1000	A STREET SHOPE STATE OF STREET	TO A MAN TO PARTY THAT THE STATE OF THE STATE OF	CONTRACTOR STATE OF THE STATE OF	TO STATE AND A STATE OF THE STA	Alexander Control	THE STATE OF THE SECOND				
		经验证的		DISCOUNT		TF:PAL	D IN 30 DAY				

RUSSELL, KANSAS 67665

DATE 7 - 12 1/2	→ SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
	WELL#			-7	CAF	COUNTY	STATE
OLD OR NEW (1/	12		(24,4,2,7,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8	<u> </u>
ODD OR REW (MINU W				
CONTRACTOR	ETAB	= 100 =	DALO	OWNER	59 WZ		
TYPE OF JOB							
HOLE SIZE	<u> </u>	T.D.	4355	_ CEMENT	1111	SKAS	c 29,00
CASING SIZE	5/2 /5	Z DEF		_ AMOUNT C		\	e control of the cont
TUBING SIZE		DEF		_ 10%_	to a second second	5,00	3 1 PT -14
DRILL PIPE TOOL	die .	DEF DEF	Age of the second secon		15036	11/5 /7	
PRES. MAX	(500)		IMUM	COMMON_	,	@	
MEAS. LINE			DE JOINT 20'	POZMIX		@	- 33 5
CEMENT LEFT	IN CSG		7D JOHN ALC	GEL	a sk	@\$/663	7770
PERFS.	111 050.27	<u> </u>		CHLORIDE	The second of th	@	
DISPLACEMEN	T			ASC	100 5/	@ 14.90	1770
		IPMENT	·		150 CTE	@ //25	16873
	EQU	AR IVILLIA				@	
DIN (D ED LICIE	CENTENIC	ED R	0/1	- 5/	5.0 T SC 80		*350
PUMP TRUCK	CEMENT	ER <u>1-2-6-7</u>	D/ MA	- F	550 384	<u> 3</u> @ <u>A </u>	7/2 60
BULK TRUCK	HELPER	RECEI	CIVEDOMMIS	5 47	1050	<u> </u>	
# 3 / Co	DRIVER	PEN	RECEATION	F1.10	10 47	<u> </u>	
BULK TRUCK	DICIVER	7 6 17	CP2 COUNTY I SOUR			@	
#	DRIVER	. 4	RECEIVED ON ANS CORPORATION COMMISSION COMPERVATION OF CONSERVATION OF COMPERVATION OF COMPERV	VISION	2016	@	James St. M. K. C.
			TOWN Y	HANDLING		@ <i>/.YO</i>	- 62
			CONSERVICHILM	MILEAGE	10136/2		
		MARKS:	and the second s	ereste i Militario di Registra i Propinsi. Propinsi di Propinsi di P		ТОТА	L
- My	150	SK G	TE	ili de la compansión de l La compansión de la compa			
mix	100	450	· <u> </u>		SER	VICE	
(<u>U)@</u>	54 P3 "	Alry 1	1116-		11010		August Colonia (Colonia)
pr	of fly	1			јов <u>4360</u>		عادي مرود
1910	<u> e illeg</u>	+ 11	CORT HELD		CK CHARGE		16/3
		*	and the second s	EXTRA FO		@ / o ⁷	1000
				MILEAGE	30		- / * / -
			······································	— MANIFOLI	a la Tol	@ @ <i>][:::6</i>	1 100
*	1	•		fort s	10.10	@ <i></i>	
	And and	1110	and the same of the same				
CHARGE TO: 🚣	MI -CO	y care	SIERN	<u>ali dise</u> tejebili, ali e kalendesik Baransa			
STREET						TOTA	-
1	_8						
CITY	S1	ATE	ZIP		PLUG & FLO	AT EQUIPME	ENT
				1- =1/2	Swilling	@ / 5	1 500
	5			5 6%	Considerate		250, 300
m 411: 1 C		Ψ.	r	11 5%	BASINET	@	1650
To Allied Ceme				15%	Culle SLA	@	770
			nenting equipment	ZAFO	1135 655	@ -	21.1
and furnish cer		-	the state of the s	i oprovinski primatelja i primatelja i Događenja i primatelja i primate			and the state of t
			he above work was	The state of the s		TOTA	ď
		_	of owner agent or			1017	
			the "TERMS AN	TAX		<u> </u>	
CONDITIONS	iisted on	ine reverse	e side.				$\mathcal{C} = \{ (1, 1) \mid 1 \leq r \}$
			The second second	TOTAL CH	ARGE		
			·	DISCOUNT		IF PA	AID IN 30 DAYS
	. *				· · · · · · · · · · · · · · · · · · ·		
CICMATTIDE *		- Carlon		e e e e e e e e e e e e e e e e e e e	The same of the sa	و موسو و را موسا	
SIGNATURE _	and the second			A STATE OF THE STA	DDIN	ITED NAME	
			•		rkir	ATEN NAME	