

Operator Name: TWM Production Company Lease Name: CANNON A Well #: 45
 Sec. 22 Twp. 26 S. R. 18 East West County: Allen

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)

Log Formation (Top), Depth and Datum Sample
 Name Top Datum

List All E. Logs Run:

WELL LOG

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	11"	8 5/8"		22' 11"	PORTLAND	6	
CASING		2 - 7/8		776'	PORTLAND	178	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth
		FRAC WITH 40 SACKS SAND		753'-770'

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 7/8	776'		<input type="checkbox"/> Yes <input type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method							
5/0608	<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)							
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity			
	3							

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

RECEIVED
 KANSAS CORPORATION COMMISSION

AUG 1 1 2008
 CONSERVATION DIVISION
 WICHITA, KS

"WARNING"

DANGER - MAY CAUSE BURNS TO EYES AND SKIN. CONTAINS CALCIUM HYDROXIDE WHEN MIXED WITH WATER. SKIN AREAS THAT COME INTO CONTACT WITH PORTLAND CEMENT OR MIXTURES CONTAINING PORTLAND CEMENT, EITHER DIRECTLY OR THROUGH SATURATED CLOTHING, SHOULD BE PROMPTLY WASHED WITH WATER. FAILURE TO DO SO MAY CAUSE SKIN IRRITATION OR POSSIBLE THIRD DEGREE BURNS REACHING DEEP TISSUES WITH LITTLE WARNING. BODY PERSPIRATION OR MOISTURE MAY CAUSE HYDRATION OF DRY CEMENT ALSO RESULTING IN BURNS. IF IRRITATION BEGINS TO INCREASE SEE A PHYSICIAN IMMEDIATELY. IF PORTLAND CEMENT OR A MIXTURE CONTAINING PORTLAND CEMENT GETS IN THE EYE, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND SEEK PROMPT MEDICAL ATTENTION. IF INGESTED, CONSULT A PHYSICIAN IMMEDIATELY. DRINK WATER. CONTAINS CRYSTALLINE SILICA; CHRONIC OVEREXPOSURE TO AIRBORNE CRYSTALLINE SILICA HAS BEEN LINKED TO LUNG PROBLEMS, INCLUDING CANCER AND SILICOSIS. USE A NIOSH-APPROVED DUST RESPIRATOR. MATERIAL SAFETY DATA SHEETS AVAILABLE ON REQUEST. KEEP OUT OF REACH OF CHILDREN.

This Shipping Order

must be legibly filled in, in Ink, in Indelible Pencil, or in Carbon, and retained by the Agent

SHIPPING ORDER

From THE MONARCH CEMENT COMPANY

AT HUMBOLDT, KANSAS

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder, shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

5-1-08

SHIPPER'S NO.

BC4609

WWP50C

00011

Subject to Section 7 of conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of Consignor)

If charges are to be prepaid, write or stamp here. "To Be Prepaid."

Received \$

to apply in prepayment of the charges on the property described hereon.

Agent or Cashier

Per

(The signature here acknowledges only the amount prepaid.)

(Mail or street address of consignee — For purposes of notification only.)

CONSIGNEE TO

W-W PRODUCTION
1150 W HIGHWAY 39
CHANUTE KANSAS

DESTINATION

ROUTE

W.W

[Handwritten Signature]

CAR NO./TRAILER NO.

YOUR NO.

1

0

Quantity

Description

Class or Rate

Charges Advanced:

5.24 TONS

4.75 METRIC TONS

TYPE I/II CEMENT

LBS. GROSS

44020 LB

I

682

2

TIME 03:09 PM

01 MAY 08

LBS. TARE

33540 LB

I

682

2

03:07 PM

Gates Closed:
Last Product Hauled:

CORRECT NET

10480 LB

If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is a carrier's or shipper's weight. NOTE-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding per

THE MONARCH CEMENT COMPANY

CERTIFIED SHIPPERS WEIGHTS

Permanent post office address of shipper,

HUMBOLDT, KANSAS 66748

Per

Agent

SPECIAL INSTRUCTIONS

LOAD

44000/cp

344

RUN: 4/21/08

HAWK BUSINESS SPECIALTIES - JOLA, KANSAS • 800-728-4295